



# MEMORANDUM

---

DATE: January 2, 2009

TO: Chair Orrico and Members of the Planning Commission

FROM: Paul Inghram, AICP, Comprehensive Planning Manager  
[pingham@bellevuewa.gov](mailto:pingham@bellevuewa.gov) 425-452-4070

SUBJECT: Updated Draft Bel-Red Subarea Plan and Land Use Code Amendments

This memo provides a briefing to inform you of the most recent updated version of the Bel-Red Comprehensive Plan and Land Use Code.

The City Council has held several study sessions on Bel-Red following the Commission's recommendation in July of last year. The Council study sessions included review of the Planning Commission's recommendation, discussion of a number of specific details, and review of recommendations from the Urban Land Institute (ULI) and the city's consultant regarding the proposed amenity incentive system. The Council's review combined with additional internal staff scrutiny has led to a number of technical and substantive updates that staff recommends and will present to the City Council on January 5. Action on the Bel-Red amendments is not anticipated until February.

The draft Bel-Red Subarea Plan has been revised to include very minor edits to two policies: S-BR-K1 and S-BR-K6. These edits are for consistency with the Medical Institutional amendments adopted by Council in August, and broaden the reference to the MI District to be more inclusive. Otherwise, the Subarea policies are unchanged from the Commission's July Transmittal.

Since the Planning Commission's recommendation in July, a number of factors have led to continued refinement of the draft Code language. Staff has conducted additional internal review that included the City Attorney's office and the Land Use review staff to ensure that the proposed code language was clear, precise and enforceable. We have also continued to receive public comments and questions about the proposed Land Use Code.

The attached management brief from Land Use Director Carol Helland provides a "road map" for additional revisions proposed by staff that range from minor technical changes to more substantive changes based on Council direction (Attachment A). A complete copy of the revised code, including annotation describing the revisions, and revisions to the design guidelines are also attached (Attachment A1 and A2). Changes to the design guidelines are primarily related to altering the format to fit as an attachment to the Code, including removal of some of the introductory text and changing to a portrait layout.

It is staff's belief that these additional code changes remain consistent with the overall intent of the Planning Commission's July recommendation. However, should the Planning Commission

have concerns, staff will relay and discuss those concerns with Council prior to final adoption of the Bel-Red plan and code amendment package.

**Attachments**

- A. Memo dated December 30, 2008, from Land Use Director Carol V. Helland to Mayor Degginger and the City Council regarding Annotated Bel-Red Code Revision Roadmap
- A1. Annotated Bel-Red Code Revisions
- A2. Mark up of revised Bel-Red Design Guidelines



# MANAGEMENT BRIEF

DATE: December 30, 2008

TO: Mayor Degginger and Members of the City Council

FROM: Carol V. Helland, Land Use Director 452-2724  
Development Services Department

SUBJECT: Annotated Bel-Red Code Revision Roadmap

In preparation for the January 5 Council meeting, staff performed a thorough review of the Land Use Code amendment package that was transmitted by the Planning Commission as recommended Bel-Red corridor implementing regulations. This staff review included an examination of all cross references, examination of content for clarity and ease of administration, and identification of opportunities for simplification and flexibility.

As a result of this review, staff is recommending a range of technical amendments to the code previously transmitted by the Planning Commission. Staff is also recommending four substantive changes to the Planning Commission recommendation. Rationale for the recommended changes is noted in the margin of the attached strike draft and is explained in greater detail below.

## **Technical Amendments to the Planning Commission Recommendation**

The technical amendments do not change the substance of the Planning Commission recommendation. These amendments fall into one or more of the following six categories:

1. Provision Moved

Technical amendments annotated with the word "Moved," describe code changes where a section or paragraph was relocated to another section of the Bel-Red code or to the General Land Use code amendment package. Provisions were moved to enhance readability or ensure consistency with the city-wide provisions. In some cases, provisions were moved to consolidate several sections in order to provide code simplification and enhance ease of administration.

2. Code Consistency

Technical amendments annotated with the word "Consistency," describe code changes to ensure consistency between the Bel-Red code and LUC that is applicable city-wide or to insure internal consistency within the Bel-Red code amendments.

### 3. Code Clarity

Technical amendments annotated with the word “Clarity,” describe code changes to enhance readability and to facilitate ease of administration. These changes were made to enhance understanding of the code without compromising the Planning Commission intent expressed in the original transmittal.

### 4. Code Flexibility

Technical amendments annotated with the word “Flexibility,” describe code changes that are intended to expand administrative flexibility without compromising the Planning Commission intent expressed in the original transmittal.

### 5. Correction

Technical amendments annotated with the word “Correction,” describe code changes necessary to fix mistakes such as inaccurate cross references and misspellings. References to high capacity transit were also corrected to reference light rail and accurately reflect terminology used in Proposition 1 that was passed by voters in November.

### 6. Simplification

Technical amendments annotated with the word “Simplification,” describe code changes of a regulatory reform nature that simplify or streamline language and processes without compromising the Planning Commission intent expressed in the original transmittal.

## **Substantive Amendments to the Planning Commission Recommendation**

These amendments change the substance of the Planning Commission recommendation. The recommended substantive amendments fall into one of the following four categories and are described in greater detail below.

### 1. FAR Limitation

The substantive amendment annotated with the words “FAR Limitation” describe a code change recommended by staff to delete LUC section 20.25D.040.A in anticipation of Council adoption of the Mobility and Infrastructure Finance Plan.

### 2. Floor Plate Maximum

Substantive amendments annotated with the word “Maximum,” describe code changes to gross sf/floor above 40 feet contained in LUC Chart 20.25D.080.A. These code changes are recommended by staff to limit floor plate size above 40 feet and below 70 feet. The code change was originally recommended by staff to the Planning Commission, but was not recommended to Council as part of the Planning Commission transmittal. The Planning Commission did not recommend this change to Council,

because they were concerned that it might discourage residential development. Staff does not agree, and views this recommended change as necessary to ensure that mid-rise buildings maintain an appropriate urban form, minimize view impacts from the north, and maintain pedestrian related scale.

### 3. Residential Mixed-Use Requirement

Substantive amendments annotated with the word “Mixed-Use,” describe a code change to Footnote 19 of the dimensional requirements contained in LUC Chart 20.25D.080.A. The code change is recommended by staff to give developers greater timing flexibility for when the required residential component of a mixed use development must be provided. The Planning Commission recommended language required a proportionate share of residential uses to be constructed with each phase of development. The staff recommended language would allow developers to provide the required residential uses when the market demand justifies residential development.

### 4. Recommendations based on ULI Feedback

Substantive amendments annotated with the word “ULI,” describe code changes made in response to feedback received from the Urban Land Institute (ULI) review. These changes included amendments to the dimensional requirements contained in LUC Chart 20.25D.080.A that increase maximum FAR limitations. These changes also included amendments to the amenity incentive system to finalize bonus ratios based on the ULI economic analysis. The changes described above were discussed during the October 6 study session and are consistent with changes directed by the City Council during that session. Staff is recommending one additional change that would distinguish “parks dedications” from “parks improvements” in the amenity incentive system chart to enhance clarity in response to the ULI recommended changes.

## **Planning Commission Feedback on the Proposed Amendments**

Staff will be reviewing the proposed technical and substantive changes with the Planning Commission on January 7. Staff believe that the recommended technical and substantive changes remain consistent with the overall intent of the Planning Commission’s original recommendation. However, should concerns be raised by the Planning Commission relative to the recommended changes, staff will relay and discuss those concerns with Council prior to final adoption of the Bel-Red code amendment package.

I hope this information is useful to your review of the materials presented for your consideration and discussion on January 5<sup>th</sup>. If you have questions, please feel free to contact me. I will also be on hand at the January 5 Council meeting to discuss the Bel-Red code amendment package and answer any questions you may have.

## Attachment A1

### Part 20.25D Bel-Red

#### 20.25D.010 General.

##### A. Applicability.

1. This Part 20.25D, Bel-Red (BR) contains requirements, standards, and guidelines that apply to development and activity within the Bel-Red Land Use Districts. Except to the extent expressly provided in this Part 20.25D and as referenced in paragraph 2 below, the provisions of the Land Use Code, other development codes, the city development standards, and all other applicable codes and ordinances shall apply to development and activities in the Bel-Red Land Use Districts. Except within the Critical Areas Overlay District (Part 20.25H LUC), where there is a conflict between the Bel-Red Land Use District regulations and the Land Use Code and other city ordinances, the Bel-Red Land Use District regulations shall govern. Where there is a conflict between the Bel-Red Land Use District regulations and the Critical Areas Overlay District, the Critical Areas Overlay District shall govern. Where the requirements of the Bel-Red Land Use District exceed those of the Land Use Code and other city ordinances, the Bel-Red Land Use District regulations shall govern.
2. The following general development requirements of Chapter 20.20 LUC do not apply in the Bel-Red Land Use Districts:
  - a. LUC 20.20.005;
  - b. LUC 20.20.010;
  - c. LUC 20.20.012;
  - d. LUC 20.20.015
  - e. LUC 20.20.017;
  - f. LUC 20.20.018;
  - g. LUC 20.20.030 (provided, this section applies in the ORT Land Use District);
  - h. LUC 20.20.060;
  - i. LUC 20.20.070;
  - j. LUC 20.20.125 (provided, this section applies in the ORT Land Use District);
  - k. LUC 20.20.128;
  - l. LUC 20.20.135;

- m. LUC 20.20.190;
- n. LUC 20.20.250;
- o. LUC 20.20.400;
- p. LUC 20.20.520;
- q. LUC 20.20.560;
- r. LUC 20.20.720;
- s. LUC 20.20.760;
- t. LUC 20.20.800; and,
- u. LUC 20.20.890.

## **B. Land Use Districts.**

Bel-Red is divided into twelve (12) land use districts to facilitate its transformation into a vibrant and sustainable, pedestrian oriented mixed use neighborhood with vital businesses. The transformation will include multimodal transit systems that connect to the greater city and region. The geographic location of Bel-Red is legally described in LUC 20.50.012.

The purpose and intent of the Bel-Red Land Use Districts is described in LUC 20.10.375 and application of requirements, standards, and guidelines to a specific property may differ depending upon which of the following districts a property is located.

1. Bel-Red-Medical Office (BR-MO).
2. Bel-Red-Medical Office Node 1 (BR-MO-1).
3. Bel-Red-Office/Residential (BR-OR).
4. Bel-Red-Office/Residential Node 1 (BR-OR-1).
5. Bel-Red-Office/Residential Node 2 (BR-OR-2).
6. Bel-Red-Residential/Commercial Node 1 (BR-RC-1).
7. Bel-Red-Residential/Commercial Node 2 (BR-RC-2).
8. Bel-Red-Residential/Commercial Node 3 (BR-RC-3).
9. Bel-Red-Commercial/Residential (BR-CR).

- 10. Bel-Red-Residential (BR-R).
- 11. Bel-Red-General Commercial (BR-GC).
- 12. Bel-Red-Office/Residential Transition (BR-ORT).

**20.25D.020 Definitions Specific to Bel-Red.**

**A. Bel-Red Definitions.**

The following definitions are specific to the Bel-Red land use districts and shall have the following meaning:

**BROTS.** An interlocal agreement between the cities of Bellevue and Redmond regarding land use planning and the funding and construction of transportation improvements in the Bel-Red/Overlake Transportation Study Area, as adopted by Resolution No. 6353 and subsequently amended.

**Build-to Lines.** A location along a designated block or right-of-way where a building must be constructed. The build-to line is the property line unless designated otherwise by an adopted street design.

**Curb Extension.** A section of sidewalk that projects into the street at an intersection or midblock crossing that reduces the crossing width of a street or right-of-way for pedestrians.

**Average Finished Grade Along Façade.** Proposed grade after development as measured along a building façade from perpendicular wall to perpendicular wall including offsets, bays, and other minor modulating treatments not more than five feet deep.

**Façade Length.** The length of a building from perpendicular wall to perpendicular wall including offsets, bays, and other minor modulating treatments not more than five feet deep.

**Gross SF/Floor.** Floor area in square feet within the surrounding exterior walls measured from the interior wall surface and including openings in the floor plate such as vent shafts, stairwells, and interior atriums.

~~Health Club. A place of business with equipment and facilities for exercising and improving physical fitness. A broader range of services such as restaurant and meeting rooms are not included, except when subordinate to the permitted use.~~

Comment [C1]: Moved

**Natural Drainage Practices.** Techniques such as rain gardens, pervious pavement, vegetated roofs, and amended soils that manage stormwater runoff in a manner that improves the quality of runoff and more closely mimics natural drainage flows and rates than traditional stormwater techniques.

**Node.** An area, or district where planned transportation facilities will support sufficient development intensity, amenities, recreation opportunities, and a mix of uses that foster a high level of pedestrian activity.

**Project Limit.** A lot, portion of a lot, or combination of lots or portions of lots treated as a single development parcel for purposes of the Land Use Code. A project limit may cross a right-of-way as long as the project limit results in a cohesive design and the Master Development Plan process is used.

**Required Ground Floor Uses.** Retail and commercial activities or a combination thereof as permitted by 20.25D.070 that are required to be located on the ground floor. Ground floor uses shall be located as indicated in LUC Figure 20.25D.120.A.

~~SF. Square Feet.~~

Comment [C2]: Moved

**Tower.** That portion of a building that is in excess of 40 ft above average finished grade for any building with a maximum allowable height of 70 feet or greater.

Comment [C3]: Clarity

**Tree Well.** A tree planting area, generally within a paved surface area.

**Work-Live Unit.** A commercial building or tenant space that includes a functionally related and integrated residential unit ~~where residential is a subordinate use.~~ Employees and walk-in trade are permitted.

Comment [C4]: Clarity

B. General Definitions not applicable to Bel-Red are noted in the text of the general definitions contained in Chapter 20.50 LUC.

## 20.25D.030 Review Required.

### A. Applicable Review and Guidelines.

The Director shall use this Part 20.25D LUC and the Bel-Red Subarea Design Guidelines (LUC 20.25D.140 as currently adopted or subsequently amended or superseded) in reviewing an application for Master Development Plan or Design Review approval in the Bel-Red Use Districts. The Community Retail Design Guidelines of Part 20.25I LUC and Transition Area Design Guidelines of Part 20.25B LUC shall not apply to applications for development in the Bel-Red Land Use Districts.

### B. Master Development Plans.

1. Projects located within a node. An applicant for a project with multiple buildings located within a single project limit shall submit a Master Development Plan for approval by the Director pursuant to Part 20.30V LUC. An applicant for a single building project may submit a Master Development Plan for approval by the Director pursuant to Part 20.30V LUC. The Director may, through the Master

Comment [C5]: Flexibility

Development Plan process, approve a proposal that varies from the specific requirements as set forth in paragraph C.2 below.

2. ~~Projects located outside of a node. This requirement shall not apply to projects located outside of a node.~~ An applicant may submit a Master Development Plan for approval by the Director pursuant to Part 20.30V LUC. The Director may, through the Master Development Plan process, approve a proposal that varies from the specific requirements as set forth in paragraph C.2 below.  
Comment [C6]: Flexibility
3. This requirement shall not apply to the placement of additional structures associated with existing conditions.
4. For the purposes of this section, the project limit may be drawn to encompass right-of-way that bisects a site, provided the Director finds that the following connectivity criteria can be met:
  - a. A system of corner and mid-block crossings shall be provided to functionally connect ~~the on-site pedestrian paths~~ across the bisecting right-of-way within the proposed project limit.  
Comment [C8]: Clarity
  - b. Pedestrian paths shall be provided to ~~create direct connections between~~ connect all buildings and right-of-way crossings located within the proposed project limit.  
Comment [C9]: Clarity
  - c. Visual connections shall be provided between all buildings located within the project limit by minimizing topographic variation and through use of vegetation and outdoor spaces.
  - d. Only right-of-way meeting the requirements of LUC 20.25D.080.D may be included in the land area located within the proposed project limit for the purpose of computing maximum FAR.

### C. Design Review Required.

1. Process Required. With the exception of the Bel-Red General Commercial district (BR-GC) all development within the Bel-Red Land Use Districts shall be reviewed by the Director through Design Review (Part 20.30F LUC). An applicant may submit a Design Review for approval by the Director pursuant to Part 20.30F LUC for a development proposal located in the Bel-Red General Commercial that includes deviations permitted by paragraph 2 below.  
Comment [C10]: Flexibility
2. ~~Dimensional~~ Deviations. The Director may, through the Design Review process, approve a proposal that varies from the specific ~~dimensional~~ requirements set forth in ~~Part LUC Section 20.25D.130 LUC~~ if the applicant demonstrates that the resulting design will be more consistent with the purpose and intent of the code. Deviation from the following dimensional requirements is not permitted, except pursuant to 20.25D.080.B, or unless a variance is obtained under Part 20.30G LUC:  
Comment [C11]: Clarity  
Comment [C12]: Corrections

- a. Floor plate maximums;
- b. Minimum setbacks/stepbacks;
- c. Impervious surface/lot coverage percentages; and
- d. Maximum floor area ratio.

No deviation from Maximum Building Height is permitted in any Bel-Red Land Use District.

**D. Procedural Merger.**

Within a Bel-Red Land Use District, any administrative decision required by this Part 20.25D or by the Land Use Code, including but not limited to the following, may be applied for and reviewed as a single Process II Administrative Decision, pursuant to LUC 20.35.200-250:

- 1. Master Development Plan, Part 20.30V LUC;
- 2. Administrative Conditional Use Permit, Part 20.30E LUC;
- 3. Design Review, Part 20.30F LUC;
- 4. Variance, Part 20.30G LUC; and
- 5. Critical Areas Land Use Permit, Part 20.30P LUC.

**20.25D.035 Recording Required.**

Following approval of a Master Development Plan or Design Review and any subsequent modifications thereto, the applicant shall record the plans and conditions that constitute the approval with the King County Division of Records and Elections or its successor agency. Components of the approval required to be recorded include but are not limited to the applicable conditions of approval, total amount (square footage) of floor area earned through the FAR Amenity Incentive System, or floor area earned through the Special Dedication of right-of-way, parks or open space. A copy of the recorded document shall be provided to the city for inclusion in the project file.

Comment [C13]: Moved

**20.25D.040 Phasing of Intensity.**

This section provides limits on development based on (1) the provision of public improvements to the Bel-Red Subarea, and (2) the Interlocal Agreement between the cities of Bellevue and Redmond for the Bel-Red/Overlake Transportation Study Area (otherwise referred to as BROTS).

**~~A. FAR Limitation on Development in Nodes.~~**

Comment [C14]: FAR

Development shall be limited in the MO-1, OR-1, OR-2, RC-1, and RC-2 districts to a 0.5 floor area ratio (FAR) until such time as the Bellevue City Council determines adopts that a financial strategy is in place to complete the Phase 1 public transportation, parks, and open space improvements identified in Bel-Red Transportation Phasing Map (Figure 20.25D.040A.1) and the Bel-Red Parks and Open Space Phasing Map (Figure 20.25D.040A.2).

~~[[insert Bel-Red Transportation Phasing Map (Figure 20.25D.040A.1)  
insert Bel-Red Parks and Open Space Phasing Map (Figure 20.25D.040A.2)]]~~

Comment [C15]: Correction

**AB. BROTS Interlocal Agreement Limitation.**

All ~~d~~Development in the Bel-Red Land Use Districts shall be subject to the provisions of BROTS, as originally executed to cap commercial development at a total of 12.2 million square feet through 2012, or as thereafter amended or superseded.

Comment [C16]: Clarity

Comment [C17]: Correction/Clarity

**BC. 2030 Bel-Red Development Limitation.**

New commercial ~~d~~Development ~~as measured in the BROTS Interlocal Agreement in the Bel-Red Land Use Districts shall not exceed 4,500,000 square feet until such time as high capacity transit service~~ light rail is provided to the Bel-Red Subarea. ~~High capacity transit may include light rail or bus transit in a dedicated right of way with high frequency and capacity.~~

Comment [C18]: Clarity

Comment [C19]: Correction

**20.25D.050 Permitted Uses.**

**A. Permitted Uses.**

Specific categories of uses are listed in Chart 20.25D.070 LUC. LUC 20.25D.050.B explains Chart 20.25D.070 and describes the applicable review procedures. The use chart description and interpretation provisions of 20.10.400 do not apply to the Bel-Red Land Use Districts.

**B. Use Chart Described.**

In Chart 20.25D.070, land use classifications and standard Land Use Code reference numbers are listed on the vertical axis. City of Bellevue land use districts are shown on the horizontal axis.

1. If no symbol appears in the box at the intersection of the column and the row, the use is not allowed in that district, except for short-term uses, which are regulated under Part 20.30M LUC (Temporary Use Permits), and subordinate uses which are regulated under LUC Section 20.20.840, and existing uses which are regulated under LUC Section 20.25D.060.

Comment [C20]: Flexibility/  
Simplification

2. If the symbol “P” appears in the box at the intersection of the column and row, the use is permitted subject to applicable general requirements of Chapter 20.20 LUC for the use and the district specific requirements of this Part 20.25D LUC.

~~3. If the symbol “E” appears in the box at the intersection of the column and row, the use is permitted subject to the regulations governing “Existing Uses” contained in LUC Section 20.25D.050. There are no nonconforming uses, structures or sites located in the Bel-Red Land Use Districts as of [insert Plan adoption date]. LUC 20.20.560 does not apply to the Bel-Red Land Use Districts.~~

Comment [C21]: Flexibility/Simplification

34. If the symbol “C” appears in the box at the intersection of the column and the row, the use is permitted subject to the Conditional Use provisions specified in Part 20.30B or 20.30C LUC in addition to any applicable general requirements for the use and land use district.

Comment [C22]: Correction

45. If the symbol “A” appears in the box at the intersection of the column and the row, the use is permitted subject to the Administrative Conditional Use provisions as specified in Part 20.30E LUC in addition to any applicable general requirements for the use and land use district.

Comment [C23]: Correction

56. If a number appears in the box at the intersection of the column and the row, the use is permitted through the applicable review process and subject to the special limitations indicated in the corresponding Notes.

Comment [C24]: Correction

67. If a “/” appears in the box at the intersection of the column and the row:

Comment [C25]: Correction

- a. The process or note indicated in front of the slash (i.e., P/ or 1/ applies outside of the node described in the column; and
- b. The process or note indicated behind the slash (i.e., /P or /1) applies inside the node described in the column.

### 20.25D.060 Existing Conditions.

#### A. Purpose.

Many existing uses and developments would not be ~~permitted to establish~~ allowed pursuant to the Bel-Red Land Use District Charts (refer to LUC Section 20.25D.070) and district specific standards and guidelines in Part 20.25D that are in effect to implement the policies of the Bel-Red Subarea Plan. The purpose of this section is to allow the continued operation of existing light industrial and service uses and development that were legally established when the Bel-Red Subarea Plan was adopted on [insert Plan adoption date]. An additional purpose of this section is to allow limited expansion of existing uses and structures that is compatible with residential and higher intensity mixed use development that was introduced with the adoption of the Plan.

Comment [C26]: Clarity/Consistency

## B. Types of Existing Conditions - Definitions.

A site may be considered an existing condition because it contains either an existing use or existing development as defined in this paragraph B and based on documentation provided pursuant to paragraph D of this section.

Comment [C27]: Simplification

1. Existing Use. The use of a structure or land which was permitted when established, in existence on [insert Plan adoption date] and not discontinued or destroyed, but is not otherwise allowed under LUC 20.25D.070.
2. Existing Development. A structure or site development which was permitted when established, in existence on [insert Plan adoption date] and not discontinued or destroyed, but does not otherwise comply with Part 20.25D LUC.

Comment [C28]: Clarity

## C. Applicability.

1. This Section 20.25D.060 LUC applies only to existing conditions occurring within a Bel-Red Land Use District.
2. The nonconforming provisions of LUC 20.20.070 and 20.20.560 do not apply within the Bel-Red Land Use Districts.
3. Expansions or modifications of an existing use or development ~~must~~ shall comply with any applicable requirements of Part 20.25H LUC – Critical Areas Overlay District. In the event of a conflict between this Part 20.25D LUC and Part 20.25H LUC, the requirements of Part 20.25H LUC Critical Areas Overlay District shall control.

Comment [C29]: Consistency

4. Modifications to signs associated with an existing use or development shall comply with any applicable requirements of the Sign Code, Title 22B.10 BCC.

Comment [C30]: Clarity

## D. Documentation.

The applicant shall submit documentation, which shows that the existing condition was permitted when established and has been maintained over time. The Director shall determine based on Paragraph 1 and 2 below whether the documentation is adequate to support a determination that the use and development constitute an existing condition under the terms of this section. The Director may waive the requirement for documentation when an existing condition has been clearly established.

1. Existing Condition Permitted when Established. Documentation that the condition was permitted when established includes, but is not limited to the following:
  - a. Building, land use or other development permits; or
  - b. Land Use Codes or Land Use District Maps.

2. Existing Condition Maintained Over Time. Documentation that the existing condition was maintained over time, and not discontinued or destroyed as described in this Section 20.25D.060 includes, but is not limited to the following:

Comment [C31]: Flexibility/  
Simplification

- a. Utility bills;
- b. Income tax records;
- c. Business licenses;
- d. Listings in telephone or business directories;
- e. Advertisements in dated publications;
- f. Building, land use or other development permits;
- g. Insurance policies;
- h. Leases; and
- i. Dated aerial photos.

3. Appeal of Director Determination. The Director determination of whether a use constitutes an existing condition may be appealed pursuant to LUC Section 20.35.250 Appeal of Process II decisions.

#### **E. Regulations Applicable to all Existing Conditions.**

1. Ownership. The status of an existing condition is not affected by changes in ownership.
2. Maintenance. Normal maintenance and repairs associated with existing conditions are allowed.

#### **F. Regulations Applicable to Existing Uses.**

1. Operations.
  - a. Existing Uses May Continue to Operate. Operations associated with an existing use may continue, subject to the provisions of this Section F.
  - b. Existing Uses – Hours of Operation. The hours of operation associated with an existing use located in land use districts which permit residential uses may only extend into the period of 9:00 p.m. to 6:00 a.m. subject to Administrative Conditional Use approval. Existing uses which currently operate between these hours may continue without ACU approval, as long as the hours of operation between 9:00 p.m. and 6:00 a.m. are not expanded.

~~2. Change of an Existing Use to a Permitted Use. An existing use may be changed to a permitted use pursuant to LUC 20.25D.070. Once a permitted use occupies a site, the existing use rights no longer apply and the existing use may not be re-established.~~

Comment [C32]: Moved

~~3. Accidental Destruction. When a structure containing an existing use is damaged by fire or other causes beyond the control of the owner, the use may be re-established. The structure may be repaired and/or reconstructed in its original configuration. Changes to the footprint and exterior proposed as part of the repair and/or reconstruction shall conform to this code.~~

Comment [C33]: Moved

~~4. Expansions. Existing uses may expand under certain circumstances as described in this paragraph-4:~~

Comment [C34]: Simplification

a. Expansions of Floor Area. Floor area associated with existing uses may be expanded in conformance with this code.

b. Expansions of Exterior Improved Areas. Exterior improved areas associated with an existing use may be expanded by increasing the amount of land used. Exterior areas supporting the existing use may be expanded.

c. Limitations on Expansion.

i. No expansion of hazards. No expansion in operations shall be permitted that increases the use or on-site quantity of flammable or hazardous constituents (e.g, compressed gases, industrial liquids, etc.), or that increases the amount of waste generated or stored that is subject to the Washington Hazardous Waste Management Regulations Chapter 70.105.210 RCW as currently adopted or subsequently amended or superseded. The Director may in consultation with the Fire Marshal modify the requirements of this paragraph if the Director determines that the expansion will not increase the threat to human health and the environment over the pre-expansion condition.

Comment [C35]: Correction

ii. Expansions within Nodes (BR-MO-1, BR-OR-1 and 2, BR-RC-1, 2, and 3) and Residential Land Use Districts (BR-R). Refer to LUC 20.25D.060.F.52.c Figure 1 below. Floor area or exterior improvements associated with an existing use may be expanded when proposed within the limits of property held in a single ownership in existence on [insert Plan adoption date] subject pursuant to an Administrative Conditional Use approval.


Comment [C36]: Correction

Comment [C37]: Consistency

**20.25D.060.F.52.c Figure 1**

Comment [C38]: Correction

Expansions within nodes and residential Land Use Districts



-  Limits of property held in a single ownership as of (date)
-  Area occupied by existing use as of (date)
-  Area where existing use may expand in conformance with this code

iii. Expansions outside Nodes and in Non-Residential Land Use Districts (BR-MO, BR-OR, BR-GC, BR-CR, and BR-ORT). Refer to LUC 20.25D.060.F.52.c Figure 2 below. Floor area or exterior improvements associated with an existing use may be expanded beyond limits of property held within a single ownership in existence on [insert Plan adoption date] subject pursuant to an Administrative Conditional Use approval and the following limitations:

Comment [C39]: Correction

Comment [C40]: Correction


Comment [C41]: Consistency

- (1) The property proposed for expansion is abutting at least one of the property lines of the existing use as they existed on [insert Plan adoption date].
- (2) The regulations applicable to the property proposed for expansion would have allowed the use as of [insert Plan adoption date].

**20.25D.060.F.52.c Figure 2**

Comment [C42]: Correction

Expansion outside nodes and in non-residential Land Use Districts



-  Limits of property held in a single ownership as of (date)
-  Area occupied by existing use as of (date)
-  Area where existing use may expand in conformance with this code

e3. Loss of Existing Use Status.

ia. Discontinuance. If an existing use of a structure or exterior improved area is discontinued for a period of 12 months, any subsequent use shall thereafter conform to the regulations of the district in which it is located.

b. Accidental Destruction. When a structure containing an existing use is damaged by fire or other causes beyond the control of the owner, the use may be re-established. The structure may be repaired and/or reconstructed in accordance with applicable city codes.

Comment [C43]: Moved

ic. Intentional Destruction. When a structure containing an existing use is intentionally damaged by fire or other causes within the control of the owner of that structure that houses the existing use, the re-establishment of the existing use is prohibited.

d. Relinquishment. An existing use is relinquished when the existing use is replaced with an allowed use pursuant to LUC 20.25D.070. Upon relinquishment, the existing use rights no longer apply and the existing use may not be re-established.

Comment [C44]: Moved

### G. Regulations Applicable to Existing Development.

1. Existing Development May Remain. Existing development may remain unless specifically limited by the terms of this paragraph-G.

2. ~~Permitted Changes~~ Alterations to Existing Development. Existing development may be ~~changed~~ altered, provided that the alteration conforms to city codes and the existing development conforms to including the proportional compliance requirements contained in paragraph 3 below.

Comment [C45]: Clarity/ Consistency

a. Three Year Period. Alterations made within a three year period will be viewed as a single change for the purposes of determining required improvements.

b. Value of Changes. The value of alterations is determined by the Director based on the entire project and not individual permits. The Director shall promulgate rules for determining the value of alterations in the context of LUC 20.25D.060.

3. Proportional Compliance. An existing development associated with an existing, permitted, or conditional use, may be altered consistent with the requirements set forth below:

a. ~~Thresholds~~ Triggering Required Improvements. The standards of this paragraph shall be met when the value of the proposed changes to an existing development exceed \$150,000 as of [insert Plan adoption date]. The threshold established here will be reviewed annually, and, effective January 1 of each year, may be administratively increased or decreased by an adjustment to reflect the current published annual change in the Seattle Consumer Price Index for Wager Earners and Clerical Workers as needed in

Comment [C46]: Flexibility/ Consistency

order to maintain accurate construction costs for the region. The following alterations and improvements do not count toward the threshold:

Comment [C47]: Flexibility/Consistency

- i. Alterations required as a result of a fire prevention inspection;
- ii. Alterations related to the removal of architectural barriers as required by the Americans with Disabilities Act, or the Washington State Building Code (RCW 19.27), now or as hereafter amended;
- iii. Alterations required for the seismic retrofit of existing structures;
- iv. Improvements to on-site stormwater management facilities in conformance with Chapter 24.06 BCC, now or as hereafter amended;
- v. Alterations that reduce offsite impacts (including but not limited to noise, odors, dust, and other particulate emissions); and
- vi. Alterations that meet LEED, Energystar or other industry recognized standard that results in improved mechanical system or operational efficiency.

Comment [C48]: Consistency

Comment [C49]: Consistency

b. Required Improvements. ~~Existing development~~ When alterations meet the threshold in subsection a above ~~not in conformance with existing code~~ existing development shall be brought toward conformance compliance in the following areas:

Comment [C50]: Clarity

Comment [C51]: Consistency

- i. Landscape development requirements as set forth in LUC 20.25D.100 and LUC 20.20.520 and required landscape treatments as set forth in LUC 20.25D.130;
- ii. Circulation and internal walkway requirements, as set forth in LUC 20.25D.120 and LUC 20.20.590;
- iii. Surface parking lot landscaping as set forth in LUC 20.25D.100 and LUC 20.20.520 standards that apply to the site; and
- iv. Required paving of surface parking, ~~and exterior outdoor~~ storage, and retail display areas.

Comment [C52]: Correction

Comment [C53]: Consistency

c. Timing and Cost of Required Improvements.

- i. Required improvements shall be made as part of the alteration that triggered the required improvements;
- ii. The value of required improvements shall be limited to 20 percent of the value of the proposed alteration. The applicant shall submit ~~an appraisal~~ evidence as required by the Director that shows the value of proposed improvements associated with any change alteration; and

Comment [C54]: Clarity

Comment [C55]: Consistency

- iii. Required improvements shall be made in order of priority listed in paragraph 3.b above unless a deviation in priority order is approved by the Director as necessary to accommodate a function that is an essential component of the existing development.

4. Loss of Existing Development Status.

- a. Discontinuance. If an existing development is discontinued or abandoned for a period of 12 months, any subsequent development shall thereafter conform to the regulation of the district in which it is located.
- b. Accidental Destruction. When an existing development is damaged by fire or other causes beyond the control of the owner, the existing development may be re-constructed. The existing development may be repaired and/or reconstructed in its original configuration. Changes to the footprint and exterior proposed as part of the repair and/or reconstruction must conform to this code.
- c. Intentional Destruction. When an existing development is intentionally damaged by fire or other causes within the control of the owner of the existing development, reconstruction of the existing development is prohibited.

**20.25D.070 Land Use Charts.**

The following charts apply to Bel-Red. The use charts contained in LUC 20.10.440 do not apply within the Bel-Red land use districts.

**Chart 20.25D.070 Residential Uses in Bel-Red Land Use Districts**

| STD LAND USE CODE REF | LAND USE CLASSIFICATION   | Residential – Bel-Red Districts |                                   |                                 |                     |                            |                                |                                       |
|-----------------------|---|---------------------------------|-----------------------------------|---------------------------------|---------------------|----------------------------|--------------------------------|---------------------------------------|
|                       |   | Bel-Red Medical Office /Node    | Bel-Red Office Residential /Nodes | Bel-Red Residential Comm. Nodes | Bel-Red Residential | Bel-Red General Commercial | Bel-Red Commercial Residential | Bel-Red Office Residential Transition |
|                       |   | BR-MO/ MO-1                     | BR-OR/ OR-1 OR-2                  | BR-RC-1 RC-2 RC-3               | BR-R                | BR-GC                      | BR-CR                          | BR-ORT                                |
| 1                     | Residential (1) (5)   |                                 |                                   |                                 |                     |                            |                                |                                       |
|                       | Single-Family Dwelling  | E/A                             | P 2/                              |                                 | P 2                 | 3                          | P 2, 3                         | P                                     |
|                       | Two to Four Dwelling Units Per Structure  |                                 | P/P                               | P                               | P                   | 3                          | P 3                            | P                                     |
|                       | Five or More Dwelling Units Per Structure   |                                 | P/P                               | P                               | P                   | 3                          | P 3                            | P                                     |
| 12                    | Group Quarters: (5) Dormitories, Fraternal Houses, Excluding Military and Correctional Institutions, and Excluding Secure Community Transition Facilities |                                 | /P                                | P                               |                     |                            |                                |                                       |
| 13                    | Hotels and Motels   | P/P                             | P/P                               | P                               |                     | P                          | P                              |                                       |
| 15                    | Congregate Care Senior Housing (1)  | P/P                             | P/P                               | P                               | P                   |                            | P                              |                                       |
| 6516                  | Nursing Home (1)  | P/P                             | P/P                               | P                               | P                   |                            | P                              |                                       |
|                       | Assisted Living (1)   | P/P                             | P/P                               | P                               | P                   |                            | P                              |                                       |
|                       | Accessory Dwelling Unit (4)   | P/                              | P/                                |                                 | P                   |                            | P                              | P                                     |

Comment [C56]: Clarity

Comment [C57]: Flexibility/Simplification

Comment [C58]: Clarity

Comment [C59]: Flexibility/Simplification

Existing uses in the Bel-Red District are regulated pursuant to 20.25D.060.

**Key**

**P – Permitted Use**

**E – Existing Use (see LUC Section 20.25D.060)**

**C – Conditional Use (see Parts 20.30B and 20.30C)**

**A – Administrative Conditional Use (see Part 20.30E)**

Comment [C60]: Flexibility/Simplification

**Notes: Uses in land use districts – Residential**

- (1) An agreement shall be recorded with the King County Department of Records and Elections restricting senior citizen dwellings, congregate care senior housing, or assisted living to remain as senior housing for the life of the project.
- (2) A minimum density of 10 units per acre shall be achieved for new single family dwelling units. This requirement does not apply to work-live units.
- (3) ~~Residential Note (2) does not apply to Work-Live housing units that are secondary to a non-residential use.~~ Work-live units are the only housing permitted in BR-GC.
- (4) Accessory dwelling units may be established in existing (E) or permitted (P) single family structures subject to the performance criteria of LUC 20.20.120.
- (5) Bicycle parking shall be provided pursuant to 20.25D.120.G.

Comment [C61]: Clarity

Comment [C62]: Clarity

Comment [C63]: Flexibility/  
Simplification

Comment [C64]: Clarity

**Chart 20.25D.070 Manufacturing Uses in Bel-Red Land Use Districts**

| STD<br>LAND<br>USE<br>CODE<br>REF | LAND USE<br>CLASSIFICATION  | Manufacturing-Bel-Red Districts       |  |  |                        |                                  |                                      |  |
|-----------------------------------|---|---------------------------------------|--|--|------------------------|----------------------------------|--------------------------------------|--|
|                                   |   | Bel-Red<br>Medical<br>Office<br>/Node | Bel-Red<br>Office<br>Residential<br>/Nodes | Bel-Red<br>Residential<br>Comm.<br>Nodes | Bel-Red<br>Residential | Bel-Red<br>General<br>Commercial | Bel-Red<br>Commercial<br>Residential | Bel-Red<br>Office<br>Residential<br>Transition |
|                                   |   | BR-<br>MO/<br>MO-1                    | BR-<br>OR<br>OR-1<br>OR-2                  | BR-<br>RC-1<br>RC-2<br>RC-3              | BR-<br>R               | BR-<br>GC                        | BR-<br>CR                            | BR-<br>ORT                                     |
| 2 and<br>3                        | Manufacturing (1, 2, 5)   |                                       |  |  |                        |                                  |                                      |  |
| 21                                | Food and Beverage<br>Products Mfg. (3)  |                                       | E/E  | E  | E                      | P 4                              | P 4                                  |  |
| 22                                | Textile Products Mfg.   |                                       | E/E  | E  | E                      | P 4                              | P 4                                  |  |
| 23                                | Apparel, Fabric,<br>Accessories, and Leather<br>Goods Mfg.  |                                       | E/E  | E  | E                      | P 4                              | P 4                                  |  |
| 24                                | Lumber and Wood<br>Products Mfg.  |                                       |  |  |                        |                                  |                                      |  |
| 25                                | Furniture and Fixtures<br>Mfg.  |                                       | E/E  | E  | E                      | P 4                              | P 4                                  |  |
| 26                                | Paper Products Mfg.   |                                       | E/E  | E  | E                      | P 4                              | P 4                                  |  |
| 27                                | Printing, Publishing, and<br>Allied Industries  |                                       | E/E  | E  | E                      | P                                | E                                    |  |
| 28                                | Chemicals and Related<br>Products Mfg.  |                                       |  |  |                        |                                  |                                      |  |
| 31                                | Rubber Products Mfg.  |                                       |  |  |                        |                                  |                                      |  |
| 314                               | Misc. Plastic Products<br>Mfg.  |                                       | E/E  | E  | E                      | P 4                              | P 4                                  |  |
| 321<br>322<br>324<br>325<br>327   | Light Stone, Clay, and<br>Glass Products Mfg.;<br>Glass, Pottery, and China<br>Ceramic Products, Stone<br>Cutting and Engraving<br>(except Concrete Batch<br>Plant) |                                       | E/E  | E  | E                      | P 4                              | P 4                                  |  |
|                                   | Concrete Batch Plant  |                                       | E/E  | E  | E                      |                                  |                                      |  |
| 329                               | Handcrafted Products<br>Mfg.  |                                       | E/E  | E  | E                      | P 4                              | P 4                                  |  |
| 3427                              | Computers, Office<br>Machines, and Equipment<br>Mfg.  |                                       | E/E  | E  | E                      | P 4                              | E                                    |  |

Comment [C65]: Flexibility/  
Simplification

| STD<br>LAND<br>USE<br>CODE<br>REF | LAND USE<br>CLASSIFICATION  | Manufacturing-Bel-Red Districts       |  |  |                        |                                  |                                      |  |
|-----------------------------------|---|---------------------------------------|--|--|------------------------|----------------------------------|--------------------------------------|--|
|                                   |   | Bel-Red<br>Medical<br>Office<br>/Node | Bel-Red<br>Office<br>Residential<br>/Nodes | Bel-Red<br>Residential<br>Comm.<br>Nodes | Bel-Red<br>Residential | Bel-Red<br>General<br>Commercial | Bel-Red<br>Commercial<br>Residential | Bel-Red<br>Office<br>Residential<br>Transition |
|                                   |   | BR-<br>MO/<br>MO-1                    | BR-<br>OR<br>OR-1<br>OR-2                  | BR-<br>RC-1<br>RC-2<br>RC-3              | BR-<br>R               | BR-<br>GC                        | BR-<br>CR                            | BR-<br>ORT                                     |
| 3433                              | Electrical Equipment Mfg.;<br>Appliances, Lighting,<br>Radio, TV<br>Communications,<br>Equipment and<br>Component Parts         |                                       |  |  |                        |                                  |                                      |  |
| 3434                              |   |                                       |  |  |                        |                                  |                                      |  |
| 3435                              |   |                                       | E/E  | E  | E                      | P 4                              | E                                    |  |
| 3436                              |   |                                       |  |  |                        |                                  |                                      |  |
| 3437                              |   |                                       |  |  |                        |                                  |                                      |  |
| 3491                              | Fabricated Metal Products<br>Mfg.;<br>Containers, Hand Tools,<br>Heating Equipment,<br>Screw Products, Coating<br>and Plating   |                                       |  |  |                        |                                  |                                      |  |
| 3492                              |   |                                       |  |  |                        |                                  |                                      |  |
| 3493                              |   |                                       |  |  |                        |                                  | E                                    |  |
| 3495                              |   |                                       | E/E  | E  | E                      | P 4                              |                                      |  |
| 3497                              |   |                                       |  |  |                        |                                  |                                      |  |
| 35                                | Measuring, Analyzing and<br>Controlling Instruments,<br>Photographic, Medical<br>and Optical Goods;<br>Watches and Clocks Mfg.; | P                                     | E/E  | E  | E                      | P 4                              | P 4                                  |  |
| 3997                              | Signs and Advertising<br>Display Mfg.   |                                       | E/E  | E  | E                      | P 5                              | E                                    |  |
| 3999                              | Misc. Light Fabrication<br>Assembly and Mfg. Not<br>Elsewhere Classified  |                                       | E/E  | E  | E                      | P 5                              | E                                    |  |

Comment [C66]: Flexibility/  
Simplification

Comment [C67]: Flexibility/  
Simplification

Existing uses in the Bel-Red District are regulated pursuant to 20.25D.060.

**Key P – Permitted Use**

**E – Existing Use (see LUC Section 20.25D.060)**

**C – Conditional Use (see Parts 20.30B and 20.30C)**

Comment [C68]: Flexibility/  
Simplification

**A – Administrative Conditional Use (see Part 20.30E)**

**Notes: Uses in land use districts – Manufacturing**

- (1) Permitted manufacturing uses shall not include primary metal industries such as foundries, smelters, blast furnaces, rolling mills, and concrete batch plants. The Director may in consultation with the Fire Marshal modify the requirements of this note for a limited scale manufacturing use if the Director determines that the modification will not create an unreasonable threat to human health and the environment. A limited scale manufacturing use is one that is size restricted to 20,000 sf or less.
- (2) The manufacture of flammable, dangerous or explosive materials is excluded ~~as secondary, incidental, or as a permitted use.~~
- (3) Microbrewery manufacturing is permitted as a component of an eating and drinking establishment; provided, that the manufacturing use occupies not more than 50 percent of the total square footage of the combined establishment.
- (4) The manufacturing use located in this land use district shall not exceed 20,000 sf.
- (5) New outdoor storage associated with this permitted manufacturing use shall comply with applicable performance criteria for that use and the Landscape Development Requirements as set forth in LUC 20.25D.100.

Comment [C69]: Clarity

**Chart 20.25D.070 Transportation and Utilities Uses in Bel-Red Land Use Districts**

| STD<br>LAND<br>USE<br>CODE<br>REF | LAND USE<br>CLASSIFICATION  | Transportation and Utilities – Bel-Red Districts |  |  |                        |                                  |                                      |  |
|-----------------------------------|---|--|--|--|------------------------|----------------------------------|--------------------------------------|--|
|                                   |   | Bel-Red<br>Medical<br>Office<br>/Node            | Bel-Red<br>Office<br>Residential<br>/Nodes | Bel-Red<br>Residential<br>Comm.<br>Nodes | Bel-Red<br>Residential | Bel-Red<br>General<br>Commercial | Bel-Red<br>Commercial<br>Residential | Bel-Red<br>Office<br>Residential<br>Transition |
|                                   |   | BR-<br>MO/<br>MO-1                               | BR-<br>OR/<br>OR-1<br>OR-2                 | BR-<br>RC-1<br>RC-2<br>RC-3              | BR-<br>R               | BR-<br>GC                        | BR-<br>CR                            | BR-<br>ORT                                     |
| 4                                 | Transportation,<br>Communications and<br>Utilities  |  |  |  |                        |                                  |                                      |  |
| 41                                | Rail Transportation:<br>Right-of-Way, Yards,<br>Terminals, Maintenance<br>Shops                   | C/C  | C/C  | C  | C                      | C                                | C                                    | C  |
| 42<br>4291                        | Motor Vehicle<br>Transportation: Bus<br>Terminals, Taxi<br>Headquarters                           |  | E/E  | E  | E                      | C                                |                                      |  |
| 4214<br>422                       | Motor Vehicle<br>Transportation:<br>Maintenance Garages<br>and Motor Freight<br>Services          | C/   | C/E  | E  | E                      | C                                |                                      |  |
| 43                                | Aircraft Transportation:<br>Airports, Fields,<br>Terminals, Heliports,<br>Storage and Maintenance | C 1  | C 1  |  |                        |                                  |                                      |  |
|                                   | Accessory Parking (2,3)   | P/P  | P/P  | P  | P 4                    | P                                | P                                    | P  |
| 46                                | Auto Parking Commercial<br>Lots and Garages (5)   | /P   | /P   | P  |                        |                                  |                                      |  |
|                                   | Park and Ride (6)   |  | C/C  | C  |                        |                                  |                                      |  |
| 475                               | Radio and Television<br>Broadcasting Studios  | E  | E/E  | E  |                        |                                  |                                      |  |
| 485                               | Solid Waste Disposal (7)  | E  | E/E  | E  | E                      |                                  |                                      |  |
|                                   | Highway and Street<br>Right-of-Way (8)  | P  | P/P  | P  | P                      | P                                | P                                    | P  |
|                                   | Utility Facility  | C  | C/C  | C  | C                      | C                                | C                                    | C  |
|                                   | Local Utility System  | P  | P/P  | P  | P                      | P                                | P                                    | P  |
|                                   | Regional Utility System   | C  | C/C  | C  | C                      | C                                | C                                    | C  |
|                                   | On and Off-Site<br>Hazardous Waste<br>Treatment and Storage<br>Facilities (9)                     |  | E/E  | E  | E                      |                                  |                                      |  |

Comment [C70]: Flexibility/  
Simplification

|                                   |   | Transportation and Utilities – Bel-Red Districts |  |  |                        |                                  |                                      |  |
|-----------------------------------|---|--|--|--|------------------------|----------------------------------|--------------------------------------|--|
| STD<br>LAND<br>USE<br>CODE<br>REF | LAND USE<br>CLASSIFICATION  | Bel-Red<br>Medical<br>Office<br>/Node            | Bel-Red<br>Office<br>Residential<br>/Nodes | Bel-Red<br>Residential<br>Comm.<br>Nodes | Bel-Red<br>Residential | Bel-Red<br>General<br>Commercial | Bel-Red<br>Commercial<br>Residential | Bel-Red<br>Office<br>Residential<br>Transition |
|                                   |   | BR-<br>MO/<br>MO-1                               | BR-<br>OR/<br>OR-1<br>OR-2                 | BR-<br>RC-1<br>RC-2<br>RC-3              | BR-<br>R               | BR-<br>GC                        | BR-<br>CR                            | BR-<br>ORT                                     |
|                                   | Essential Public Facility<br>(409)  | C  | C/C  | C  | C                      | C                                | C                                    | C  |
|                                   | Wireless Communication<br>Facility (WCF): (without<br>WCF Support Structures)                         | 104,<br>112, and<br>123                          | 104, 112,<br>and 123                       | 104, 112,<br>and 123                     | 104, 112,<br>and 123   | 104, 112,<br>and 123             | 104, 121,<br>and 132                 | 104, 112,<br>and 123                           |
|                                   | Communication,<br>Broadcast and Relay<br>Towers Including WCF<br>Support Structures<br>(Freestanding) | 104, 112   | 104, 112                                   | 104, 112                                 | 104, 112               | 104, 112                         | 104, 112                             | 104, 112                                       |
|                                   | Satellite Dishes (134)  | P  | P/P  | P  | P                      | P                                | P                                    | P  |
|                                   | Electrical Utility Facility<br>(145)  | A C/A C  | A C/A C                                    | A C                                      | A C                    | A C                              | A C                                  | A C  |

Comment [C71]: Flexibility/  
Simplification

Existing uses in the Bel-Red District are regulated pursuant to 20.25D.060.

**Key P – Permitted Use**

**E – Existing Use (see LUC Section 20.25D.060)**

**C – Conditional Use (see Parts 20.30B and 20.30C)**

**A – Administrative Conditional Use (see Part 20.30E)**

Comment [C72]: Flexibility/  
Simplification

**Notes: Uses in land use districts – Transportation and Utilities**

- (1) Aircraft transportation is limited to only heliports and is regulated under the terms of LUC 20.20.450.
- (2) Accessory parking requires approval through the review process required for the primary land use which it serves pursuant to LUC Chart 20.25D.070.
- (3) The location of an off-site parking facility shall be approved by the Director. See LUC 20.25D.440~~120~~.
- (4) Accessory parking is not permitted in the BR-R land use district as accessory to any use that is not permitted in the residential district~~BR-R~~.

Comment [C73]: Correction

Comment [C74]: Consistency

(5) Commercial lots and garages are only permitted to accommodate short-term parking (four hours or less). Parking structures are required to meet the performance standards contained in LUC 20.25D.120.D.

Comment [C75]: Clarity

(6) A park and pool lot or other carpool facility is ~~generally~~ regulated as a park and ride. ~~However, a~~ park and ride providing no more than 50 parking spaces, and utilizing the parking area of an ~~existing-established~~ use shall be regulated as an accessory use under LUC 20.20.200. Any other park and ride ~~shall comply with the requirements applicable to the use and the land use district~~ requires a conditional use permit.

Comment [C76]: Clarity

(7) Solid waste disposal facilities may be continued as an existing use pursuant to LUC 20.25D.060, provided all requirements in LUC 20.20.820 are met.

(8) Design is required to meet the standards contained in LUC 20.25D.130 and the 2008 Transportation Department Design Manual as currently adopted or subsequently amended or superseded.

~~(9) On and off-site hazardous waste treatment and storage facilities, as defined by LUC 20.50.024, may be continued as an existing use pursuant to the regulations contained in LUC 20.25.D.060, and provided the facilities comply with the state siting criteria as adopted in accordance with RCW 70.105.210.~~

Comment [C77]: Moved

~~(9)4~~ Refer to LUC 20.20.350 for general requirements applicable to Essential Public Facilities (EPF).

~~(10)4~~ Wireless communication facilities (WCFs) are not permitted on residential structures, sites developed with a residential use, or on undeveloped sites located in the BR-R land use district. This note does not prohibit locating a WCF on nonresidential structures (i.e., churches, schools, public facility structures, utility poles, etc.) or in public rights-of-way in any BR land use district.

~~(11)2~~ Refer to LUC 20.20.195 for general requirements applicable to wireless communication facilities and other communication, broadcast, and relay facilities.

~~(12)3~~ Antenna and associated equipment used to transmit or receive fixed wireless signals when located at a fixed customer location are permitted in all land use districts and are exempt from the requirements of LUC 20.20.010, 20.20.195 and 20.20.525 so long as the antenna and equipment comply with 47 C.F.R. 1.400, now or as hereafter amended. A building permit may be required to ensure safe installation of the antenna and equipment.

~~(13)4~~ Refer to LUC 20.20.730 for general requirements applicable to Large Satellite Dishes. ~~For the following BR Land Use Districts, In~~ BR-OR, BR-OR-1, BR-OR-2, BR-RC-1, BR-RC-2, BR-RC-3, BR-CR, and BR-R, only the provisions of LUC 20.20.730.B and C shall apply.

Comment [C78]: Simplification

| (145) For the definition of Electrical Utility Facility see LUC 20.50.018 and for reference to applicable development regulations relating to electrical utility facilities see LUC 20.20.255. For new or expanding electrical utility facilities proposed on sensitive sites as described by Figure UT.5a of the Utilities Element of the Comprehensive Plan, the applicant shall obtain Conditional Use Permit approval under Part 20.30B LUC, complete an alternative siting analysis as described in LUC 20.20.255.D and comply with decision criteria and design standards set forth in LUC 20.20.255. For expansions of electrical utility facilities not proposed on sensitive sites as described by Figure UT.5a, the applicant shall obtain Administrative Conditional Use Permit approval under Part 20.30E LUC and comply with decision criteria and design standards set forth in LUC 20.20.255.

**Chart 20.25D.070 Wholesale and Retail Uses in Bel-Red Land Use Districts**

| STD<br>LAND<br>USE<br>CODE<br>REF | LAND USE<br>CLASSIFICATION  | Wholesale and Retail -Bel-Red Districts |  |  |                        |                                  |                                      |  |
|-----------------------------------|---|---|--|--|------------------------|----------------------------------|--------------------------------------|--|
|                                   |   | Bel-Red<br>Medical<br>Office<br>/Node   | Bel-Red<br>Office<br>Residential<br>/Nodes | Bel-Red<br>Residential<br>Comm.<br>Nodes | Bel-Red<br>Residential | Bel-Red<br>General<br>Commercial | Bel-Red<br>Commercial<br>Residential | Bel-Red<br>Office<br>Residential<br>Transition |
|                                   |   | BR-<br>MO/<br>MO-1                      | BR-<br>OR/<br>OR-1<br>OR-2                 | BR-<br>RC-1<br>RC-2<br>RC-3              | BR-<br>R               | BR-<br>GC                        | BR-<br>CR                            | BR-<br>ORT                                     |
| 5                                 | Trade (Wholesale and Retail) (1, 7)   |   |  |  |                        |                                  |                                      |  |
| 51                                | Wholesale Trade: General Merchandise, Products, Supplies, Materials and Equipment except the following: |   | E/E  | E  | E                      | P 2                              | E                                    |  |
| 5111                              | Wholesale Trade: Motor Vehicles, Primary and Structural Metals, Bulk Petroleum                          |   |  |  |                        |                                  |                                      |  |
| 5156                              |   |   | E/E  | E  | E                      | E                                | E                                    |  |
| 5157                              |   |   |  |  |                        |                                  |                                      |  |
| 5191<br>5192                      |   |   |  |  |                        |                                  |                                      |  |
| 5193                              | Scrap Waste Materials, Livestock  |   |  |  |                        |                                  |                                      |  |
|                                   | Recycling Centers   |   | P/E  | E  | E                      | P                                | P                                    |  |
| 521                               | Lumber and Other Bulky Building Materials Including Preassembled Products                               |   |  |  |                        |                                  |                                      |  |
| 522                               |   |   | P 3/E                                      | E  | E                      | P                                | P 3                                  |  |
| 523                               |   |   |  |  |                        |                                  |                                      |  |
| 524                               |   |   |  |  |                        |                                  |                                      |  |
| 5251                              | Hardware Paint, Tile and Wallpaper (Retail)   |   | P 3/E                                      | P 3                                      | P 4                    | P                                | P 3                                  |  |
| 5252                              | Farm Equipment  |   |  |  |                        |                                  |                                      |  |
| 53                                | General Merchandise: Dry Goods, Variety and Dept. Stores (Retail)                                       |   | P/P 2                                      | P 2                                      | P 4                    | P                                | P                                    |  |
| 54                                | Food and Convenience Store (Retail) (5,6)   | P/P                                     | P/P  | P  | P 4                    | P                                | P                                    | P 4  |
| 5511                              | Autos, Motorcycles (Retail)   |   | E/E  | E  | E                      | P 7                              | A 7                                  |  |
|                                   | Trucks, Recreational  |   | E/E  | E  | E                      | P 2                              | E                                    |  |

Comment [C79]: Flexibility/Simplification

|                                   |  | Wholesale and Retail -Bel-Red Districts |  |  |                        |                                  |                                      |  |
|-----------------------------------|--|---|--|--|------------------------|----------------------------------|--------------------------------------|--|
| STD<br>LAND<br>USE<br>CODE<br>REF | LAND USE<br>CLASSIFICATION   | Bel-Red<br>Medical<br>Office<br>/Node   | Bel-Red<br>Office<br>Residential<br>/Nodes | Bel-Red<br>Residential<br>Comm.<br>Nodes | Bel-Red<br>Residential | Bel-Red<br>General<br>Commercial | Bel-Red<br>Commercial<br>Residential | Bel-Red<br>Office<br>Residential<br>Transition |
|                                   |  | BR-<br>MO/<br>MO-1                      | BR-<br>OR/<br>OR-1<br>OR-2                 | BR-<br>RC-1<br>RC-2<br>RC-3              | BR-<br>R               | BR-<br>GC                        | BR-<br>CR                            | BR-<br>ORT                                     |
|                                   | Vehicles (Retail)  |   |  |  |                        |                                  |                                      |  |
|                                   | Boats (Retail)   |   | E/E  | E  | E                      | P 2                              | E                                    |  |
| 552                               | Automotive and Marine<br>Accessories (Retail)  |   | E/E  | E  | E                      | P 2                              | E                                    |  |
| 553                               | Gasoline Service Stations<br>(8)   |   | P/E  | E  | E                      | P                                | P                                    | E  |
| 56                                | Apparel and Accessories<br>(Retail)  | P/P 2                                   | P/P  | P  | P 2                    | P                                | P                                    |  |
| 57                                | Furniture, Home<br>Furnishing (Retail)   |   | P/P  | P  |                        | P                                | P                                    |  |
| 58                                | Eating and Drinking<br>Establishments (3, 6)   |   | P/ P 9                                     | P 9                                      | P 4                    | P                                | P                                    | P  |
| 59                                | Misc. Retail Trade: Drugs,<br>Liquor, Antiques, Books,<br>Sporting Goods, Jewelry,<br>Florist, Photo Supplies,<br>Video Rentals and<br>Computer Supplies |   | P/ P 3                                     | P 3                                      | P 4                    | P                                | P 2                                  | P  |
|                                   | Adult Retail<br>Establishments (10)  |   | P/P  |  |                        | P                                | P                                    |  |
| 5961                              | Farm Supplies, Hay,<br>Grain, Feed and Fencing,<br>etc. (Retail)   |   | E/E  | E  | E                      | P 2                              |                                      |  |
| 596                               | Retail Fuel Yards  |   | E/E  | E  | E                      | E                                | E                                    |  |
| 5996                              | Garden Supplies, Small<br>Trees, Shrubs, Flowers,<br>Ground Cover,<br>Horticultural Nurseries<br>and Light Supplies and<br>Tools (11)                    |   | P/ P 3                                     | P 3                                      | P 4                    | P                                | P                                    |  |
| 5999                              | Pet Shop (Retail, and<br>boutique boarding, Pet Day<br>Care, and Grooming)<br>(12)   |   | E  | P 3                                      | P 4                    | P                                | P                                    |  |
|                                   | Computers and<br>Electronics (Retail)  |   | P/ P 3                                     | P 3                                      |                        | P                                | P                                    |  |

Comment [C80]: Flexibility/  
Simplification

Comment [C81]: Consistency

Existing uses in the Bel-Red District are regulated pursuant to 20.25D.060.

Comment [C82]: Flexibility/  
Simplification

**Key P – Permitted Use**

~~E – Existing Use (see LUC Section 20.25D.060)~~

Comment [C83]: Flexibility/  
Simplification

**C – Conditional Use (see Parts 20.30B and 20.30C)**

**A – Administrative Conditional Use (see Part 20.30E)**

**Notes: Uses in land use districts – Wholesale and Retail**

- (1) Wholesale trade excludes tank farms.
- (2) This individual use is limited in size to no greater than 20,000 sf per establishment.
- (3) Any new business which combines two or more permitted retail sales uses and also includes subordinate retail sales uses shall be limited in size to 50,000 sf. This Note does not apply to uses that exceed the size limit, but are documented existing uses pursuant to LUC 20.25D.060.
- (4) ~~Within a project limit, a~~ All miscellaneous retail uses combined ~~can~~ shall not exceed 10,000 sf and each individual use ~~can~~ shall not exceed 3,000 sf.
- (5) Food and Convenience Stores (Retail) shall contain at least 75 percent square footage of retail food sales not for consumption on premises.
- (6) Drive-in windows are not allowed except as regulated by Section 20.25D.060, Existing Conditions.
- (7) See LUC 20.25D.090 Automobile Sales, Leasing, and Rental for applicable performance criteria.
- (8) Gasoline service stations may include ~~subordinate~~ convenience stores.
- (9) Microbrewery manufacturing is permitted as a component of an eating and drinking establishment; provided, that the manufacturing use occupies not more than 50 percent of the total square footage of the combined establishment.
- (10) Adult retail establishments are subject to the regulations for adult entertainment uses in LUC 20.20.127.
- (11) Garden Supplies excludes items such as large trees, rock, and bulk supplies which require special handling equipment.
- (12) See LUC 20.20.130 for general requirements applicable to this use.

Comment [C84]: Clarity

Comment [C85]: Consistency

Comment [C86]: Flexibility/  
Clarity

**Chart 20.25D.070 Services Uses in Bel-Red Land Use Districts**

| STD<br>LAND<br>USE<br>CODE<br>REF | LAND USE<br>CLASSIFICATION   | Services - Bel-Red Districts          |  |  |                        |                                  |                                      |  |
|-----------------------------------|--|---------------------------------------|--|--|------------------------|----------------------------------|--------------------------------------|--|
|                                   |  | Bel-Red<br>Medical<br>Office<br>/Node | Bel-Red<br>Office<br>Residential<br>/Nodes | Bel-Red<br>Residential<br>Comm.<br>Nodes | Bel-Red<br>Residential | Bel-Red<br>General<br>Commercial | Bel-Red<br>Commercial<br>Residential | Bel-Red<br>Office<br>Residential<br>Transition |
|                                   |  | BR-<br>MO/<br>MO-1                    | BR-<br>OR/<br>OR-1<br>OR-2                 | BR-<br>RC-1<br>RC-2<br>RC-3              | BR-<br>R               | BR-<br>GC                        | BR-<br>CR                            | BR-<br>ORT                                     |
| 6                                 | Services   |                                       |  |  |                        |                                  |                                      |  |
| 61                                | Finance, Insurance,<br>Real Estate Services<br>(11)  | P 102/<br>P 102                       | P/P  | P  | P 1                    | P                                | P                                    | P  |
| 62                                | Personal Services:<br>Laundry, Dry Cleaning,<br>Barber and Beauty,<br>Photography Studio<br>and Shoe Repair                                  | P/P                                   | P/P  | P  | P1                     | P                                | P                                    | P  |
| 6241                              | Funeral and Crematory<br>Services  | C/C                                   |  |  |                        | C                                | E                                    | E  |
| 6262                              | Cemeteries   |                                       |  |  |                        |                                  |                                      |  |
| 629                               | Child Care Services (2,<br>3)  |                                       |  |  |                        |                                  |                                      |  |
|                                   | Family Child Care<br>Home in Single Family<br>Residence  | P/                                    |  |  | P                      | P                                | P                                    | P  |
|                                   | Child Day Care Center  | P/P                                   | P/P  | P  | A 4                    | P                                | P                                    |  |
|                                   | Adult Day Care   | P/P                                   | P/P  | P  | A 4                    | P                                | P                                    |  |
| 63                                | Business Services,<br>Duplicating and Blue<br>Printing, Steno,<br>Advertising (Except<br>Outdoor), Travel<br>Agencies and<br>Employment (11) | P/P                                   | P/P  | P  |                        | P                                | P                                    | P  |
| 634                               | Building Maintenance<br>and Pest Control<br>Services   |                                       | E/E  | E  | E                      | P                                | P                                    |  |

Comment [C87]: Correction

Comment [C88]: Correction

Comment [C89]: Flexibility/  
Simplification

Comment [C90]: Correction

|                                   |   | Services - Bel-Red Districts          |  |  |                        |                                  |                                      |  |
|-----------------------------------|---|---------------------------------------|--|--|------------------------|----------------------------------|--------------------------------------|--|
| STD<br>LAND<br>USE<br>CODE<br>REF | LAND USE<br>CLASSIFICATION  | Bel-Red<br>Medical<br>Office<br>/Node | Bel-Red<br>Office<br>Residential<br>/Nodes | Bel-Red<br>Residential<br>Comm.<br>Nodes | Bel-Red<br>Residential | Bel-Red<br>General<br>Commercial | Bel-Red<br>Commercial<br>Residential | Bel-Red<br>Office<br>Residential<br>Transition |
|                                   |   | BR-<br>MO/<br>MO-1                    | BR-<br>OR/<br>OR-1<br>OR-2                 | BR-<br>RC-1<br>RC-2<br>RC-3              | BR-<br>R               | BR-<br>GC                        | BR-<br>CR                            | BR-<br>ORT                                     |
| 637                               | Warehousing and Storage Services, Excluding Stockyards                                    |                                       | P/E  | E  | E                      | P                                | E                                    |  |
| 639                               | Rental and Leasing Services: Cars, Trucks, Trailers, Furniture and Tools (5)              |                                       | E/E  | E  | E                      | P                                | E                                    | E  |
| 641                               | Auto Repair and Washing Services  |                                       | P/P 6                                      | P 6                                      | E                      | P                                | P                                    | E  |
| 649                               | Repair Services: Watch, TV, Electrical, Computer, Upholstery                              |                                       | E/E  | E  | E                      | P                                | P 7                                  |  |
|                                   | Professional Services: Medical Clinics and Other Health Care Related Services (11)        | P/P                                   | P/P  | P 4                                      |                        | P                                | P 7                                  | P  |
|                                   | Professional Services: Other (11)   |                                       | P/P  |  |                        | P                                | P 7                                  | P  |
| 6513                              | Hospitals (11)  | /C                                    |  |  |                        |                                  |                                      |  |
| 66                                | Contract Construction Services: Building Construction, Plumbing, Paving and Landscape     |                                       | E/E  | E  | E                      | P                                | E                                    |  |
| 671                               | Governmental Services: Executive, Legislative, Administrative and Judicial Functions (11) | A/A                                   | A/A  |  |                        |                                  | A                                    | A  |

Comment [C91]: Flexibility/Simplification

Comment [C92]: Correction

|                                   |   | Services - Bel-Red Districts          |  |  |                        |                                  |                                      |  |
|-----------------------------------|---|---------------------------------------|--|--|------------------------|----------------------------------|--------------------------------------|--|
| STD<br>LAND<br>USE<br>CODE<br>REF | LAND USE<br>CLASSIFICATION  | Bel-Red<br>Medical<br>Office<br>/Node | Bel-Red<br>Office<br>Residential<br>/Nodes | Bel-Red<br>Residential<br>Comm.<br>Nodes | Bel-Red<br>Residential | Bel-Red<br>General<br>Commercial | Bel-Red<br>Commercial<br>Residential | Bel-Red<br>Office<br>Residential<br>Transition |
|                                   |   | BR-<br>MO/<br>MO-1                    | BR-<br>OR/<br>OR-1<br>OR-2                 | BR-<br>RC-1<br>RC-2<br>RC-3              | BR-<br>R               | BR-<br>GC                        | BR-<br>CR                            | BR-<br>ORT                                     |
| 672<br>673                        | Governmental<br>Services: Protective<br>Functions and Related<br>Activities Excluding<br>Maintenance Shops<br>(11)    | A/A                                   | A/A  | A  | A                      | A                                | A                                    | A  |
|                                   | Limited Governmental<br>Services: Executive<br>and Administrative,<br>Legislative and<br>Protective Functions<br>(11) | P/P                                   | P/P  | P  | P 8                    | P                                | P                                    | P  |
| 674<br>675                        | Military and<br>Correctional Institutions   | /C                                    | E/E  | E  | E                      | C                                | E                                    | E  |
|                                   | Secure Community<br>Transition Facility (9,<br>10)  | G/G                                   | G/G  | G  | G                      | G                                | G                                    | G  |
| 681                               | Education: Primary and<br>Secondary (9, 11)   | /A                                    | A/A  | A  | A                      | A                                | A                                    | A  |
| 682                               | Universities and<br>Colleges (11)   | A/P                                   | A/P  | P  |                        | A                                | A                                    |  |
| 683                               | Special Schools: (11)<br>Vocational, Trade, Art,<br>Music, Driving, Barber<br>and Beauty Schools                      | P/P                                   | P/P  | P  | P 7                    | P                                | P                                    | P 7  |
| 691                               | Religious Activities  | P/P                                   | P/P  | P  | A                      | P                                | A                                    | A  |
| 692<br>(A)                        | Professional and Labor<br>Organizations Fraternal<br>Lodge  | A/A                                   | A/A  | A  |                        | P                                | A                                    | A  |
| 692<br>(B)                        | Social Service<br>Providers   | P/P                                   | P/P  | P  | P                      | P                                | P 7                                  | P  |
|                                   | Administrative Office –   | P 42-10                               | P/P  | P 4210                                   |                        | P                                | P 4210                               | P  |

Comment [C93]: Correction

Comment [C94]: Flexibility/  
Simplification

Comment [C95]: Correction

Comment [C96]: Correction

Comment [C98]: Correction

|                                   |   | Services - Bel-Red Districts          |  |  |                        |                                  |                                      |  |
|-----------------------------------|---|---------------------------------------|--|--|------------------------|----------------------------------|--------------------------------------|--|
| STD<br>LAND<br>USE<br>CODE<br>REF | LAND USE<br>CLASSIFICATION  | Bel-Red<br>Medical<br>Office<br>/Node | Bel-Red<br>Office<br>Residential<br>/Nodes | Bel-Red<br>Residential<br>Comm.<br>Nodes | Bel-Red<br>Residential | Bel-Red<br>General<br>Commercial | Bel-Red<br>Commercial<br>Residential | Bel-Red<br>Office<br>Residential<br>Transition |
|                                   |   | BR-<br>MO/<br>MO-1                    | BR-<br>OR/<br>OR-1<br>OR-2                 | BR-<br>RC-1<br>RC-2<br>RC-3              | BR-<br>R               | BR-<br>GC                        | BR-<br>CR                            | BR-<br>ORT                                     |
|                                   | General (11)  | /                                     |  |  |                        |                                  |                                      |  |
|                                   |   | P 4210                                |  |  |                        |                                  |                                      |  |
|                                   | Computer<br>Programming, Data<br>Processing and Other<br>Computer Related<br>Services |                                       | E/E  | P 4210                                   |                        | P 4210                           | P                                    | P  |
|                                   | Research,<br>Development and<br>Testing Services                                      |                                       | E/E  | P 4210                                   |                        | P 4210                           | P                                    | P  |

Comment [C97]: Correction

Comment [C99]: Correction

Comment [C100]: Flexibility/  
Simplification

Existing uses in the Bel-Red District are regulated pursuant to 20.25D.060.

**Key P – Permitted Use**

Comment [C101]: Flexibility/  
Simplification

~~E – Existing Use (see LUC Section 20.25D.060)~~

**C – Conditional Use (see Parts 20.30B and 20.30C)**

**A – Administrative Conditional Use (see Part 20.30E)**

**Notes: Uses in land use districts – Services**

- (1) All service uses combined ~~can~~ shall not exceed 10,000 sf and each individual service use ~~can~~ shall not exceed 3,000 sf.
- (2) Refer to Chapter 20.50 LUC for definitions of child care service, family child care home, and child day care center.
- (3) A child care service may be located in a community facility in any land use district pursuant to LUC 20.20.170.E.
- (4) This use is limited in size to no greater than 10,000 sf.
- (5) See LUC 20.25D.090 Automobile Sales, Leasing, and Rental for applicable performance criteria.

Comment [C102]: Consistency

(6) Auto repair and washing services are permitted ~~shall be permitted~~ as a subordinate use pursuant to LUC 20.20.840 only if located in a structured parking area.

Comment [C103]: Consistency

(7) This use is limited in size to no greater than 20,000 sf.

(8) Uses are limited to community police stations of 1,500 sf or less.

(9) ~~No portion of a property on which a Secure Community Transition Facility is proposed to be located may be within 300 feet of the boundary of any land use district within which the SCTF use is prohibited. The required 300 feet shall be measured in accordance with the policy guidelines established by the Department of Social and Health Services pursuant to RCW 71.09.285(4), now or as hereafter amended.~~

Comment [C104]: Consistency

~~(10) Secure Community Transition Facilities are subject to the regulations for Secure Community Transition Facilities in LUC 20.20.750.~~

Comment [C105]: Consistency

~~(11) Refer to LUC 20.20.740 for general requirements applicable to public and private schools. Schools located in the BR-ORT land use district are considered to be in a Transition Area for the purposes of applying the above referenced section. All Bel-Red land use districts are considered to be non-residential for the purposes of applying LUC 20.20.740.~~

~~(12) Limited to 0.5 floor area ratio (FAR).~~

Comment [C106]: Clarity

~~(13) Bicycle parking shall be provided pursuant to 20.25D.120.G.~~

**Chart 20.25D.070 Recreation Uses in Bel-Red Districts**

| STD<br>LAND<br>USE<br>CODE<br>REF    | LAND USE<br>CLASSIFICATION  | Recreation – Bel-Red Districts        |  |  |                        |                                  |                                      |  |
|--------------------------------------|---|---------------------------------------|--|--|------------------------|----------------------------------|--------------------------------------|--|
|                                      |   | Bel-Red<br>Medical<br>Office<br>/Node | Bel-Red<br>Office<br>Residential<br>/Nodes | Bel-Red<br>Residential<br>Comm.<br>Nodes | Bel-Red<br>Residential | Bel-Red<br>General<br>Commercial | Bel-Red<br>Commercial<br>Residential | Bel-Red<br>Office<br>Residential<br>Transition |
|                                      |   | BR-<br>MO/<br>MO-1                    | BR-<br>OR/<br>OR-1<br>OR-2                 | BR-<br>RC-1<br>RC-2<br>RC-3              | BR-<br>R               | BR-<br>GC                        | BR-<br>CR                            | BR-<br>ORT                                     |
| 7                                    | Cultural Entertainment<br>and Recreation  |                                       |  |  |                        |                                  |                                      |  |
| 711                                  | Library, Museum   | P                                     | P  | P  | A 1                    | P                                | P                                    |  |
| 7113                                 | Art Gallery   |                                       | P/P  | P  | P 2                    | P                                | P                                    |  |
| 712                                  | Nature Exhibitions:<br>Aquariums, Botanical<br>Gardens and Zoos (3)   |                                       |  |  |                        | C                                | C                                    |  |
| 7212<br>7214<br>7222<br>7231<br>7232 | Public Assembly<br>(Indoor): Sports,<br>Arenas, Auditoriums<br>and Exhibition Halls<br>but excluding School<br>Facilities |                                       | A/A  |  |                        | A                                | A                                    |  |
| 7212<br>7214<br>7218                 | Motion Picture,<br>Theaters, Night Clubs,<br>Dance Halls and Teen<br>Clubs  |                                       | P/P  | P  |                        | P                                | P                                    |  |
| 7213                                 | Drive-In Theaters   |                                       |  |  |                        |                                  |                                      |  |
|                                      | Adult Theaters (4)  |                                       | P/P  |  |                        | P                                |                                      |  |

|  |   | Recreation – Bel-Red Districts        |  |  |                        |                                  |                                      |  |
|--|---|---------------------------------------|--|--|------------------------|----------------------------------|--------------------------------------|--|
| STD<br>LAND<br>USE<br>CODE<br>REF                    | LAND USE<br>CLASSIFICATION  | Bel-Red<br>Medical<br>Office<br>/Node | Bel-Red<br>Office<br>Residential<br>/Nodes | Bel-Red<br>Residential<br>Comm.<br>Nodes | Bel-Red<br>Residential | Bel-Red<br>General<br>Commercial | Bel-Red<br>Commercial<br>Residential | Bel-Red<br>Office<br>Residential<br>Transition |
|  |   | BR-<br>MO/<br>MO-1                    | BR-<br>OR/<br>OR-1<br>OR-2                 | BR-<br>RC-1<br>RC-2<br>RC-3              | BR-<br>R               | BR-<br>GC                        | BR-<br>CR                            | BR-<br>ORT                                     |
| 7223<br>73   | Public Assembly<br>(Outdoor): Fairgrounds<br>and Amusement Parks,<br>Miniature Golf, Golf<br>Driving Ranges, Go-<br>Cart Tracks, BMX<br>Tracks and Skateboard<br>Tracks |                                       |  |  |                        | A                                | A                                    |  |
| 73   | Commercial<br>Amusements: Video<br>Arcades, Electronic<br>Games   |                                       |  | A  |                        | A                                | A                                    |  |
| 7411<br>7413<br>7422<br>7423<br>7424<br>7441<br>7449 | Recreation Activities:<br>Golf Courses, Tennis<br>Courts, Community<br>Clubs, Athletic Fields,<br>Play Fields, Recreation<br>Centers, Swimming<br>Beaches and Pools (5) | A/                                    | A/A  | A  |                        | A                                | A                                    |  |
| 744  | Marinas, Yacht Clubs  |                                       |  |  |                        |                                  |                                      |  |
| 7414<br>7415<br>7417<br>7425<br>7413                 | Recreation Activities:<br>Skating, Bowling,<br>Gymnasiums, Athletic<br>Clubs, Health Clubs  |                                       | P/P  | P  |                        | P                                | P                                    |  |

|                                   |   | Recreation – Bel-Red Districts        |  |  |                        |                                  |                                      |  |
|-----------------------------------|---|---------------------------------------|--|--|------------------------|----------------------------------|--------------------------------------|--|
| STD<br>LAND<br>USE<br>CODE<br>REF | LAND USE<br>CLASSIFICATION  | Bel-Red<br>Medical<br>Office<br>/Node | Bel-Red<br>Office<br>Residential<br>/Nodes | Bel-Red<br>Residential<br>Comm.<br>Nodes | Bel-Red<br>Residential | Bel-Red<br>General<br>Commercial | Bel-Red<br>Commercial<br>Residential | Bel-Red<br>Office<br>Residential<br>Transition |
|                                   |   | BR-<br>MO/<br>MO-1                    | BR-<br>OR/<br>OR-1<br>OR-2                 | BR-<br>RC-1<br>RC-2<br>RC-3              | BR-<br>R               | BR-<br>GC                        | BR-<br>CR                            | BR-<br>ORT                                     |
| 7491<br>7515                      | Camping Sites and<br>Hunting Clubs  |                                       | E/E  | E  | E                      |                                  | E                                    | E  |
| 76                                | Private Leisure and<br>Open Space Areas<br>Excluding Recreation<br>Activities Above | P                                     | P/P  | P  | C                      | P                                | P                                    | P  |
|                                   | Private Park  | A                                     | A/A  | A  | A                      | A                                | A                                    |  |
|                                   | Stables and Riding<br>Academies   |                                       |  |  |                        |                                  | A                                    |  |
|                                   | Boarding or<br>Commercial Kennels   |                                       |  |  |                        | A 6                              | A 6                                  |  |
|                                   | Public Park   | P                                     | P/P  | P  | P-A 7                  | A                                | A                                    | P-A 7  |

Comment [C107]: Flexibility/  
Simplification

Comment [C108]: Consistency

Comment [C109]: Flexibility/  
Simplification

Existing uses in the Bel-Red District are regulated pursuant to 20.25D.060.

**Key P – Permitted Use**

~~E – Existing Use (see LUC Section 20.25D.018)~~

Comment [C110]: Flexibility/  
Simplification

**C – Conditional Use (see Parts 20.30B and 20.30C)**

**A – Administrative Conditional Use (see Part 20.30E)**

**Notes: Uses in land use districts – Recreation**

- (1) This individual use is limited in size to no greater than 20,000 sf.
- (2) Within a project limit, all private recreation art gallery uses combined can shall not exceed 10,000 sf and each individual recreation use can shall not exceed 3,000 sf. This size limitation does not apply to ~~recreation art gallery~~ uses located in a city park facility. Refer to Recreation Note 7 for permitting process applicable to city park uses.
- (3) Excludes zoos.

Comment [C111]: Clarity

Comment [C112]: Clarity

- (4) Adult Theaters are subject to the regulations for adult entertainment uses in LUC 20.20.127.
- (5) For carnivals, see LUC 20.20.160.
- (6) See LUC 20.20.130 for general requirements applicable to this use.
- (7) ~~City~~Public parks are generally permitted in all ~~zones~~districts. However, the following types of uses or facilities in ~~City~~public parks require administrative conditional use approval when located in the BR-R or BR-ORT land use districts: lighted sports and play fields, sports and play fields with amplified sound, and community recreation centers. Nonrecreation uses in ~~City~~public parks located in the BR Land Use Districts require conditional use approval, except that the permit requirements for wireless communication facilities shall be as set forth in LUC 20.20.195. For purposes of this note, “nonrecreation use” means a commercial, social service or residential use located on park property but not functionally related to ~~City~~ park programs and activities.

Comment [C113]: Consistency

**Chart 20.25D.070 Resource Uses in the Bel-Red Districts**

| STD<br>LAND<br>USE<br>CODE<br>REF | LAND USE<br>CLASSIFICATION  | Resources - Bel Red Districts         |  |  |                        |                                  |                                      |  |
|-----------------------------------|---|---------------------------------------|--|--|------------------------|----------------------------------|--------------------------------------|--|
|                                   |   | Bel-Red<br>Medical<br>Office<br>/Node | Bel-Red<br>Office<br>Residential<br>/Nodes | Bel-Red<br>Residential<br>Comm.<br>Nodes | Bel-Red<br>Residential | Bel-Red<br>General<br>Commercial | Bel-Red<br>Commercial<br>Residential | Bel-Red<br>Office<br>Residential<br>Transition |
|                                   |   | BR-<br>MO/<br>MO-1                    | BR-<br>OR/<br>OR-1<br>OR-2                 | BR-<br>RC-1<br>RC-2<br>RC-3              | BR-<br>R               | BR-<br>GC                        | BR-<br>CR                            | BR-<br>ORT                                     |
| 8                                 | Resource Production<br>(Minerals, Plants,<br>Animals Including Pets<br>and Related Services)          |                                       |  |  |                        |                                  |                                      |  |
| 81                                | Agriculture, Production of<br>Food and Fiber Crops,<br>Dairies, Livestock and<br>Fowl, Excluding Hogs |                                       |  |  |                        | P 1                              | P 1                                  |  |
| 821                               | Agricultural Processing   |                                       | E/E  | E  | E                      |                                  |                                      |  |
| 8221                              | Veterinary Clinic and<br>Hospital (2)   |                                       | P/P  | P  |                        | P                                | P                                    | P  |
| 8222                              | Poultry Hatcheries  |                                       |  |  |                        |                                  |                                      |  |
| 83                                | Forestry, Tree Farms and<br>Timber Production   |                                       |  |  |                        |                                  |                                      |  |
| 8421                              | Fish Hatcheries   |                                       |  |  |                        |                                  |                                      |  |
| 85                                | Mining, Quarrying<br>(Including Sand and<br>Gravel), Oil and Gas<br>Extraction                        |                                       |  |  |                        |                                  |                                      |  |

Comment [C114]: Flexibility/  
Simplification

Comment [C115]: Flexibility/  
Simplification

Existing uses in the Bel-Red District are regulated pursuant to 20.25D.060.

**Key P – Permitted Use**

**E – Existing Use (see LUC Section 20.25D.018)**

Comment [C116]: Flexibility/  
Simplification

**C – Conditional Use (see Parts 20.30B and 20.30C)**

**A – Administrative Conditional Use (see Part 20.30E)**

**Notes: Uses in land use districts – Resources**

- (1) Agriculture production is limited to the production of food and fiber crops.
- (2) See LUC 20.20.130 for general requirements applicable to this use.

**20.25D.080 Dimensional Requirements.**

**A. General.**

Paragraph A of this section (Chart 20.25D.080.A Dimensional Requirements in Bel-Red Districts) sets forth the dimensional requirements for each land use district in the Bel-Red Subarea. The Dimensional Requirements of Chart 20.20.010 do not apply in the Bel-Red land use districts. Each structure, development, or activity in a Bel-Red Land Use District shall comply with these requirements except as otherwise provided in this section. If a number appears in a box at the intersection of a column and a row, the dimensional requirement is subject to the special limitation indicated in the corresponding Note.

**Chart 20.25D.080.A Dimensional Requirement in Bel-Red Districts**

| Bel-Red Land Use District (19) | Project, Building, Floor Tower Type (1) (17) (19) (24) | Minimum Setbacks/Stepbacks (8, 9, 143) (5) (7) (10) (15) |                |                | Gross SF/Floor Above 40 ft (gsf/f) (4) (18) (13) (15) (16) (20) (21) | Gross SF/Floor Above 80 Ft (gsf/f) (13) (15) (16) (20) (21) (4) (14) (18) | Maximum Impervious Surface/ Lot Coverage (7) (19) | Building Height (5) |          | Floor Area Ratio (5) (10) |        |                                     |
|--------------------------------|--|--|----------------|----------------|--|---|---|---------------------|----------|---------------------------|--------|-------------------------------------|
|                                |  | Front (6)  | Rear (3) (146) | Side (3) (146) |  |   |   | Min. Base           | Max.     | Min. Base                 | Max.   |                                     |
|                                |  |  |                |                |  |   |   |                     |          |                           |        | Comment [C117]: ULI                 |
| MO-1                           | Nonresidential   | 0 (2)  | 0              | 0              | 28,000   | 28,000  | 75%   | 45                  | 150      | 0.5-1.0                   | 34.0   | Comment [C118]: Consistency         |
| OR-1                           | Residential  | 0 (2)  | 0              | 0              | 28,000/12,000  | 9,000   | 75%   | 45                  | 125      | 0.5-1.0                   | 43.0   | Comment [C119]: Floor Plate Maximum |
| RC-1                           | Nonresidential   | 0 (2)  | 0              | 0              | 28,000   | 28,000  | 75%   | 45                  | 70 (135) | 0.5-1.0                   | 2.54.0 | Comment [C120]: Floor Plate Maximum |
| OR-2                           | Residential  | 0 (2)  | 0              | 0              | 28,000/12,000  | 9,000   | 75%   | 45 (135)            | 70 (135) | 0.5-1.0                   | 2.0    | Comment [C121]: Floor Plate Maximum |
| RC-2                           | Nonresidential   | 0 (2)  | 0 (147)        | 0 (147)        | 28,000   | NA  | 75%   | 45 (135)            | 70 (135) | 0.5-1.0                   | 2.0    | Comment [C122]: Floor Plate Maximum |
| RC-3                           | Residential  | 0 (2)  | 0 (147)        | 0 (147)        | NA 28,000  | NA  | 75%   | 45 (135)            | 70 (135) | 0.5-1.0                   | 2.0    | Comment [C123]: Floor Plate Maximum |
| CR                             | Nonresidential   | 0 (2)  | 0              | 0              | 28,000   | NA  | 75%   | 45 (135)            | 70 (135) | 0.5-1.0                   | 2.0    |                                     |
| CR                             | Residential  | 0 (2)  | 0 (147)        | 0 (147)        | NA 28,000  | NA  | 75%   | 45 (135)            | 70 (135) | 0.5-1.0                   | 2.0    |                                     |
| R                              | Nonresidential   | 0 (2)  | 0              | 0              | NA   | NA  | 75%   | 30                  | 45       | 0.5-1.0                   | 2.0    |                                     |
| R                              | Residential  | 0 (2)  | 0              | 0              | NA   | NA  | 75%   | 45                  | 70       | 0.5-1.0                   | 1.0    |                                     |
| MO                             | Nonresidential   | 0 (2)  | 0              | 0              | 28,000   | NA  | 75%   | 45                  | 70       | 0.5-1.0                   | 1.0    |                                     |
| OR                             | Residential  | 0 (2)  | 0              | 0              | NA 28,000  | NA  | 75%   | 45                  | 70       | 0.5-1.0                   | 1.0    |                                     |
| GC                             | Nonresidential   | 0 (2)  | 0              | 0              | NA   | NA  | 75%   | 30                  | 45       | 0.5-1.0                   | 1.0    |                                     |
| GC                             | Residential  | 0 (2)  | 0              | 0              | NA   | NA  | 75%   | 30                  | 45       | 0.5-1.0                   | 1.0    |                                     |
| ORT                            | Nonresidential   | 20   | 30             | 20             | NA   | NA  | 75%   | 30                  | 45 (12)  | 0.5-0.75                  | 0.75   |                                     |
| ORT                            | Residential  | 20   | 30             | 20             | NA   | NA  | 75%   | 45 (12)             | 45 (12)  | 0.5-0.75                  | 0.75   |                                     |
| All                            | Parking (13)   | (20)   | (20)           | (20)           | NA   | NA  | 75%   | 30                  | 30       | 0.5                       | 0.5    |                                     |

**Notes: Chart 20.25D.080.A Dimensional Requirement in Bel-Red Districts**

(1) ~~For the purposes of this chart, a Project, Building, or Floor Type tower is determined to be nonresidential or residential or parking if more than 50 percent of the gross floor area of the tower is devoted to that use. This distinction does not apply to the requirement for providing FAR amenities per LUC 20.25D.~~

Comment [C124]: Clarification

(2) If a building is within 15 feet of the front property line, the building shall incorporate a 15-foot deep stepback in that façade at a height no more than 40 feet above the average finished grade along that façade.

(3) All rear and side yards shall contain landscaping as required by LUC ~~20.25D.110 and 20.20.520 and 20.25D.100.~~

Comment [C125]: Correction

(4) ~~Gross Square Foot Per Floor (gsf/f) refers to the floor area in square feet within the surrounding exterior walls measured from the interior wall surface and including openings in the floor plate such as vent shafts, stairwells, and interior atriums.~~

Comment [C126]: Moved

(45) The maximum building height and FAR may ~~only~~ be achieved only by participation in the FAR Amenity System LUC 20.25D.450090.

Comment [C127]: Clarification

Comment [C128]: Correction

(56) A building façade on any street identified as a Required Sidewalk-Oriented Development pursuant to LUC 20.25D.120.C shall incorporate a 15-foot deep stepback in that façade at a height no more than 40 feet above the average finished grade along that façade.

(67) Impervious Surface/Lot Coverage is calculated after subtracting all critical areas and critical area buffers; provided, that coal mine hazards (20.25H.130) and habitat associated with species of local importance (20.25H.150) shall not be subtracted. See LUC 20.20.460 for exceptions and performance standards relating to impervious surface.

(78) See LUC 20.20.030 for designation and measurement of setbacks.

(89) See LUC 20.25H.035 for additional critical area setbacks.

(94) See LUC 20.25H.045 for calculation of density/intensity on sites in the Critical Areas Overlay District.

(104) Certain non-critical area setbacks on sites in the Critical Areas Overlay District may be modified pursuant to LUC 20.25H.040.

(112) Maximum building height in the BR-ORT land use district shall be measured from average existing grade. See LUC 20.25D.130.D.4.d for additional transition edge development requirements.

Comment [C129]: Clarification

(123) The ground floor of a parking structure shall include Required Ground Floor Uses pursuant to LUC 20.25D.420130.A.

Comment [C130]: Correction

~~(14) Maximum floor plate above 80 feet may be increased to 10,000 sf if all required affordable housing is provided within the building and not through payment of a fee in lieu.~~

Comment [C131]: Consistency

(135) Maximum building height west of 156<sup>th</sup> Avenue NE. Maximum building height located within 50 feet of the back of sidewalk along 156<sup>th</sup> Ave NE shall not exceed 45 feet as measured from the sidewalk grade adjacent to the building front. Maximum building height located greater than 50 feet from the back of sidewalk along 156<sup>th</sup> Ave NE, shall not exceed 70 feet as measured from average existing grade.

(146) Where building height exceeds ~~75-80~~ feet, all floors above 40 feet shall include a minimum side setback of 25 feet and a minimum rear setback of 25 feet as measured from the property line. Where building heights exceed ~~75-80~~ feet, a minimum separation of 50 feet for buildings on the same site shall be maintained for all floors above 40 feet. See paragraph B of this section for exceptions to this minimum setback/stepback dimensions.

Comment [C132]: Floor Plate Maximum/Consistency

(157) Maximum façade lengths west of 156<sup>th</sup> Avenue NE. The façade of any single building fronting on 156<sup>th</sup> Ave NE shall not exceed a maximum length of 150 feet. All buildings or portions of buildings located above the sidewalk grade measured at adjacent to 156<sup>th</sup> Ave NE shall include a minimum building separation of 40 feet. The required minimum separation shall provide in a continuous building separation corridor that extends from 156<sup>th</sup> Ave NE to Bel-Red Road.

Comment [C133]: Clarification

(168) Gross square feet per floor may be averaged for floor plates located above 40 feet.

(179) For the purposes of determining tower type, calculating gross square feet per floor hotels and motels shall be considered nonresidential.

Comment [C134]: Clarification. Consistency

(1820) For parking structure minimum setbacks refer to specific land use district.

(1924) All new development in the OR-1 and OR-2 land use districts shall provide a minimum of 20 percent of the total project gross square feet as residential use for development on any site of five acres or greater pursuant to a phasing plan, Part 20.30V LUC. Notwithstanding any other provisions of this code, A phased development shall is not required to provide the proportional minimum of residential use required per phase, provided that the 20 percent residential use requirement is met prior to occupancy of the final phase. except as provided pursuant to a development agreement as authorized by state law or Bellevue city code.

Comment [C135]: Mixed-Use

(202) The 28,000 gsf/f above 40 feet applies only to towers that do not exceed 80 feet. For residential towers, the maximum gross square feet per floor above 40 feet and at or below 80 feet is 12,000 gsf/f. For residential towers the maximum gross square feet per floor above 80 feet is 9,000 gsf/f.

Comment [C136]: Floor Plate Maximum

(21) Denotes roof height above average finished grade.

Comment [C137]: Clarification

**B. Exceptions to Dimensional Requirements.**

1. Floor Plate Exceptions. ~~For structures that do not exceed 70 feet in height (as defined by the International Building Code, as adopted by the City of Bellevue or subsequently amended or superseded).~~

Comment [C138]: Floor Plate Maximum/Consistency

a. ~~Residential buildings. Floor plate maximums do not apply.~~

b. ~~Non-residential buildings and parking structures.~~ The Director may allow the connection of floor plates above 40 feet such that those floor plates exceed the ~~“Maximum gross square feet per floor above 40 feet;”~~ consistent with the following limitations:

i. The connection shall be to allow for safe and efficient building exiting patterns. The connecting floor plate ~~area~~ shall include required exiting corridor ~~GSF area~~ and may include the ~~GSF area~~ associated with dwelling units or other building uses;

ii. The connection shall occur on no more than three floor levels above 40 feet; and

iii. The alternative design shall result in a building mass that gives the appearance of separate and distinct building elements.

b. Gross square feet/floor above 80 feet may be increased to 10,000 qsf/f if all required affordable housing is provided within the building and not through payment of a fee in lieu.

Comment [C139]: Floor Plate Maximum/Consistency

2. Setback/Stepback Exceptions.

a. ~~Marquees, awnings, or bay windows which that comply with the requirements of the Bel-Red Subarea Design Guidelines adopted pursuant to LUC 20.25D.140 may be permitted to extend over the public right-of-way upon approval of the Director notwithstanding the provisions of any other city code.~~

Comment [C140]: Clarity

Comment [C141]: Simplification

b. ~~The Director may allow modifications to the minimum side and rear setbacks or spacing between buildings required above 40 feet for buildings pursuant to the requirements of Note 16 to of Chart 20.25D.080.A consistent with the following limitations:~~

Comment [C142]: Simplification

i. The applicant can demonstrate that the resulting design will be more consistent with the Bel-Red Subarea Design Guidelines adopted pursuant to LUC 20.25D.140; and

ii. The building design, with the modification, shall maintain a minimum spacing between towers of not less than 50 feet.

- c. Minor building elements as defined pursuant to LUC 20.20.025.C may intrude into any setback or stepback required pursuant to LUC Chart 20.25D.080.A, provided that the applicant can demonstrate that the resulting design will be more consistent with the Bel-Red Subarea Design Guidelines adopted pursuant to LUC 20.25D.140.

3. Floor Area Ratio Exceptions.

- a. Per the FAR Amenity Incentive System LUC 20.25D.150, floor areas dedicated to affordable housing, public restrooms, and ~~community child care~~nonprofit uses shall not be counted for the purpose of calculating FAR.

Comment [C143]: Consistency

- b. Each square foot of ground floor retail and ~~indoor-enclosed~~ plaza meeting the criteria set forth below, shall not be counted for the purpose of calculating FAR.

Comment [C144]: Consistency

- i. Ground Floor Retail Uses: Ground floor retail uses as defined in LUC 20.25D.120.A shall ~~be excepted~~not be counted provided the following limitations are met:

Comment [C145]: Clarity

(1) The ground floor retail shall only be eligible for exception if located within a multi-story, multi-use building;

(2) The ground floor retail shall meet the requirements set forth in LUC 20.25D.120.A Bel-Red Subarea Design Standards applicable to retail uses; Commercial ground floor uses shall not be eligible for exception.

~~(3)~~ Outside the nodes the maximum depth of tenant space eligible for exception shall ~~not exceed~~is 60 feet; and

~~(24)~~ Inside the nodes ~~the ground floor retail exception is unlimited~~shall not be counted.

~~(3) The retail ground floor use shall only be eligible for exception if located within a multi-story, multi-use building; and,~~

~~(4) The ground floor use shall meet the requirements set forth in LUC 20.25D.120.A Bel-Red Subarea Design Standards applicable to retail uses. Commercial ground floor uses shall not be eligible for exception.~~

- ii. Enclosed Plazas shall not be counted provided the following limitations are met:

Comment [C146]: Clarity

~~(1) The enclosed plaza shall be located within a building and covered to provide overhead weather protection while admitting substantial amounts of natural daylight (atrium or galleria);~~

- (12) The enclosed plaza shall be clearly visible and accessible from the public right-of-way;
- (23) The enclosed plaza shall coordinate with and complement ground floor retail uses to the maximum extent feasible;
- (34) At least 10% of the surface area of the enclosed plaza shall be landscaped;
- (45) The enclosed plaza shall contain at least one sitting space for each 100 sf of plaza;
- (56) The enclosed plaza shall be a minimum size of 1,000 sf;
- (67) Only 4,000 sf of ~~the enclosed plaza shall only be eligible for exception to a maximum size of 4,000 SF~~ be excepted for the purpose of calculating FAR;
- (78) The enclosed plaza shall have a minimum horizontal dimension (width and depth) of no less than 20 feet;
- (89) The enclosed plaza shall be signed as "Public Access" and open to the public from 7 a.m. to 9 p.m. daily or during business hours, whichever is longer. The sign for the enclosed plaza shall be visible from the public right-of-way; and
- (94) Any use or feature for the exclusive use of the building users or tenants is in addition to the excepted square footage shall be counted for the purpose of calculating FAR.

Comment [C147]: Corrections

**4C. Impervious Surface/Lot Coverage.**

- a1. Underground buildings as defined in LUC 20.50.050 are not structures for the purpose of calculating floor area.
- b2. Buildings constructed partially below grade and not higher than 30 inches above existing or finished grade, whichever is lower, are not structures for the purpose of calculating lot coverage subject to the following conditions:
  - ia. The 30-inch height limit shall be met at all points along the building excluding those areas necessary to provide reasonable ingress and egress to the underground portions of the building; and
  - ib. The rooftop of any underground building shall be screened from abutting properties with 10 feet of Type II landscaping as described in LUC 20.20.520.G.2; except that the required trees shall be a minimum of 10 feet in height at planting. Alternatively, if a use is proposed for the rooftop, the rooftop may be landscaped consistent with the planting requirements for the

Comment [C148]: Clarity

specific use that is proposed and for the land use district in which the use is located. All landscaping shall comply with standards set forth in LUC 20.20.520. ~~The provisions of LUC 20.20.520.J (Alternative Landscaping Option) are applicable.~~

Comment [C149]: Clarity

e3. Buildings constructed partially below grade and not higher than 30 inches above average finished grade are not structures for the purpose of calculating impervious surface; provided, that the rooftop of the building shall be landscaped consistent with the City of Bellevue's Utilities Department Engineering Standards, chapter D9, now or as hereafter amended, Natural Drainage Practices (NDP's) for the building roof area as approved by the Director. ~~All landscaping shall comply with standards set forth in LUC 20.20.520. The provisions of LUC 20.20.520.J (Alternative Landscaping Option) are applicable.~~

Comment [C150]: Clarity

**CD. Floor Area Ratio Earned from Special Dedications and Transfers.**

1. General. Land ~~which that~~ is dedicated to the City of Bellevue for right-of-way, parks, or open space, without compensation to the owner may be used for the purpose of computing maximum FAR notwithstanding the definition of floor area ratio in LUC 20.50.020, floor area ratio (FAR); provided that the requirements of Paragraph ~~CD.2 and/or CD.3~~ are met. Any dedication for which a transfer is earned under this LUC 20.25D.080.D is not eligible to earn additional bonus under LUC Chart 20.25D.090.C.2.

Comment [C151]: Clarity/ Consistency

2. Right-of-Way Special Dedications. The special dedication provisions of LUC paragraph 20.30V.170.B do not apply in the Bel-Red subarea.

Comment [C152]: Clarity

a. Eligible Right-of-Way Identified in an Adopted Plan or Document. A property owner may make a special dedication by conveying land identified for right-of-way acquisition in a Transportation Facilities Plan of the Comprehensive Plan, the Transportation Facilities Plan adopted by the City Council, the Capital Investment Program Plan or the street development standards of LUC 20.25D.130 ~~to the City of Bellevue~~ by an instrument approved by the City Attorney.

Comment [C153]: Simplification

b. Eligible Right-of-Way Not Otherwise Identified. ~~In addition to the eligible Right-of-Way identified in paragraph C.2.a above, a~~ property owner may also make a special dedication by conveying land identified by the Director of Transportation as necessary for safety or operational improvement projects by an instrument approved by the City Attorney.

Comment [C154]: Clarity/ Consistency

c. ~~Square Footage~~ Floor Area Earned. The floor area available to transfer shall be equal to that permitted through the base and maximum FAR limits. Square footage earned shall be equal that apply to the square footage of the area to be dedicated in conformance with this subsection paragraph CD.2 and shall be included in the project limit for the purpose of computing maximum FAR. The transfer FAR shall be calculated based on applicable land use district

regulations for the dedication area and may include FAR earned through the amenity incentive system if permitted by the land use district.

Comment [C155]: Clarity

3. Parks and Open Space Transfers.

a. Eligible Park or Open Space identified ~~in an Adopted Plan or Document~~ within the Bel-Red Subarea Plan. A property owner may earn floor area for transfer to a different site by conveying land identified for park or open space in ~~an adopted City Plan or Document~~ the Bel-Red Subarea Plan to the City of Bellevue by an instrument approved by the City Attorney.

Comment [C156]: Clarity

b. ~~Transfer Floor Area Earned.~~ The floor area available to transfer shall be equal to that permitted through the base and maximum FAR limits that apply to the square footage of the area to be dedicated in conformance with paragraph D.3 and shall be added to the allowed floor area of the project for the purpose of computing maximum FAR. The transfer FAR shall be calculated based on applicable land use district regulations for the dedication area and may include FAR earned through the amenity incentive system if permitted by the land use district.

Comment [C157]: Clarity

The Director shall calculate the amount of square footage and floor area earned for transfer subject to the following criteria:

- ~~i. The square footage earned is equal to the square footage that is eligible for transfer and conveyed pursuant to paragraph C.3.a; and~~
- ~~ii. The floor area earned for transfer is equal to the square footage earned pursuant to paragraph C.3.a.i times the minimum FAR applicable to the park or open space area conveyed pursuant to paragraph C.3.a.~~

$$\begin{array}{l}
 \text{Eligible Land} \\
 \text{Conveyed Dedication} \\
 \text{area in Square feet}
 \end{array}
 \times
 \begin{array}{l}
 \text{Maximum Base FAR applicable to} \\
 \text{land conveyed dedication area +} \\
 \text{FAR earned through amenity incentive} \\
 \text{system, not to exceed maximum FAR applicable to} \\
 \text{dedication area}
 \end{array}
 = \text{Total Transferable Floor Area}$$

Comment [C158]: Clarity

c. Use of Transferable Floor Area.

i. Limitation on Location. Transferable floor area shall only be used in the following Bel-Red ~~Nodes~~ land use districts (MO-1, OR-1, OR-2, RC-1, and RC-2, CR, and R).

Comment [C159]: Correction

ii. Limitation on Transfer.

(4) Transferable floor area shall not be used to ~~exceed~~ achieve an effective site FAR of greater than 30.5 above the maximum FAR permitted for the land use district.

Comment [C160]: Clarity/ Consistency with UL1

(2) ~~The maximum FAR of the receiving site shall be achieved by providing amenities identified in Chart. 20.25D.150.C before employing this transfer opportunity.~~

Comment [C161]: Clarity

Hypothetical example: A 0.5 acre site, zoned CR, is dedicated to the city for park space. The CR zoning district has a base FAR of 1.0 and a maximum FAR of 2.0. Therefore, up to 21,780 sf (0.5 acres x 43,560 sf) of floor area could be transferred to a development site in Bel-Red at the base FAR, or up to 43,560 sq. ft. could be transferred if additional FAR is earned through participation in the amenity incentive system.

Comment [C162]: Clarity

If the receiving site is 10 acres with a maximum FAR of 4.0, its allowed floor area, with participation in the amenity incentive system, would be 1,742,400 sf (10 acres x 43,560 sf x 4.0 FAR). By transferring additional floor area from the above sending site, the maximum floor area could be 1,785,960 sf (1,742,400 + 43,560 sf). The transferred area could not exceed an additional 0.5 FAR for the receiving site, or 217,800 sf.

Comment [C163]: Clarity

4. Notwithstanding any provision of this Code, no transfer of floor area occurs when all property is included in one project limit

**D. Recording Requirements.**

~~The total amount of floor area earned through the FAR Amenity Incentive System or a Right-of-Way Special Dedication associated with a project and used to support project development, shall be recorded with the King County Division of Records and Elections. A copy of the recorded document shall be provided to the city for inclusion in the project file.~~

Comment [C164]: Moved

**20.25D.090 FAR Amenity Incentive System.**

**A. General.**

~~A building development within a project limit may exceed the minimum base FAR and minimum base building height permitted pursuant to Chart 20.25D.080.A for development within a Bel-Red Land Use District only if it complies with the requirements of this section. In no case may the building development within a project limit exceed the maximum floor area ratio permitted for the district except pursuant to LUC 20.25D.080.D. Each unit of measurement (square feet, linear feet, etc.) may only be used to gain one floor area ratio bonus, except where specifically provided otherwise. Any dedication for which a transfer is earned under LUC 20.25D.080.D is not eligible to earn additional bonus under this Section.~~

Comment [C165]: Clarity

Comment [C166]: Consistency

Comment [C167]: Consistency

Comment [C168]: Clarity

Comment [C169]: Clarity

## B. Required Review.

The Director may approve an amenity which complies with ~~subsection paragraph C of this section below if:~~

Comment [C170]: Simplification

1. The design criteria established for the amenity have been met; and
2. A public benefit will be derived from the development of the proposed amenity in the proposed location.

## C. Specific Requirements.

1. Participation in the FAR Amenity System shall comply with LUC Chart 20.25D.090.C FAR Amenity Incentive System provided below.

2. In a multi-building development within a single project limit, amenities may be allocated among all buildings within the project limit; provided, that such allocation shall be approved by the Director through a Master Development Plan. If construction of the multi-building development is to be phased, no phase may depend on the future construction of amenities.

3. ~~Within a project limit that spans public right-of-way, FAR may be allocated among all buildings within the project limit; provided, that such allocation shall be approved by the Director through a Master Development Plan.~~ Development within a project limit may only exceed its base FAR limit and base building height by providing FAR amenities as described in the LUC Chart 20.25D.090.C and this paragraph. To achieve the maximum FAR for the district, amenities from Tier 1 and Tier 2 must be provided at the specified ratio for every additional square foot of building area to be built beyond the base limit.

Comment [C171]: Moved

Comment [C172]: Clarity

a. A development within a single project limit must first fully utilize Tier 1 amenity bonuses before using Tier 2 amenity bonuses.

b. A residential development or a residential portion of a development must utilize Tier 1 amenities in the following order:

i. Tier 1a, affordable housing as described in LUC Chart 20.25D.090.C.1 below; and

ii. Tier 1b, parks or stream restoration as described in LUC Chart 20.25D.090.C.2.

c. After fulfilling Tier 1, a development may utilize any of the amenity bonus types, whether from Tier 1 or 2.

4. ~~A residential building may only exceed its minimum FAR limit and minimum building height limit by providing FAR Amenities from Tier One in the following order:~~

Comment [C173]: Clarity

~~a. Affordable Housing as described in LUC Chart 20.25D.090.C.1 below at a minimum of 0.5 FAR; and~~


~~b. Dedication or in-lieu payment of Parks or Stream Restoration as described in LUC Chart 20.25D.090.C.2 and 3 below at a minimum of 0.5 FAR. Tier 1 equals 2.5 FAR above the base in the MO-1, OR-1, OR-2, RC-1, RC-2, and RC-3 districts and Tier 1a and 1b each equal 1.25 FAR, where applicable.~~

~~5. A nonresidential building may only exceed its minimum FAR limit and minimum building height limit by providing Parks or Stream Restoration FAR amenities as described in LUC Chart 20.25D.090.C 2 and 3 below. To exceed the 2.0 FAR and achieve the maximum building height for the district, amenities from Tier One or Tier Two must be provided equaling the remainder of the floor area proposed at a ratio of one FAR point for every square foot to be built. See LUC Figure 20.25D.090.C below. Tier 2 equals 0.5 FAR above Tier 1 in the MO-1, OR-1, OR-2, RC-1, RC-2, and RC-3 districts.~~

Comment [C174]: Clarity

~~4. Tier 1 equals 1.0 FAR above the base in the CR and R districts and Tier 1a and 1b each equal 0.5 FAR, where applicable. No Tier 2 bonuses are permitted in the CR and R districts.~~


Comment [C175]: Clarity



**Example of Tiered FAR Amenity Allocation  
Figure 20.25D.090.C**

Comment [C176]: Clarity

Comment [C177]: Clarity



5. In-lieu fees shall be used to develop the amenity for which the in-lieu fee was paid to earn bonus FAR.
6. In -lieu fees shall be assessed and collected at building permit issuance.

**7. Chart 20.25D.090.C FAR Amenity Incentive System**

| FAR AMENITY STANDARDS  |   |   |  |
|--|---|---|--|
| AMENITY (1)  | APPLICABLE ZONES AND DRAFT BONUS RANGE (3)  |   | DESIGN CRITERIA  |
|  | MO-1, OR-1, OR-2, RC-1, RC-2, RC-3, CR, R   | MO, OR, CR, R, C, ORT   |  |
| <b>TIER ONE</b>  |   |   |  |
| <p><b>1. AFFORDABLE HOUSING*</b></p> <p>Threshold bonus for residential/ mixed-use development at up to 80% median income level for rental and up to 100% income level for ownership.</p> <p><del>Off-site units or fee-in-lieu may be provided as an off-site option for development of affordable housing in the Bel-Red corridor (but would be bonused at a lower level for residential/mixed-use projects, except congregate care, nursing home, and assisted living uses, which shall be bonused at the same ratio for on-site, off-site, or fee-in-lieu).</del></p> <p>(2)</p> <p>*Floor area shall not be counted for the purpose of calculating may be excluded from calculation of FAR.</p> | <p>Rental: <del>3.2 to 10.9</del> <u>4.6</u> sf bonus building area per 1 sf of <del>affordable rental housing</del> <u>80% median income rental</u></p> <p>Owner: <del>5.4 to 12.4</del> <u>7.2</u> sf bonus building area per 1 sf of <del>ownership affordable housing at 100% median income ownership</del></p> <p>Fee-in-lieu for Tier 1 residential: <del>\$41-\$55</del> <u>\$18</u> per sf bonus area (The Commission may consider a 10-20% increase to the fee as a disincentive for use of this alternative).</p> <p>Fee-in-lieu for commercial and Tier 2: <del>\$41-\$55</del> <u>\$15</u> per sf bonus area.</p> | <p><del>TBD</del> <b>Note:</b><br/><b>Delete this column</b></p>  | <p>1. May be integrated into the same building as market rate housing, or in a stand-alone building on-site.</p> <p>2. Design shall be generally consistent with associated market rate housing; provided that unit size, amenities, and interior finishes may vary from market units; and further provided that the bedroom mix and exterior finishes shall be comparable to the market rate units.</p> |
|  | <p><b>2. PARKS DEDICATION</b></p> <p>Dedication of land for park purposes that is provided by the developer consistent with the Bel-Red Subarea Plan generalized locations and size requirements.</p>   | <p>3.0 sf bonus building area per 1 sf of parks dedication.</p> <p>Fee-in-lieu: \$15 per 1 sf bonus area.</p> | <p><b>Note:</b><br/><b>Delete this column</b></p>  |

Comment [C178]: ULI

Comment [C179]: Simplification

Comment [C181]: Clarity

Comment [C182]: Clarity

Comment [C186]: Clarity

Comment [C183]: Clarity

Comment [C180]: Correction

Comment [C184]: Correction

Comment [C185]: ULI

Comment [C189]: Simplification

Comment [C188]: ULI

Comment [C187]: ULI/ Clarity

Comment [C190]: Clarity

|  |   |  |   |  |
|--|---|--|---|--|
| <p><b>32. PARK IMPROVEMENTS</b><br/> <u>Improvements made on private property to function as parks or improvements made to city-owned New community, neighborhood, and mini-parks parks that are provided by the developer consistent with the Bel-Red Subarea Plan generalized locations and size requirements.</u></p>   | <p><del>2.1 to 4.5</del> <u>2.7 sf bonus building area per 1 sf of new park, (does not include land value).</u><br/> <del>Fee-in-lieu \$49-\$4015</del> <u>per 1 sf bonus area.</u></p>   | <p><b>TBD Note:</b><br/> <b>Delete this column</b></p> | <p><del>1. Improvements made on private property to function as B</del> <u>bonused parks must be consistent with the Bel-Red Subarea Plan identified locations and sizes, provided Director may modify to bonus additional locations.</u><br/> <del>2. Improvements made on private property to function as B</del> <u>bonused parks do not need to be contiguous with the site for which development is proposed.</u><br/> <del>3. Improvements made on private property to function as bonused P</del> <u>parks must be signed and function as part of the Bellevue parks system, including the ability to be programmed by the city.</u><br/> <del>4. Owners of private property improved to function as a park shall provide an easement in a form satisfactory to the city that allows for public access and maintenance.</del><br/> <del>45. Parks improvements are constructed by the developer consistent with any applicable City plans.</del><br/> <del>5. Parks are deeded to the city or an easement for public use is provided, at the discretion of the City.</del></p> | <p>Comment [C191]: ULI/Clarity</p> <p>Comment [C193]: Simplification</p> <p>Comment [C192]: ULI</p> <p>Comment [C194]: Clarity</p> |
| <p><b>43. STREAM RESTORATION</b><br/> <u>Stream restoration bonus to be applied for improvements above and beyond city's Critical Areas Ordinance provisions, part 20.25H. Projects must in Bel-Red Subarea Plan, and may include removal of fish passage barriers, daylighting piped stream segments, restoration of natural streamside vegetation, and enhanced fish and wildlife habitat.</u></p> | <p><del>25.2 to 53.4</del> <u>66.7 sf building area bonus per \$1,000 stream restoration, (does not include land value).</u><br/> <del>Fee-in-lieu \$49-\$4015</del> <u>per 1 sf bonus area.</u><br/> <del>Fee-in-lieu is not subject to the minimum 10,000 sf requirement.</del></p> |  | <p><del>1. A restoration plan shall be prepared by a qualified professional and approved by the city.</del><br/> <del>2. Must be coordinated with public trail system to the greatest extent possible</del><br/> <del>3. Other elements to be considered are; public spaces with education opportunities.</del><br/> <del>43. Area Improvements and plans to support those improvements shall be in addition to that required by LUC 20.25H. Critical Areas Overlay District.</del><br/> <del>54. Minimum 10,000 sf.</del><br/> <del>65. May occur on-site or off-site.</del><br/> <del>6. Owner shall provide easement allowing City of Bellevue access for maintenance and monitoring.</del></p>  | <p>Comment [C195]: Correction</p> <p>Comment [C196]: ULI</p> <p>Comment [C197]: Clarity</p>  |

**TIER TWO**

|  |  |  |   |  |
|--|--|--|---|--|
| <p><b>54. CHILD CARE/NONPROFIT/COMMUNITY SERVICE SPACE*</b></p> <p><del>Space provided for</del> <u>Floor area dedicated to child care, non-profit groups whose purpose is to provide community or social services, or non-profit groups whose purpose is to provide arts/cultural uses</u></p> <p><del>*Floor area shall not be counted for the purpose of calculating</del> <u>may be excluded from calculation of FAR</u></p> | <p><del>4.7 to 10.0</del> <u>13.7</u> sf bonus building area per 1 sf of non-profit/community service space.</p> <p><del>Buy-out</del> <u>Fee-in-lieu</u> at <del>\$19-\$40</del> <u>\$15</u> per 1 sf bonus area (or higher rate)</p> | <p><del>TBD</del> <u>Note:</u><br/><del>Delete this column</del></p> | <p>1. Childcare services must comply with the requirements of LUC 20.20.170.</p> <p>2. Non-profit arts/cultural- uses include art education, rehearsal, and performance, art production, and artist live/work space.</p> <p>3. Space shall be used in manner described for the life of the <del>building</del> <u>project</u>.</p> <p>4. Documentation of nonprofit status shall be provided.</p> <p>5. Bonused space may be used for other uses in this category with approval from the Director.</p> <p>6. Director may approve a <del>Buy-out of space originally dedicated to child care/non-profit space at the prevailing fee-in-lieu rate if applicant shows good faith efforts to locate eligible tenant.</del> <u>option must be approved by the Director. If buy-out option is approved, covenant required in number 3 above shall be released.</u></p> | <p>Comment [C198]: Consistency</p> <p>Comment [C202]: Simplification</p> <p>Comment [C201]: ULI</p> <p>Comment [C199]: Clarification</p> <p>Comment [C200]: Clarification</p> <p>Comment [C203]: Clarification</p> |
| <p><b>65. PUBLIC RESTROOMS*</b></p> <p>A room or rooms containing toilets and lavatories for the use of the general public, with only limited control for purposes of personal safety.</p> <p><del>*Floor area may be excluded from calculation of</del> <u>shall not be counted for the purpose of calculating FAR</u></p>  | <p><del>6.3 to 13.3</del> <u>16.7</u> sf bonus building area per 1 sf of public restroom space</p>   | <p><del>TBD</del> <u>Note:</u><br/><del>Delete this column</del></p> | <p>1. Shall be located on the ground level of the building.</p> <p>2. Shall be open for use by the public during normal business hours.</p> <p>3. Exterior of building shall be signed to identify location and public access of facility.</p> <p>4. Maintenance of the facility is the obligation of the <del>property owner of that portion of the building within which the</del> <u>restroom is located</u> for the life of the <del>project</del></p>  | <p>Comment [C205]: ULI</p> <p>Comment [C206]: Simplification</p> <p>Comment [C204]: Clarification</p> <p>Comment [C207]: Clarification</p>   |

|  |   |   |   |   |
|--|---|---|---|---|
| <p><b>76. PUBLIC ART</b><br/>Sculpture, mural, water feature or other artwork that is located outside of or on a building and fully accessible to the general public. Includes building-related art treatments for awnings, doors, planters, etc., as well as fountains, cascades, and reflection ponds.</p> | <p><del>25.2 to 53.4</del> 66.7 sf building area bonus per \$1,000 artwork</p>    | <p><del>TBD Note:</del><br/><del>Delete this column</del></p> | <p>1. Shall be permanent in nature and displayed outside of or on the building in areas open to the general public and/or any adjacent public right-of-way, perimeter sidewalk or pedestrian way.<br/>2. May be an object or integrated feature of the building's exterior.<br/>3. Art must be accepted by the Bellevue Arts Commission per the Public Art Selection Criteria.<br/>4. Value of art to be determined through appraisal <del>by</del> <u>accepted by</u> Bellevue Arts Program.<br/>5. Maintenance of the art is the obligation of the <del>property owner of that portion of the site where the public art is located</del> <u>property owner of that portion of the site where the public art is located</u> for the life of the project.</p>   | <p>Comment [C208]: ULI<br/>Comment [C209]: Simplification<br/>Comment [C210]: Clarity</p>     |
| <p><b>87. PUBLIC ACCESS TO OUTDOOR PLAZA</b><br/>A continuous open space, predominantly open above, and designed predominantly for use by people as opposed to serving specifically as a setting for a building.</p>   | <p><del>0.9 to 1.9</del> 2.3 sf bonus building area per 1 sf of outdoor plaza</p> | <p><del>TBD Note:</del><br/><del>Delete this column</del></p> | <p>1. Shall abut and be within 3 ft in elevation of a perimeter sidewalk or pedestrian connection so as to be visually and physically accessible.<br/>2. Shall provide protection from adverse wind, wherever practical.<br/>3. At least 20% of the plaza surface area shall be landscaped.<br/>4. Shall provide at least one sitting space for each 100 sf of plaza.<br/>5. Shall be enclosed on at least two sides by a structure or by landscaping which creates a wall effect.<br/>6. Minimum size is 1,500 sf<br/>7. Maximum size is 15,000 sf<br/>8. Minimum horizontal dimension is 20 ft.<br/>9. Shall provide opportunities for penetration of sunlight in majority of plaza between 11am. and 2 p.m.<br/>10. <del>May</del> <u>Shall</u> not be used for parking, loading or vehicular access.<br/>11. Shall be signed "Public Access" <del>per this Section</del> and open to the public from 7 a.m. to 9.p.m daily or during business hours, whichever is longer.</p> | <p>Comment [C211]: ULI<br/>Comment [C212]: Simplification<br/>Comment [C213]: Consistency</p> |

|  |   |   |   |   |
|--|---|---|---|---|
| <p><b>98. LEED GOLD OR PLATINUM CERTIFICATION</b></p>  | <p>0.1 to 0.15 FAR bonus for LEED Gold<br/>0.15 to 0.20.33 for LEED Platinum</p>  | <p><b>TBD Note:</b><br/><b>Delete this column</b></p> | <p>1. Building shall meet minimum criteria for LEED certification in chosen category.<br/>2. A performance bond equivalent to the value of the bonus shall be provided to the city by the developer. In the event the project does not achieve the planned rating, all or part of the money shall be used for environmental improvements identified by the city.</p>  | <p>Comment [C215]: Simplification<br/>Comment [C214]: ULI</p>                             |
| <p><b>109. ACTIVE RECREATION AREA*</b><br/>An area which provides active recreational facilities for tenants of the development of which it is a part and for the general public. Does not include health or athletic clubs.<br/><br/>*Floor area shall not be counted for the purpose of calculating (indoor) may be excluded from calculation of FAR</p> | <p>9.7 sf bonus building area per 1 sf of active recreation area. 25.2 to 53.466.7 sf building area bonus per \$1,000 active recreation improvement (does not include land value)</p> | <p><b>TBD Note:</b><br/><b>Delete this column</b></p> | <p>1. May not be used for parking or storage.<br/>2. May be located out of doors, on top of, or within a structure.<br/>3. Recreational facilities include, but are not limited to, sport courts, child play areas, and exercise rooms.<br/>4. May be fee-for-use but not exclusively by membership.</p>  | <p>Comment [C218]: Simplification<br/>Comment [C217]: ULI<br/>Comment [C216]: Clarity</p> |
| <p><b>119. NATURAL DRAINAGE FEATURES</b><br/>Low impact development techniques that improve natural drainage features such as rain gardens, pervious pavement, vegetated roof, and amended soils.</p>  | <p>0.3 to 0.60.7 bonus building area per 1 sf of effective natural drainage feature</p>   | <p><b>TBD Note:</b><br/><b>Delete this column</b></p> | <p>1. Shall meet criteria of the Bellevue Natural Drainage Practices Manual – fact sheet U1-U5.<br/>2. Underlying soil condition and infiltration rate must be appropriate for the feature.<br/>3. Requirement for large storm events as determined by Bellevue Utilities Department shall be met.<br/>4. Maintenance of the natural drainage features is the obligation of the property owner for the life of the project.</p> | <p>Comment [C220]: Simplification<br/>Comment [C219]: ULI</p>                             |
| <p><b>124. REGIONAL TRANSFER OF DEVELOPMENT RIGHTS (TDRs)</b><br/>Transfer of development rights to designated Bel-Red areas that achieve conservation of rural resource lands outside the Countywide Urban Growth Boundary.</p>   | <p>(Reserved for future updates)</p>  | <p><b>Note:</b><br/><b>Delete this column</b></p>     | <p>(Reserved)</p>   | <p>Comment [C221]: Simplification</p>   |

**Notes: Chart 20.25D.090.C FAR Amenity Incentive System**

- (1) Measured in square feet of permitted development for each qualifying developed square foot of amenity unless otherwise noted.
- (2) An agreement in a form approved by the city must be recorded with King County Department of Records and Elections requiring affordable housing square footage that is provided under this section to remain as affordable housing for the life of the project. This agreement shall be a covenant running with the land, binding on the assigns, heirs, and successors of the applicant.
- (3) Where a bonus is earned by payment of a fee-in-lieu, the fee-in-lieu amount established in Chart 20.25D.090.C as of [insert Plan adoption date] will be reviewed annually, and, effective January 1 of each year, may be administratively increased or decreased by an adjustment to reflect the current published annual change in the Seattle Consumer Price Index for Wager Earners and Clerical Workers as needed in order to maintain accurate costs for the region.

Comment [C222]: Clarity

Comment [C223]: Consistency

**20.25D.100 Automobile and Motorcycle Sales, Leasing, and Rental.**

The following decision criteria, in addition to the criteria in LUC 20.30E.140, apply to an Administrative Conditional Use Permit application for the leasing, rental, and/or retail sale of automobiles and/or motorcycles in the BR land use districts:

- 1. The applicant shall provide adequate off-street unloading area for vehicle carriers;
- 2. Limitations on Outside Storage and Displays
  - a. Inside Nodes: No outside storage or display is permitted between the building and public right-of-way designated for required sidewalk-oriented development (refer to LUC 20.25D.130.C);
  - b. Properties abutting the north side of Bel-Red Road: No outside storage or display is permitted between the building and Bel-Red Road; and
- 3. The provisions of LUC 20.20.135 shall not apply within Bel-Red.

**20.25D.110 Landscape Development, Outdoor Storage, Retail Display, and Fence Standards.**

Comment [C224]: Consistency

**A. General.**

- 1. Applicability. The provisions of LUC 20.20.520 Paragraphs A, ~~C~~, D, ~~E~~, G, I, J, K, and L apply to development in the BR Land Use Districts in addition to the provisions contained in this section.

Comment [C225]: Correction

2. Review Required. The Director shall review the proposed landscape development, outdoor storage, retail display, and fencing and may approve a proposed structure, alteration, site development, use, or occupancy only if the requirements of this section are met, subject to the provisions of LUC 20.25D.060 for existing conditions.

Comment [C226]: Clarity

Comment [C227]: Clarity

**BA. Street Frontage Landscape Development Requirements.**

1. **Purpose/Intent.** Landscape development, including retention of significant trees, as required by this section is necessary to maintain and protect property values, to enhance the visual appearance of the Bel-Red Subarea, to preserve the natural wooded character of the Pacific Northwest, to promote utilization of natural systems, to reduce the impacts of development on the storm drainage system and water resources, to provide a better transition between the various land use districts in the Bel-Red Subarea and to enhance the pedestrian environment.

Comment [C228]: Clarity

2. **Where Required.** ~~Build-to Lines and/or Required Sidewalk oriented development are not required pursuant to the Bel-Red Subarea Design Standards contained in LUC 20.25D.130.B and C,~~ The following street frontage landscape development requirements shall apply, except where the development is regulated by LUC 20.25D.130.B or C. See Figure 20.25D.110, Required Landscape Treatments for the streets mentioned below.

Comment [C229]: Clarity

# Required Landscape Treatments




Figure 20.25D.110: Required Landscape Treatments

**3. Applicable Standards.**

- a. Transit Boulevard Landscaping: NE15<sup>th</sup>/16<sup>th</sup> Street:
  - i. Corridor Design approval through Transportation Department.
  
- b. 130<sup>th</sup> Avenue Shopping Street north of NE 15<sup>th</sup>/16<sup>th</sup>:
  - i. Corridor design approval through Transportation Department.
  - ii. Dimensions: Sidewalk: 9 ft  
Planting: 5 ft
  
- c. Bel-Red Road from 124<sup>th</sup> to 148<sup>th</sup>
  - i. Dimensions: Sidewalk: 8 ft  
Planting: 20 ft
  - ii. On both sides of Bel-Red Road the required landscaping shall be provided except where a plaza or gateway meeting the requirements of the Bel-Red Design Guidelines, LUC 20.25S.150, abut the sidewalk.
  - iii. The sidewalk may meander into the planting area only where necessary to retain significant trees. In such case, the overall dimension of sidewalk and sidewalk planting shall total 28 feet.
  - iv. Planting
    - (1) All significant trees shall be maintained between the street and existing or proposed development pursuant to Paragraph A above and each of the following standards shall be met:
    - (2) A minimum of five trees (evergreen and deciduous) per 1,000 sf of planting area shall be provided. No more than 40 percent shall be deciduous. Evergreen trees shall be a minimum height of 10 feet at planting. Deciduous trees shall have a minimum caliper of 2-1/2 inches.
    - (3) Evergreen shrubs shall be provided at a minimum spacing of three feet on center; shrubs shall be a minimum height of 42 inches at planting.
    - (4) Living groundcover shall be provided as necessary to cover the landscape area within a minimum of three years.
    - (5) At least 50 percent of the plantings shall be native species.
  
- d. Arterial Landscaping includes 116<sup>th</sup> Avenue NE, 120<sup>th</sup> Avenue NE, 130<sup>th</sup> Avenue NE south of NE 15<sup>th</sup>/16<sup>th</sup>, 148<sup>th</sup> Avenue NE, 156<sup>th</sup> Avenue NE, Bel-Red Rd east of 148<sup>th</sup> Avenue NE
  - i. Dimensions: Sidewalk 6 ft  
Planting 5 ft
  - ii. Street Trees:

(1) Street trees with a minimum caliper of 2-1/2 inches shall be provided at a maximum spacing of 30 feet on center in tree wells a minimum of five feet wide and 10 feet long.

(2) Summit Ash - *Fraxinus pennsylvanica* "Summit". The Summit Ash trees will be planted symmetrically (from mid-block outwards to end of block).

(3) Greenspire Linden - *Tilia cordata* "Greenspire" located at the end of block.

iii. Tree Well Groundcover Plantings: Groundcover shall be provided as necessary to cover the landscape area within a minimum of three years.

(1) Mondo Grass

(2) Creeping Lily Turf

(3) Lemon Daylily - *Hemerocallis flava*

(4) Salal - *Gaultheria shallon*

e. Local Street Landscaping

i. Dimensions: Sidewalk: 6 ft

Planting: 5 ft

ii. Street Tree Planting List. Street trees shall have a minimum 2-1/2-inch caliper. The trees shall be planted symmetrically (from mid-block outwards to end of block).

(1) Village Green Zelkova - *Zelkova serrulata* "Village Green"

(2) Greenspire Linden - *Tilia cordata* "Greenspire"

iii. Tree Well Groundcover Plantings.

(1) Lemon Daylily

(2) Kinnickinnick - *Arctostaphylos uva-ursi*

f. Green Street Landscaping

i. Dimensions: Sidewalk: 6 ft

Plantings: 6 ft

ii. Stormwater planters pursuant to Directors Administrative Rule guidelines for Low Impact Development.

iii. Street Trees:

(1) Street trees with a minimum caliper of 2-1/2 inches shall be provided at a maximum spacing of 30 feet on center

(2) Black Tupelo *Nyssa sylvatica*

(3) American Hornbeam *Carpinus caroliniana*

(4) Eastern Redbud *Cercis canadensis*

(5) Dacquemontii Birch *Betula jacquemontii*

**Chart 20.25D.110.A – Street Frontage Landscape Development Requirements**

Comment [C232]: Clarity

| Street  | Sidewalk Width | Sidewalk Planting Width (2) (3) | Landscape Density (3) (4)  |
|---|----------------|---------------------------------|--|
| NE15 <sup>th</sup> /16 <sup>th</sup> Street                                     |                |                                 | Corridor design approval through Transportation Department.  |
| Bel-Red Road  | 6              | 20 (1)                          | <p>1. All significant trees shall be maintained between the street and existing or proposed development pursuant to Paragraph G below; and each of the following standards shall be met:</p> <p>2. A minimum of five trees (evergreen and deciduous) per 1,000 square feet of buffer area shall be provided. No more than 40 percent shall be deciduous. Trees shall be a minimum height of 10 feet high at planting.</p> <p>3. Evergreen shrubs shall be provided at a minimum spacing of three feet on center; shrubs shall be a minimum height of 42 inches at planting.</p> <p>4. Living groundcover shall be provided as necessary to cover the landscape area within a minimum of three years.</p> <p>5. At least 50 percent of the plantings shall be native species.</p> <p>6. Sidewalk may meander to retain significant trees.</p> |
| Arterial Streets<br>Northup Street/<br>NE 20 <sup>th</sup> Street               | 6              | 5                               | All significant trees shall be maintained between the street and existing or proposed development pursuant to Paragraph G below.   |
| Arterial Streets<br>130 <sup>th</sup> Avenue NE<br>(north of 16 <sup>th</sup> ) | 9.5            | 5                               | Corridor design approval through Transportation Department   |

Formatted: Font: Bold

| Street  | Sidewalk Width | Sidewalk Planting Width (2) (3) | Landscape Density (3) (4)  |
|---|----------------|---------------------------------|--|
| Arterial Streets<br>116 <sup>th</sup> Avenue NE,<br>120 <sup>th</sup> Avenue NE,<br>124 <sup>th</sup> Avenue NE,<br>130 <sup>th</sup> Avenue NE<br>(south of 16 <sup>th</sup> ) | 6              | 5                               | 1. Street trees shall be provided at a maximum spacing of 30 feet on center in tree wells a minimum of five feet wide and 10 feet long.<br>2. Living groundcover shall be provided as necessary to cover the landscape area within a minimum of three years.<br>3. At least 50 percent of the plantings shall be native species. |
| Local Grid Streets  | 6              | 5                               | 1. Street trees shall be provided at a maximum spacing of 30 feet on center in tree wells a minimum of five feet wide and 10 feet long.<br>2. Living groundcover shall be provided as necessary to cover the landscape area within a minimum of three years.<br>3. At least 50 percent of the plantings shall be native species. |
| Green Streets   | 6              | 6                               | Stormwater planters pursuant to Director's Administrative Rule guidelines for Low Impact Development (reserved)  |

Comment [C233]: Clarity

Comment [C234]: Clarity

**Notes: ~~Chart 20.25D.110.A – Street Frontage Landscape Development~~**

- ~~(1) On the both sides of Bel-Red Road, a landscape buffer meeting the requirements contained in LUC Chart 20.25D.110.A shall be provided except where a plaza or gateway meeting the requirements of Bel-Red Design Guidelines, LUC 20.25D.150 abuts the sidewalk.~~
- ~~(2) An alternative design may be approved through Alternative Landscape Option, LUC 20.20.520.J.~~
- ~~(3) Landscape Types are described in 20.25D.110 C-F below.~~
- ~~(4) See LUC 20.20.520 for Type III Landscaping.~~

**B. District Perimeter Property Line Landscape Development Requirements.**

**Chart 20.25D.110.B Required Perimeter Landscape Buffer**

| District Perimeter Landscape Development Abutting BR-R district or property outside the Bel-Red Subarea (1) (2)  | Other Property Line Landscaping (1) (2) (3) |
|--|---|
| <p>20 foot buffer shall be provided and meet each of the following requirements:</p> <ol style="list-style-type: none"> <li>1. Evergreen and deciduous trees shall be provided at a maximum spacing of 20 feet on center. No more than 30 percent shall be deciduous. Trees shall be a minimum height of 10 feet at planting.</li> <li>2. Evergreen shrubs shall be provided at a minimum spacing of three feet on center. Shrubs shall be a minimum of two-gallon in size.</li> <li>3. Living ground cover shall be provided as necessary to cover the entire remaining area within a minimum of three years.</li> <li>4. No portion may be paved except for vehicular entrance drives and required trails or other pedestrian connections, and these features should be minimized to the extent feasible.</li> </ol> | <p>10 Ft Type III (4)</p>                   |

**Notes: Chart 20.25D.110.B Other Property Line Landscape Development**

- (1) An alternative design may be approved through Alternative Landscape Option, LUC 20.20.520.J.
- (2) Tree Retention Requirements of LUC 20.20.900 and Paragraph G below shall apply.
- (3) Not applicable to setbacks abutting right-of-way frontage regulated pursuant to Paragraph A above.
- (4) See LUC 20.20.520.G.3 for Type III landscaping.

**C. Perimeter Landscape Development for land use districts**

1. **Purpose Intent.** Landscape development, including retention of significant trees, as required by this section is necessary to create visual separation between different land use districts.
2. **Where Required.** A 20 foot landscape buffer shall be provided along the interior property line of a district abutting BR-R and BR-ORT Land Use Districts.
3. **Applicable Standards.**
  - a. Evergreen and deciduous trees shall be provided at a maximum spacing of 20-feet on center. No more than 30 percent shall be deciduous. Trees shall be a minimum height of 10 feet at planting.
  - b. Evergreen shrubs shall be provided at a minimum spacing of three feet on center. Shrubs shall be a minimum of two-gallon in size at planting.
  - c. Living ground cover shall be provided as necessary to cover the entire remaining area within a minimum of three years.
  - d. No portion may be paved except for vehicular entrance drives and required trails or other pedestrian connections, and these features should be minimized to the extent feasible.

**D. Interior Property Line Development**

1. **Purpose/Intent.** The landscape development required by this section is necessary to provide visual separation of uses so as to soften the appearance of parking areas and building elevations.
2. **Where Required.** A 10 foot landscape buffer shall be provided along an interior property not regulated elsewhere.
3. **Applicable Standard.**
  - a. Evergreen and deciduous trees, with no more than 50 percent being deciduous, a minimum of six feet in height, and planted at intervals no greater than 30 feet on center; and
  - b. If planted to buffer a building elevation, shrubs, a minimum of three and one-half feet in height, and living ground cover planted so that the ground will be covered within three years; or
  - c. If planted to buffer a parking area, access, or site development other than a building, any of the following alternatives may be used unless otherwise noted:
    - i. Shrubs, a minimum of three and one-half feet in height and living ground cover must be planted so that the ground will be covered within three years.

- ii. Earth-mounding, an average of three and one-half feet in height, planted with shrubs or living ground cover so that the ground will be covered within three years. This alternative may not be used in a Downtown Land Use District.
- iii. A combination of earth-mounding and shrubs to produce a visual barrier at least three and one-half feet in height.

Comment [C238]: Clarity

## **EG. Curb Extension Planting**

**1. Purpose/Intent.** Landscape development as required by this section is necessary to enhance the visual appearance of the Bel-Red Subarea, to reduce the impacts of development on the storm drainage system and water resources to enhance the pedestrian environment in the Bel-Red Subarea.

**2. Where Required:** Refer to Transportation Department Development Standards for curb extension design standards and generalized locations.

- a. Type I. Curb Extension Planting – refer to symbol on map
- b. Type II. Curb Extension Planting – refer to symbol on map

### **3. Applicable Standard.**

- a. General Standards applicable to all curb extension planting types
  - i. Groundcover and shrubs shall be provided as necessary to cover the landscape area width within three years.
  - ii. Shrubs shall be a minimum of one gallon at the time of planting to cover the landscape area within a minimum of three years. li Shrubs. A combination of the following shrubs is required at any curb extension unless modified below. All specified shrubs shall be a minimum of one gallon at the time of planting.

~~A combination of the following shrubs is required at any curb extension unless modified below. All specified shrubs shall be a minimum of one gallon at the time of planting.~~

- (1) Tall Oregon Grape - *Mahonia aquafolium*
- (2) Creeping Oregon Grape - *Mahonia repens*
- (3) Salal - *Gaultheria shallon*
- (4) Golden Princess Spiraea - *Spiraea japonica*  
"Golden Princess"
- (5) Western Swordfern - *Polystichum munitum*
- (6) Lemon Daylily - *Hemerocallis flava*
- (7) David Viburnum - *Viburnum davidii*

- b. Type I Curb Extension Planting.
  - i. Trees

(1) Vine Maple - *Acer circinatum* with 2-3 trees  
with a minimum 3/4 inch caliper planted within  
each curb extension

- (2) *Styrax japonicus* "Japanese snowdrop"
- (3) *Cercidiphyllum japonicum* "Katsura"
- (4) *Cercis canadensis alba* "Redbud"

c. Type II Curb Extension Planting

i. Trees

- (1) Minimum 2-inch caliper
- (2) Coral Bark Maple - *Acer Palmatum* "Sango-kaku"
- (3) Dogwood *cornus kousa*
- (4) Lemon Daylily - *Hemerocallis flava*
- (5) David Viburnum - *Viburnum davidii*

**D. NE 15th/16th Street**

Comment [C239]: Clarity

~~1. Street Tree Planting List.~~

~~Corridor design approval through Transportation Department.~~

~~2. Ornamental Curb Extension Tree Planting List.~~

~~Corridor design approval through Transportation Department.~~

~~3. Tree Well Plantings.~~

~~Corridor design approval through Transportation Department.~~

**E. Arterial Streets**

Comment [C240]: Clarity

~~1. Street Tree Planting List. Canopy street trees shall have a minimum 2-1/2-inch caliper.~~

~~a. Summit Ash - *Fraxinus pennsylvanica* "Summit". The Summit Ash trees will be planted symmetrically (from mid-block outwards to end of block).~~

~~b. Greenspire Linden - *Tilia cordata* "Greenspire". The Greenspire Lindens will be located at the ends of blocks.~~

~~2. Ornamental Curb Extension Tree Planting List. Ornamental trees shall have a minimum 3/4-inch caliper.~~

~~Vine Maple - *Acer circinatum* with 2-3 trees planted within each curb extension.~~

~~3. Tree Well Plantings.~~

- ~~a. Mondo Grass~~
- ~~b. Creeping Lily Turf~~
- ~~c. Lemon Daylily – *Hemerocallis flava*~~
- ~~d. Salal – *Gaultheria shallon*~~

Comment [C241]: Clarity

**F. Local Grid Streets.**

~~1. Street Tree Planting List. Street trees shall have a minimum 2-1/2-inch caliper. The trees shall be planted symmetrically (from mid-block outwards to end of block).~~

- ~~a. Village Green Zelkova – *Zelkova serrulata* “Village Green”~~
- ~~b. Greenspire Linden – *Tilia cordata* “Greenspire”~~

~~2. Ornamental Curb Extension Tree. Ornamental trees shall have a minimum 2-inch caliper. These trees will provide accent at each intersection.~~

- ~~a. Coral Bark Maple – *Acer Palmatum* “Sango-kaku”~~
- ~~b. Dogwood~~

~~3. Tree Well Plantings.~~

- ~~a. Lemon Daylily~~
- ~~b. Kinnickinnick – *Arctostaphylos uva-ursi*~~

**FG. Significant Tree Retention and Pruning.**

Tree retention requirements of LUC 20.20.900 shall apply in addition to the requirements set forth below.

1. In the landscape areas required pursuant to paragraphs A-B and B-C above, all significant trees shall be retained which that will do not constitute a safety hazard as determined by the Director and consistent with the guidelines of the International Society of Arboriculture.

Comment [C242]: Correction

Comment [C243]: Clarity

2. Select Tree Pruning. Pruning of existing trees within the 20-foot wide landscape buffer on the north and south sides of Bel-Red Road shall be performed in accordance with guidelines established by the Director for each of the following pruning techniques: canopy reduction; canopy cleaning; canopy thinning; canopy raising or lifting; structural pruning; and canopy restoration. Pruning shall be performed in a manner that ensures continued survival of the vegetation.

3. Pruning or removal of significant trees within Parks and Community Services easements is prohibited except as performed by the City of Bellevue if restricted by the terms of an easement.

Comment [C244]: Clarity

**GH. Screening of ~~Outdoor Storage, Retail Display, Parking Areas, Vehicular Access, and Outdoor Storage Associated with Manufacturing Uses.~~**

Comment [C245]: Consistency

Between the sidewalk and the subject property 10 feet of Type III landscaping is required ~~if to buffering screen~~ a surface vehicular access, parking area, new retail display, or new outdoor storage associated with an existing or permitted manufacturing use. An alternative design may be approved through Alternative Landscape Option, LUC 20.20.520.J.

Comment [C246]: Consistency

**HI. Fences.**

1. No fence shall be permitted to violate the sight obstruction restrictions at street intersections. (See BCC 14.60.240 now or as hereafter amended.)

Comment [C247]: Consistency

2. Any fence which exceeds eight feet in height requires a building permit and shall conform to the International Building Code, as adopted by the City of Bellevue now or as subsequently amended or superseded.

Comment [C248]: Consistency

3. Height shall be measured from finished grade at the exterior side of the fence. No person shall construct a berm upon which to build a fence unless the total height of the berm plus the fence does not exceed the maximum height allowable for the fence if the berm was not present.

Comment [C249]: Clarity

4. Prohibited Fences. The following types of fences are prohibited:

a. Barbed wire.

b. Electric fences.

c. Chain link fences are not permitted on any street frontage in any land use district except as follows:

i. To secure a construction site or area during the period of construction, site alteration, or other modification;

ii. In connection with any approved temporary or special event use; or

iii. As a component of a ~~documented~~ existing development ~~that meets the requirements of~~ pursuant to LUC 20.25D.060.

Comment [C250]: Consistency

**20.25D.120 Parking, Circulation, and Internal Walkway Requirements.**

**A. General.**

1. General. The provisions of LUC 20.20.590 Paragraphs C, E, G, H, I, and K apply to development in the BR Land Use Districts in addition to the provisions contained in this section.
2. Review Required. The Director shall review the proposed parking, circulation, and walkways and may approve the proposed structure, alteration, site development, use, or occupancy only if the requirements of this section are met, subject to the provisions of LUC 20.25D.060 for existing conditions.

**B. Minimum/Maximum Parking Requirements by Use – Specified Uses.**

1. Number of Parking Stalls. The requirements of this section for the number of parking stalls apply to each new use and to each new tenant.
2. Parking Standards for Bel-Red - Chart 20.25D.120.B.2

| Chart 20.25D.120.B.2 - PARKING STANDARDS FOR BEL-RED (6) (7)          |                 |                                    |             |                        |         |
|---|-----------------|------------------------------------|-------------|------------------------|---------|
| Use   | Unit of Measure | MO-1, OR-1, OR-2, RC-1, RC-2, RC-3 |             | MO, RC, CR, GC, R, ORT |         |
|   |                 | Min.                               | Max.        | Min.                   | Max.    |
| a. Financial institution  | Per 1,000 nsf   | 2.0                                | 3.0/3.5 (1) | 3.0                    | 4.0     |
| b. Manufacturing/assembly   | Per 1,000 nsf   | 1.0                                | 2.0         | 2.0                    | 4.0     |
| c. Home furnishing-retail and major appliances-retail                 | Per 1,000 nsf   | 1.5                                | 3.0         | 1.5                    | 3.0     |
| d. Manufacturing/assembly (other than high technology/light industry) | Per 1,000 nsf   | 1.0                                | 1.5         | 1.5                    | 2.0     |
| e. Office: Business services/professional services/general office     | Per 1,000 nsf   | 2.0                                | 3.0/3.5 (1) | 3.0                    | 4.0     |
| f. Office: Medical/dental/health related services                     | Per 1,000 nsf   | 3.5                                | 4.0/4.5 (1) | 4.0                    | 5.0     |
| g. Residential (5)  | Per unit        | 0.75                               | 2.0         | 1.0                    | 2.0     |
| h. Restaurant and bar (3)   | Per 1,000 nsf   | 5.0 (4)                            | 15.0        | 10.0                   | 20.0    |
| i. Retail, personal service, shopping center                          | Per 1,000 nsf   | 2.5 (4)                            | 4.5         | 3.0                    | 5.0     |
| j. Retail and personal service in mixed-use development (2,3)         | Per 1,000 nsf   | 2.0                                | 3.5         | 3.0                    | 4.5     |
| k. Senior housing: Nursing home                                       | Per patient bed | 0.25                               | 0.75        | 0.25                   | 1.0     |
| l. Senior housing: Senior citizen dwelling or congregate care         | Per living unit | 0.25                               | 1.0         | 0.5                    | 1.25    |
| m. Wholesale, warehouse   | Per 1,000 nsf   | 1.5                                | 2.0         | 1.5                    | No max. |

**Notes applicable to off-street parking requirements (see previous page) standards for Bel-Red (Chart 20.25D.120.B.2):**

Comment [C251]: Consistency

- (1) The maximum parking ratio for financial institutions and office uses in LUC Chart 20.25D.120.B.2.a and e may be increased from 3.0 to 3.5 per 1,000 nsf and in Chart 20.25D.120.B.2.f from 4.0 to 4.5 per 1,000 nsf as follows:

Comment [C252]: Consistency

Comment [C253]: Correction

Comment [C254]: Consistency

a. ~~For off-site parking, the additional 0.5 per 1,000 nsf increment shall be provided off-site in an interim surface parking configuration no more than 500 feet away from the building site. The interim parking will have a sunset clause of (TBD)ten (10) years, or as agreed upon by the Directorsuch other period approved through a phasing plan, Part 20.30V; and/or~~

Comment [C255]: Clarity

b. ~~For on-site parking, the additional 0.5 per 1,000 nsf increment may be constructed on-site if it is part of an approved master phasing plan, Part 20.30V LUC, and dedicated for a portion of the parking requirement for a future phase of the project.~~

Comment [C256]: Clarity

(2) ~~If retail and personal service space in a mixed-use development exceeds 250 percent of the net floor area square footage of the development, the retail, personal service, shopping center parking requirements in Chart 20.25D.120.B.2.i may be appliedapply to the entire retail and personal service space.~~

Comment [C257]: Correction

Comment [C258]: Correction

Comment [C259]: Clarity

(3) ~~If restaurant and/or bar uses comprise more than exceed 25 percent of the total net square footage of a retail, shopping center, or mixed-use development, the restaurant and bar requirements in Chart 20.25D.120.B.2.h apply to the entire restaurant and/or bar space.~~

Comment [C260]: Simplification

(4) ~~Inside nodes, no parking is required for retail and restaurant and/or bar uses under 2,000 nsf in size when the use is: inside nodes and directly adjacent to a public on-street parking supply of at least 20 spaces within 500 feet, or within 1,000 feet of a public parking garage, or within 500 feet of a light rail or bus rapid transit station.~~

Comment [C261]: Clarification

(5) ~~The minimum requirement for studio up to and including one bedroom apartment units available to persons earning 60 percent or less than the median income as determined by the United States Department of Housing and Urban Development for the Seattle Metropolitan Statistical Area is 0.25 stalls per unit. An agreement to restrict the rental or sale of any such units to an individual earning 60 percent or less of the median income shall be recorded with the King County.~~

Comment [C262]: Flexibility/ Consistency

(6) ~~Vanpool/Carpool Facilities. The property owner applicant shall provide a vanpool/carpool loading facility that is outside of required driveway or parking aisle widths and that is contained within the required parking and circulation areas. The facility shall be adjacent to an entrance door to the structure served by the parking, or as nearly so as possible after barrier free access parking has been provided, and shall be consistent with all applicable design guidelines.~~

Comment [C263]: Clarity

(7) ~~Tandem/stacked parking stalls. The property owner applicant may use tandem/stacked parking stalls to exceed the minimum parking requirement, so long as the maximum parking requirement is not exceeded.~~

Comment [C264]: Clarity

### C. Off-Site Accessory Parking.

The Director may approve off-site accessory parking to meet the minimum and up to the maximum parking allowed to serve a specific use if the following criteria are met.

1. Adequate visitor parking is provided on the subject property;
2. Adequate pedestrian, van, or shuttle connections between the sites exists;
3. On-site signage is provided regarding accessory parking location;
4. The use being served is within 500 ft of a light rail, bus, or bus transit station; and
5. The off-site parking is within ¼ mile of the use being served.

### D. Parking Structure Performance Standards.

The Director may approve a proposal for a parking structure through Design Review if the following criteria are met:

1. Driveway openings are limited to those needed to adequately serve the facility;
2. Exposed parking on the roof of a structure shall be screened by a parapet or other solid screening that equals or exceeds the height of the vehicles;
3. Safe pedestrian connection between the parking structure and the public right-of-way exists;
4. Unfinished ceilings visible from the public right-of-way shall be substantially screened from view; and
5. Lighting shall utilize cut-off shields to prevent spillover upon adjacent uses and the right-of-way and to conceal the light source.

### E. Phased Parking.

The property owner may install the required parking spaces in phases ~~if the schedule has been approved by the Director pursuant to a phasing plan, Part 20.30V LUC.~~ Each phased parking installation must include the approved minimum to meet the parking requirements for the completed phases of the development for which the parking is provided. The phasing schedule must specifically indicate when all parking approved pursuant to this section will be provided.

Comment [C265]: Clarity

1. Location. Phased parking may be located off ~~the site being served~~ if the criteria of paragraph C above are met.

Comment [C266]: Clarity

2. Assurance Device. The Director may require an assurance device pursuant to LUC 20.40.490 to ensure compliance with the requirement and intent of paragraph C of this section above.

Comment [C267]: Consistency

**F. Director’s Authority to Modify Required Parking.**

1. The Director may modify the minimum or maximum parking ratio for any use in LUC 20.25D.120.B as follows:

Comment [C268]: Consistency

a. The modified parking ratio is supported by a parking demand analysis including but not limited to:

Comment [C269]: Clarity

- i. Documentation supplied by the applicant regarding actual parking demand for the proposed use; or
- ii. Evidence in available planning and technical studies relating to the proposed use; or
- iii. Required parking for the proposed use as determined by other comparable jurisdictions.

b. The proposal does not result in any adverse impact beyond the site; and

c. A shared parking agreement is executed pursuant to 20.20.590.I. Use of Shared Parking.

Comment [C270]: Clarity

2. Periodic Review. The Director may require periodic review of the reduced parking supply to ensure the terms of the approval are being met.

3. Assurance Device. The Director may require an assurance device pursuant to LUC 20.40.490 to insure compliance with the requirement and intent of paragraph F.1 of this section.

**G. Bicycle Parking.**

Office, residential, institutional, retail, and education uses are required to provide bicycle parking pursuant to the following standards:

Comment [C271]: Consistency

1. Ratio.

a. 1 space per 10,000 nsf for office, institutional and retail non-residential uses greater than 20,000 nsf.

Comment [C272]: Consistency

b. 1 space per every 10 dwelling units for residential projects uses.

Comment [C273]: Consistency

2. Location. Minimum bicycle parking requirement shall be provided on-site.

3. Covered spaces. At least 50% percent of required parking shall be protected from rainfall by cover.

Comment [C274]: Consistency

4. Racks. The rack(s) shall be securely anchored and a bicycle six feet long can be securely held with its frame supported so the bicycle cannot be pushed or fall in a manner that will damage the wheels or components.
5. Size requirement. Each required bicycle parking space shall be accessible without moving another bicycle.

**H. Unspecified Uses.**

The Director shall establish the minimum number of parking spaces required and may establish the maximum number of parking spaces allowed for any use not specified ~~on the previous page in LUC 20.25D.120.B.~~ The Director may consider but is not limited to the following in establishing parking requirements for an unspecified use:

Comment [C275]: Clarity

1. Documentation supplied by the applicant regarding actual parking demand for the proposed use; or
2. Evidence in available planning and technical studies relating to the proposed use; or
3. Required parking for the proposed use as determined by other comparable jurisdictions.

Comment [C276]: Consistency

**20.25D.130 Bel-Red Development Standards.**

The ~~Bel-Red~~ Development Standards establish regulatory requirements for new structures, development, or activities and remodels or expansions on public and private parcels within the Bel-Red Subarea. These standards support and strengthen existing and planned infrastructure while establishing a hierarchy of use and a highly identifiable Subarea character.

Comment [C277]: Consistency

**A. Required Ground Floor Uses.**

1. Purpose/Intent. Ground floor retail and commercial uses are an essential component of active and vital streets as well as transit station areas. Ground floor uses create a vibrant “18-hour” pedestrian environment where neighborhood ~~servicesing uses~~ are within an easy walk, bike or transit trip.
2. Where Required. Figure 20.25D.130.A identifies those streets where ground floor retail and ground floor commercial uses are required for buildings frontages.
  - a. ~~Location. All buildings along the 130<sup>th</sup>-Avenue pedestrian-oriented street shall include ground floor retail uses. The street edges facing the transit station areas along NE 15<sup>th</sup>/16<sup>th</sup>-Street shall include ground floor commercial uses.~~
  - b. ~~Map Reference. The required ground floor uses standards apply only to building frontages identified in Figure 20.25D.120.A below.~~

Comment [C278]: Clarity

Comment [C279]: Simplification

3. Applicable Standards for Ground Floor Retail Uses.

a. Ground floor retail uses shall satisfy the intent of paragraph 1 above and include uses such as:

Comment [C280]: Clarity

- i. Eating and drinking establishments;
- ii. Merchandise sales (including but not limited to grocery, food retail, art, and clothing); or
- iii. Personal services (including but not limited to laundry and beauty services).

b. Continuous retail storefronts shall be provided for 75-100 percent of the building frontage on a designated street.

Comment [C281]: Consistency

Comment [C282]: Clarity

c. Interruptions in storefronts shall be limited to residential lobbies and required emergency access. Lobby and community facilities interruptions shall be limited to 25 percent of the building frontage.

Comment [C283]: Consistency

d. All other ~~land~~ uses are prohibited on the ground floor.

Comment [C284]: Clarity

4. Applicable Standards for Ground Floor Commercial Uses.

a. Ground floor commercial uses shall satisfy the intent of paragraph 1 above and include all ground floor retail uses permitted in paragraph A.3 of this section, and as well as financial, real estate, insurance services, and hotels.

Comment [C285]: Clarity

b. In the 122nd Avenue Node, at least 50 percent of the street level building edges shall incorporate ground floor commercial uses. The required ground floor commercial uses may be interrupted by lobby entrances to office, hotel or residential buildings and required emergency access. Lobby interruptions shall be limited to 25 percent of the building frontage.

Comment [C286]: Consistency

c. In the 130<sup>th</sup> Avenue Node, at least 75-100 percent of the street level building edges shall incorporate ground floor commercial uses. The required ground floor commercial uses may be interrupted by residential lobbies or work-live space units. Lobby interruptions shall be limited to 25 percent of the building frontage.

Comment [C287]: Consistency



**B. Required Build-to Lines.**

- 1. Purpose/Intent. Build-to lines occur along select block faces to help establish a continuous “street wall” providing a sense of enclosure and visual interest for pedestrians. Build-to-lines also contribute to the economic viability of retail and commercial uses by providing direct pedestrian access and visual exposure to potential drive-by customers.
- 2. Where Required. Figure 20.25D.130.B identifies locations of required build-to lines where the ground-floor facades must be built to the back of sidewalk.

3. Applicable Standards for required build-to lines.

Comment [C288]: Consistency

a. Except as provided in paragraphs d, e, and f below, buildings shall satisfy the intent of paragraph 1 above and be constructed along the entire block length as where indicated in Figure 20.25D.130.B below.

Comment [C289]: Clarity

- b. Entrances to buildings may be recessed a maximum of five feet behind the build-to line.
- c. Windows and walls may be recessed up to 18 inches if columns, pilasters, walls or other architectural fenestration tie them together with the rest of the building frontage.

d. In the 122nd Avenue Node, required build-to lines may be interrupted only to accommodate public or private plazas, parks, or other publicly accessible spaces. ~~Interruptions in the required build-to lines shall be limited to a maximum of 25 percent of the total block project frontage on an individual block.~~

Comment [C290]: Moved

Comment [C291]: Consistency

e. In the 130<sup>th</sup> Avenue Node, required build-to lines may be interrupted only to accommodate public or private plazas, parks, or other publicly accessible spaces. ~~Interruptions in the required build-to lines shall be limited to 15 percent of the total project frontage on an individual block.~~

Comment [C292]: Moved

Comment [C293]: Consistency

f. ~~Interruptions are only allowed to accommodate public or private plazas, parks, or other publicly accessible spaces.~~ ~~Vehicle access is limited pursuant to LUC section 20.25D.140.F regarding restricted driveway access.~~

Comment [C294]: Moved

Comment [C295]: Clarity

g. Surface parking is not permitted between the sidewalk and the building wall.

# Required Build-to-Lines




Figure 20.25D.130.B: Required Build-to-Lines

### C. Required Sidewalk-Oriented Development

1. Purpose/Intent. Sidewalk-oriented development is characterized as ground floor building frontages with direct entries from the sidewalk and/or building frontages with a high degree of transparency and activating land use. This increased visual and physical interaction between the people inside and outside the buildings results in “eyes on the street” while creating a greater degree of safety and a vibrant public realm.
2. Where Required. Figure 20.25D.130.C identifies where sidewalk-oriented development is required.
3. Applicable Standards for Ground Floor Retail and Commercial Uses.
  - a. On street frontages identified in Figure 20.25A.130.A, a minimum of ~~70-100~~ percent of ground floor facades shall be transparent glass or screens that satisfy the intent of paragraph 1 above. Tinted, reflective, or other types of glass or window treatments that diminish transparency are prohibited.
    - Comment [C296]: Consistency
    - Comment [C297]: Clarity
  - b. Interruptions in the transparent glass or screens shall be limited to a maximum of 30 percent of the sidewalk-oriented development.
    - Comment [C298]: Clarity
  - ~~b.c.~~ Primary entrances to all ground floor uses shall be oriented to the public right-of-way. Doors shall not be separated from adjacent public sidewalks by steps or ramps except where no feasible alternative exists.
4. Applicable Standards for Other Uses.
  - a. Primary entrances shall be oriented toward the public right-of-way or open space.
  - b. Doors may be separated from adjacent public right-of-way or open space by a maximum of 36 inches grade separation.
  - c. A minimum of 40 percent of ground floor facades shall be transparent glass or screens.

# Required Sidewalk-Oriented Development




Figure 20.25D.130.C Required Sidewalk-Oriented Development

#### D. Required Transition Edge Development.

1. Purpose/Intent. Transition edge development requires elements incorporated into the site and building design that soften the impact of BR-ORT, a this-more intensive land use district, where it is adjacent to single-family uses.  
Comment [C299]: Clarity
2. Where Required. All buildings on the south side of Bel-Red Road between 124<sup>th</sup> Avenue NE and 148<sup>th</sup> Ave NE where abutting property is zoned single-family residential, R-1 – R 7.5.
3. Applicable Standards for Site Design.
  - a. Surface parking lots shall be screened from street level views and from ground level views of an abutting residential district per LUC 20.25D.110.B. In appropriate circumstances, surface parking lots should be located away from adjacent residential properties.
  - b. Mechanical equipment that is located on the roof shall be incorporated into a pitched or stepped roof form, and not appear as a separate penthouse or box.
  - c. All refuse and recycling containers shall be contained within structures enclosed on all four sides and utilize lids made of molded plastic or other sound buffering material. The containers shall be and located on a side of the building facing away from the abutting residential properties, but not between the street and the subject building.  
Comment [C300]: Consistency  
Comment [C301]: Consistency
4. Applicable Standards for Building Design-Standards.  
Comment [C302]: Consistency
  - a. Building facades shall incorporate elements including but not limited to stepbacks, offsets, roof overhangs, and recesses with a minimum depth of 18 inches. Incorporated recess and offset elements should generally occur along the building façade at intervals no greater than 30 feet generally every 30 feet.
  - b. A building façade visible from abutting residential properties shall not exceed 150 feet.
  - c. A primary structure shall be a minimum of 20 feet from another primary structure, provided this dimension may be modified pursuant to LUC 20.25H.040 on sites in the Critical Areas Overlay District.
  - d. The maximum building height of 45 feet above average finished grade may be reached only when incorporating pitched or stepped roof forms.
  - e. Communication dishes greater than one meter (3.28 feet) in diameter shall not be visible from adjacent residential districts.
  - f. Natural materials and neutral colors shall be used.

5. Signs.

- a. Building design shall provide for architecturally integrated signage consistent with the scale and architecture of the building, and signage shall be installed so as not to obscure any architectural detail of the building.
- b. Signs shall meet the requirements of Chapter 22B.10 BCC, Bellevue Sign Code.
- c. Signs shall be located so that they are not visible from abutting single family ~~properties~~ land use districts.

Comment [C303]: Clarity

Comment [C304]: Consistency

**E. Prohibited Materials.**

To ensure the Bel-Red District contains high-quality buildings of durable and sustainable materials the following materials are prohibited on facades visible from the public right-of-way within the Bel-Red District unless expressly approved through Design Review.

Comment [C305]: Consistency/  
Flexibility

- 1. Synthetic stucco;
- 2. Unfinished metal or plastic storefront window systems;
- 3. Unfinished concrete or cinder block;
- 4. Aluminum, plastic, or vinyl siding;
- 5. ~~Flagstone, s~~Simulated materials such as river rock, or other similar veneer~~faux~~ cladding;
- 6. ~~Clapboard, cementitious lap and shingle~~Rough-sawn, simulated wood siding, ~~wood veneer, clapboard,~~ or other types of residential siding;
- 7. ~~Cementitious lap or shingle siding;~~
- 8. ~~Corrugated metal siding;~~
- 9. Architectural foam detailing; and
- 10. Applied simulated divided light window systems.

Comment [C306]: Clarity

**20.25D.140 Bel-Red Street Development Standards.**

The Bel-Red street development standards are a hierarchy of emphasis and design treatment for public areas within the Bel-Red District. These standards ensure that a consistent, high-quality public realm is developed throughout the district and that the unique qualities of Bel-Red are enhanced.

Comment [C307]: Consistency

**A. Required New-Local Streets**

Comment [C308]: Consistency

1. Purpose/Intent. The intent of the local streets grid is to introduce a public right-of-way system that improves mobility by increasing access for local vehicular and pedestrian access-traffic throughout the Bel-Red District.

Comment [C309]: Clarity

2. Where Required. Figure 20.25D.140.A identifies the general location of new local streets. The Director may approve modifications to the local street grid may be adjusted to respond to specific site conditions, property ownership, and phasing considerations; provided that the modified local street grid satisfies the intent of paragraph 1 above and meets the applicable standards below.

Comment [C310]: Clarity/  
Flexibility

3. Applicable Standards.

a. The total perimeter distance of a block shall not exceed 1,200 feet. For the purpose of measuring this dimension, a block may be bordered by a right-of-way, an alley with pedestrian facilities, a private roadway with pedestrian facilities, or a pedestrian street.

Comment [C311]: Clarity

b. All streets shall be accessible to the public at all times. Gateways or other means of restricting access are prohibited.

c. Street Design details, including roadway sections and engineering, shall be approved by the Transportation Department receive all approvals required pursuant to city codes and standards, including but not limited to transportation and utility codes and development standards, now or as hereafter adopted.

Comment [C312]: Clarity

# Required Local Streets




Figure 20.25D.140A: Required New Local Streets

**B. 15th/16th Transit Boulevard.**

1. Purpose/Intent. The NE 15<sup>th</sup>/16<sup>th</sup> Transit Boulevard serves as the symbolic and functional thread that knits the Bel-Red District together. It connects the most intense area of development and includes vehicular, ~~high capacity transit light rail~~, and non-motorized travel modes. It is also intended to incorporate significant urban open spaces and environmentally sensitive design features.
2. Where Required. Figure 20.25D.140.B identifies the general location for the NE 15<sup>th</sup>/16<sup>th</sup> Transit Boulevard. The Director may approve the final location of the Boulevard to respond to specific site conditions, property ownership, and phasing considerations; provided that the final location satisfies the intent of paragraph 1 above and meets the applicable standards below.
3. ~~Street design details, including roadway sections and engineering, shall receive all approvals required pursuant to city codes and standards, including but not limited to transportation and utility codes and development standards, now or as hereafter adopted.~~Applicable Standards. Design details including roadway sections shall be approved by the Transportation Department.

Comment [C313]: Correction

Comment [C314]: Clarity/  
Flexibility

Comment [C315]: Clarity

# NE 15th/16th Transit Boulevard




Figure 20.25D.140.B : NE 15th/16th Transit Boulevard Segments

**C. 130th Avenue Shopping Street.**

1. Purpose/Intent. 130<sup>th</sup> Avenue NE north of the NE 15<sup>th</sup>/16<sup>th</sup> Transit Boulevard is envisioned as a centralized neighborhood-serving retail street. Design is intended to make the pedestrian experience a priority and foster a vital retail environment by using uniform design features.

2. Where Required. The 130<sup>th</sup> Avenue Shopping Street extends from NE 15<sup>th</sup>/16<sup>th</sup> Transit Boulevard to Northup Way/NE 20<sup>th</sup>. Figure 20.25D.140.C identifies the general location of the 130<sup>th</sup> Avenue Shopping Street. The Director may approve the final location of the Shopping Street to respond to specific site conditions, property ownership, and phasing considerations; provided that the final location satisfies the intent of paragraph 1 above and meets the applicable standards below.

Comment [C316]: Clarity

Comment [C317]: Clarity/  
Flexibility

~~a. Location. The 130<sup>th</sup> Shopping Street extends from NE 15<sup>th</sup>/16<sup>th</sup> Transit Boulevard to Northup Way/NE 20<sup>th</sup>.~~

Comment [C318]: Consistency

~~b. Map Reference. Figure 20.25D.140.C identifies the location of the 130<sup>th</sup> Avenue Shopping Street.~~

Comment [C319]: Consistency

3. Applicable Standards.

a. Sidewalks shall be a minimum of 14 feet 6 inches from face of curb to face of building or open space.

b. Street design details, including roadway sections and engineering, shall receive all approvals required pursuant to city codes and standards, including but not limited to transportation and utility codes and development standards, now or as hereafter adopted Applicable Standards. Design details including roadway sections shall be approved by the Transportation Department.

Comment [C320]: Clarity

# 130th Avenue Shopping Street




Figure 20.25D.140.C: 130th Avenue Shopping Street

**D. Green Streets.**

1. Purpose/Intent. Green Streets utilize natural drainage systems to improve and reduce the amount of stormwater runoff at its source.

2. Where Required.

a. ~~Location.~~ Green Streets shall be generally located between stream corridors and trail connections.

Comment [C321]: Consistency

b. ~~Figure 20.25D.140.D indicates the general location of Green Streets. The Director may approve the final location of Green Streets to respond to specific site conditions, property ownership, and phasing considerations; provided that the final location satisfies the intent of paragraph 1 above and meets the applicable standards below.~~

Comment [C322]: Clarity/  
Flexibility

3. Applicable Standards.

a. See LUC 20.25D.110.A for Green Streets natural drainage planting requirements.

b. Street design details, including roadway sections and engineering, shall receive all approvals required pursuant to city codes and standards, including but not limited to transportation and utility codes and development standards, now or as hereafter adopted. ~~Design details including roadway sections shall be approved through a Transportation Department.~~

Comment [C323]: Clarity

# Green Streets




Figure 20.25D.140.D: Green Streets

**E. Required On-Street Parking.**

1. Purpose/Intent. On-street parking can contribute to the pedestrian environment, be a great benefit to retail uses, and enhance elements of neighborhood character.

2. Where Required.

a. ~~Location.~~ Required locations include the portions of the NE 15<sup>th</sup>/16<sup>th</sup> Transit Boulevard adjacent to retail and commercial uses, along the 130<sup>th</sup> Avenue Shopping Street, and for some of the local streets within the transit nodes.

Comment [C324]: Consistency

b. ~~Figure 20.25D.130.E indicates the block faces where on-street parking is required. The Director may approve the final location of on-street parking to respond to specific site conditions, property ownership, and phasing considerations; provided that the final locations satisfy the intent of paragraph 1 above and meets the applicable standards below.~~

Comment [C325]: Clarity/  
Flexibility

3. Applicable Standards. Parking design details shall receive all approvals required pursuant to city codes and standards, including but not limited to transportation and utility codes and development standards, now or as hereafter adopted. ~~Details shall conform with the Transportation Department design standards.~~

Comment [C326]: Clarity



**F. Restricted Driveway Access.**

1. Purpose/Intent. Driveway access locations along certain streets ~~is~~ are restricted in order to minimize conflicts with transit, autos, bicycles, and pedestrians and to reinforce active edge continuity along commercial and retail frontages.

Comment [C327]: Clarity

2. Where ~~Required~~ Restricted. Driveway access is ~~restricted~~ generally prohibited along the NE 15<sup>th</sup>/16<sup>th</sup> Transit Boulevard and the 130<sup>th</sup> Shopping Street as shown in Figure 20.25D.140.F.

Comment [C328]: Clarity

3. Applicable Standards.

a. Except where no feasible alternative access exists, vehicular access to properties abutting the rights-of-way identified in paragraph 2 above, shall be from other arterials, local streets, and alleys off of these designated corridors. The Director may approve vehicular access in these restricted areas to respond to specific site conditions, property ownership, and phasing considerations; provided that the final locations satisfy the intent of paragraph 1 above and meets the applicable standards below.

Comment [C329]: Clarity

Comment [C330]: Clarity/Flexibility

b. The Director may approve on-street loading and service locations when the off-street loading space required by LUC paragraph 20.20.590.K.4 cannot reasonably be designed to satisfy the intent of paragraph 1 above. Designated on-street loading and service locations shall be approved by the Transportation Department receive all approvals required pursuant to city codes and standards, including but not limited to transportation and utility codes and development standards, now or as hereafter adopted.

Comment [C331]: Clarity

# Restricted Driveway Access




Figure 20.25D.140.F: Restricted Driveway Access

**G. Required Street Furniture.**

1. Purpose/Intent. Street furniture elements support a consistent and uniform street character, ~~and reinforce the identity of a district, and minimize conflicts with pedestrian mobility.~~
2. Where Required. Street furniture elements are required along streets identified in Figure 20.25D.140.G.
3. Applicable Standards. Location and specifications shall be approved by the Transportation Department.

Comment [C332]: Clarity

# Required Street Furniture




Figure 20.25D.140.G: Required Street Furniture

**20.25D.150 Design Guidelines.**

Each development within a Bel-Red Land Use District must comply with the provisions of the document entitled Bel-Red Subarea Design Guidelines dated [insert Plan adoption date], now or as hereafter amended or superseded pursuant to the provisions of that document. The provisions of the Design Guidelines will be applied ~~through the Master Development Plan and Design Review processes~~ pursuant to the review requirements of LUC section 20.25D.030.

Comment [C333]: Consistency

**Table of Contents**

**Introduction** ..... 1

**Character and Site Guidelines**

— Character and Site Guidelines Overview ..... 2

— Integrate the Natural Environment ..... 3

— Promote Architectural Compatibility ..... 4

— Establish and Strengthen Gateways ..... 5

— Protect and Enhance Surface Water Resources ..... 6

— Integrate Art ..... 7

**Pedestrian Emphasis Guidelines**

— Pedestrian Emphasis Guidelines Overview ..... 8

— Define the Pedestrian Environment ..... 9

— Enhance the Pedestrian System ..... 10

— Protect Pedestrians from the Elements ..... 11

— Create a Variety of Successful Outdoor Spaces ..... 12

— Provide Places for Stopping and Viewing ..... 13

**Architecture Guidelines**

— Architectural Guidelines Overview ..... 14

— Encourage High Quality Materials ..... 15

— Provide Interesting Building Massing ..... 16

— Create Attractive Building Silhouettes & Rooflines ..... 17

— Foster Attractive Rooftops ..... 18

— Promote Welcoming Residential Entries ..... 19

— Promote Visually Interesting Upper Floor Windows ..... 20

— Design Inviting Retail and Commercial Entries ..... 21

— Encourage Retail Corner Entries ..... 22

— Encourage Inviting Ground Floor Retail and Commercial Windows ..... 23

— Build Compatible Parking Structures ..... 24

**Lighting Guidelines**

— Lighting Guidelines Overview ..... 25

— Orient Lighting Towards Sidewalks ..... 26

— Integrate Building Lighting ..... 27

**Sign Guidelines**

— Sign Guidelines Overview ..... 28

— Consider Size and Placement of Wall Signs ..... 29

— Orient Hanging Signs to Pedestrians ..... 30

**Appendix**

— Design Guideline Checklist

## **A. Introduction**

The Bel-Red Subarea Design Guidelines consist of a design review checklist and five guideline chapters:

- Character and site guidelines
- Pedestrian emphasis guidelines
- Architecture guidelines
- Lighting guidelines
- Sign guidelines

Each of the five chapters contains a series of distinct guidelines.

The Bel-Red Subarea Design Guidelines support and complement the community vision described in the Bel-Red Subarea Plan that is part of the city's adopted Comprehensive Plan. The Design Guidelines offer a flexible tool for quality and innovation. They do not prescribe specific design solutions or make rigid requirements. There are many ways to meet a particular guideline. The guidelines are a descriptive template for promoting and improving the urban character of the area without dictating or prescribing a specific style of theme.

Each individual guideline page provides the following detail:

- Intent: An initial concise statement of the objective of the guideline
- Guideline: Explanatory text describing the details of the guideline
- Recommended: Textual and photographic examples of recommended development consistent with the intent of the guideline
- Not Recommended: Textual and photographic examples of development that does not meet the intent of the guideline

Visual examples are included as models for design and review purposes. They are intended to provide a means to effectively judge a building or project relative to the design criteria; they are not intended to be specific examples to be replicated.

### **The Checklist**

The accompanying design guidelines checklist outlines each individual guideline. This tool can be used to access which guidelines apply, and whether the applicable guideline is being followed.

### **Why Are Design Guidelines Necessary?**

Guidelines give developers and citizens an understanding of the city's expectations and provide consistent criteria by which to review proposed projects. They ensure a degree of order, harmony, and quality within the built environment.

### **Role of Design Guidelines**

The Bel-Red Subarea Design Guidelines support and complement the community vision described in the Bel-Red Subarea Plan that is part of the city's adopted Comprehensive Plan. The Design Guidelines offer a flexible tool for quality and innovation. They do not prescribe specific design solutions or make rigid requirements. There are many ways to meet a particular guideline. The guidelines are a descriptive template for promoting and improving the urban character of the area without dictating or prescribing a specific style of theme.

### **Design Review Process**

The Bel-Red Design Standards and Guidelines will be implemented through the Design Review process (LUC Sec.

Formatted: Font: (Default) Arial

Formatted: Font: (Default) Arial, 11 pt

Formatted: Font: (Default) Arial

Formatted: Bullets and Numbering

Formatted: Font: (Default) Arial

20.30.F) This is a land use entitlement that ensures a development proposal is consistent with the Comprehensive Plan, meets all applicable guidelines or criteria of the Land Use Code and is compatible with and responds to the intended character, appearance, quality of development, and physical characteristics of the vicinity.

The review and approval process is made up of three phases.

1. Preapplication Conference: This is a one-time service that allows for early feedback and direction from the Development Services staff on a development proposal. This occurs at the schematic design phase when access, site and building design are easily modified.

Formatted: Bullets and Numbering

Formatted: Font: (Default) Arial

Formatted: Font: (Default) Arial

2. Predevelopment Services: This is an optional step that allows a developer to get on-going feedback and detailed direction from staff on a proposal. The purpose is to resolve issues early and assist in the preparation of a complete formal Design Review application and quality project.

Formatted: Bullets and Numbering

Formatted: Font: (Default) Arial

Formatted: Bullets and Numbering

Formatted: Font: (Default) Arial

Formatted: Font: (Default) Arial

Formatted: Font: (Default) Arial, 11 pt, Bold

3. Design Review: Design Review is a Land Use review process in which Development Services staff from every city permit authority, including Fire, Utilities, and Transportation will review a project for compliance with applicable codes, standards, and guidelines. IN most cases the SEPA Determination will be included in this review. This is an administrative decision by the Director using Process II (LUC 20.35.200).

## B. Character and Site Guidelines

### Overview Purpose

These Character and Site Guidelines address the qualities that make the Bel-Red subarea unique. They consider what makes an area a special, distinct "place," not simply a group of individual buildings and streets.

The Character and Site Guidelines are divided into the following elements:

- Integrate the natural environment
- Provide graceful transitions between land uses
- Promote architectural compatibility
- Establish and strengthen gateways
- Protect and enhance surface water resources
- Integrate art

Formatted: Font: (Default) Arial, 11 pt, Bold

Formatted: Font: (Default) Arial, 11 pt

Formatted: Font: (Default) Arial, 11 pt, Bold

Formatted: Font: (Default) Arial, 11 pt

Formatted: Font: (Default) Arial, 11 pt

Formatted: Font: (Default) Arial

Formatted: Bullets and Numbering

Visual examples are included as models for design and review purposes. They are intended to provide a means to identify recommended character and site elements.

### 1. Integrate the Natural Environment

Formatted: Font: (Default) Arial, 11 pt

#### a. Intent

Formatted: Font: (Default) Arial

Reinforce linkages and orient buildings to the Bel-Red Subarea's natural and landscaped features.

#### b. Guideline

Site and building design should capitalize on significant elements of the natural environment, Highland Community Park and planned park and open space, riparian corridors and wetlands. Designs should incorporate open space amenities for residents, employees and visitors. Depending on the location, this may be accomplished through integration of the natural environment with new development or providing a smooth transition between the natural and built environments.

Formatted: Indent: Left: 54 pt

**c. Recommended**

- i. Active and passive gathering places and walkways oriented toward parks and open, natural spaces
- ii. Clear and convenient public access to open space amenities
- iii. Elements that engage the natural environment where the sight, sound and feel of nature can be directly experienced
- iv. Buildings sited to take maximum advantage of adjacent public amenities
- v. Walkways and plazas paved with high-quality materials (such as brick or stone), and other architectural elements that use materials, colors and forms that are harmonious with the natural surroundings

Formatted: Indent: Left: 54 pt, First line: 0 pt, Tabs: 54 pt, Left + Not at 9 pt

Formatted: Font: (Default) Arial

Formatted: Font: (Default) Arial

Formatted: Font: (Default) Arial



Open space amenity that allows for the public experience of natural elements

**d. Not Recommended**

- i. Buildings that turn their back on open space amenities
- ii. Islands of 'native' planting schemes within large, automobile oriented parking lots



Inaccessible islands of planting that do not connect well to the built environment or public amenities

**2. Promote Architectural Compatibility**

**a. Intent**

New buildings should contribute to the quality and character of their architectural context.

Formatted: Font: (Default) Arial, 11 pt

Formatted: Font: (Default) Arial

Formatted: Indent: Left: 54 pt

**b. Guideline**

Buildings should “fit” with their architectural surroundings – relating to nearby buildings rather than calling attention to themselves through design excesses or novel variations. Architectural elements should enhance not detract from the area’s overall character.

Formatted: Indent: Left: 54 pt

**c. Recommended**

i. Architectural elements used at a scale and level of detailing proportionate to the size of the building

Formatted: Font: (Default) Arial

ii. Forms, proportions, rhythms, materials, colors and architectural motifs that are suggested by and complement adjacent buildings

Formatted: Font: (Default) Arial



Architectural elements fit into local context and overall character of the area


**d. Not Recommended**

i. Out-of-scale, over-simplified, cartoon-like or other architectural elements applied without regard to size or use of the element

Formatted: Font: (Default) Arial

ii. Building elements that do not respect the scale, materials, proportions and heights of adjacent high-quality buildings

Formatted: Font: (Default) Arial



Building on the right does not respect the scale, materials, proportions and character of adjacent area

**3. Establish and Strengthen Gateways**

Formatted: Font: (Default) Arial

**a. Intent**

Formatted: Font: (Default) Arial, 11 pt

Use architectural and landscape elements to mark transitions and entrances.

Formatted: Font: (Default) Arial

**b. Guideline**

Entrances into and within the Bel-Red Subarea should be celebrated at many levels. Pedestrians, cyclists, transit passengers, and motorists should experience a sense of “entering” or moving into the area as well as entry into unique districts or neighborhoods in the subarea.

Formatted: Indent: Left: 36 pt

**c. Recommended**

- i. New buildings designed to create gateways, using elements such as arches, arcades, pylons, columns, fountains and bridges
- ii. Signage, landscaping, lighting, or sculptural and artistic elements used to identify a gateway
- iii. Markers or inlaid art treatment in sidewalk paving to strengthen sense of entry into a particular district or neighborhood
- iv. Design elements that indicate a change or separation in transportation modes (i.e., from auto to pedestrian areas, or into transit stations)

Formatted: Font: (Default) Arial

Formatted: Font: (Default) Arial



Entrances to districts and among modes of transportation emphasized through design elements

**d. Not Recommended**

- i. Gated, private compounds

Formatted: Font: (Default) Arial



Detailing of private spaces in lieu of gateway treatment

#### **4. Protect and Enhance Surface Water Resources**

##### **a. Intent**

Conserve water quality, natural hydrology and habitat, and preserve biodiversity through protection of water bodies and wetlands.

Formatted: Indent: Left: 36 pt

##### **b. Guideline**

Natural water systems regulate water supply, provide biological habitat and may provide recreational opportunities. Undeveloped ecosystems absorb the precipitation and convey only a small portion of rainfall as surface runoff. New and infill development should minimize disturbances to the on-site, adjacent, and regional natural water systems.

Formatted: Indent: Left: 36 pt

##### **c. Recommended**

- i. Grading and plan layout that captures and slows runoff
- ii. Pervious or semi-pervious surfaces that allow water to infiltrate soil
- iii. On-site landscape-based water treatment methods that treat rainwater runoff from all surfaces, including parking lots, roofs and sidewalks

Formatted: Indent: Left: 63 pt, Tabs: Not at 9 pt



Aesthetically pleasing development that minimizes adverse impacts to water systems

##### **d. Not Recommended**

- i. Buried, piped or culverted stream channels
- ii. Water quality enhancement projects that detract from the urban character of the area



Aesthetically pleasing development that minimizes adverse impacts to water systems

## **5. Integrate Art**

### **a. Intent**

Art in the Bel-Red Subarea should complement the character of a site, building or district as a whole. Art should be integrated into the design of the building or outdoor space.

Formatted: Font: (Default) Arial, 11 pt

Formatted: Font: (Default) Arial

Formatted: Indent: Left: 36 pt

### **b. Guideline**

Large scale art in both public and private applications should bring focus to an outdoor space while small scale pieces should bring detail to the pedestrian realm surrounding a building or site. At any scale, art should not overwhelm outdoor spaces or render buildings mere backdrops.

Formatted: Indent: Left: 36 pt

### **c. Recommended**

- i. Artwork designed for and integrated into the building or site
- ii. Functional or interactive artwork
- iii. Durable materials that are vandal-resistant and designed to age well



Public art that complements the built environment and reinforces or creates a distinctive image of a place

### **d. Not Recommended**

- i. Amateur art projects
- ii. Artwork used as advertising

iii. Display conditions that detract from the artwork



Advertising in lieu of public art or art of poor quality that detracts from the urban character of the area

**C. Pedestrian Emphasis Guidelines**

**Overview Purpose**

These pedestrian emphasis guidelines promote an environment where pedestrians are a priority. The highest consideration should be given to the ease and comfort of pedestrian movement and gathering places.

The pedestrian emphasis guidelines fall into the following elements:

- Define the pedestrian environment
- Enhance the pedestrian system
- Protect pedestrians from the elements
- Create a variety of successful outdoor spaces
- Provide places for stopping and viewing

Visual examples are included as models for design and review purposes. They are intended to provide a means to identify recommended character elements.

- Formatted: Font: (Default) Arial
- Formatted: Font: (Default) Arial, 12 pt
- Formatted: Font: (Default) Arial
- Formatted: Font: (Default) Arial, 11 pt
- Formatted: Font: (Default) Arial
- Formatted: Font: (Default) Arial, 11 pt
- Formatted: Font: (Default) Arial

**1. Define the Pedestrian Environment**

**a. Intent**

A building should provide a continuous, visually rich pedestrian experience along its ground floor street front.

**b. Guideline**

The most important part of a building to a pedestrian is its ground floor – the lowest 15 feet of the facade, which a person experiences walking past or entering the building. This “pedestrian experience zone” should provide a sense of enclosure, and a continuous and comfortable street edge for the pedestrian. Ground floor building transparency should foster interaction between the public and private realms.

**c. Recommended**

- i. Windows that are transparent or have displays at the street level
- ii. Walls that create visual interest by using a variety of forms, colors and compatible cladding materials
- iii. Facades that provide a rhythm by using bays, columns, pilasters or other articulation at the street level

- Formatted: Font: (Default) Arial, 11 pt
- Formatted: Font: (Default) Arial
- Formatted: Indent: Left: 36 pt
- Formatted: Indent: Left: 36 pt
- Formatted: Indent: Left: 0 pt, Hanging: 72 pt, Tabs: Not at 9 pt
- Formatted: Font: (Default) Arial

iv. Signs and lighting at the ground level that complement the human scale



Building edges that maintain strong visual and physical connections to the sidewalk

**d. Not Recommended**

- i. Blank, flat, nondescript walls that are not articulated by any visual interest or detail at the \_\_\_\_\_ street level
- ii. Uniform treatment of entire block face

Formatted: Font: (Default) Arial



Long, blank facade unconnected visually or physically to the street and sidewalk

**2. Enhance the Pedestrian System**

**a. Intent**

Establish the pedestrian as the priority, eliminating pedestrian barriers and ensuring that walking routes are convenient, direct and pleasant.

Formatted: Font: (Default) Arial, 11 pt

Formatted: Font: (Default) Arial

Formatted: Indent: Left: 36 pt

**b. Guideline**

Pedestrian routes should be attractive, easy to use and encourage walking and activity. Sidewalks should be continuous, avoiding interruptions such as vehicle curbcuts or changes in direction or grade. The portion of the sidewalk dedicated to walking should be free of barriers such as utility poles, newspaper boxes, cafe tables and chairs, permanent planters, tree grates or other obstructions and clutter.

Formatted: Indent: Left: 36 pt

**c. Recommended**

- i. Direct pedestrian routes
- ii. Separate pedestrians from visual and other nuisances (e.g. trash dumpsters, loading docks, \_\_\_\_\_ mechanical equipment, etc.)

Formatted: Font: (Default) Arial

- iii. Pedestrian routes that are safely integrated with the street system
- iv. Maintain pedestrian access where rights-of-way have traditionally been located
- v. Parking lot walkways
- vi. Mid-block pedestrian connections

Formatted: Line spacing: single



Attractive, safe pedestrian routes that increase walkability and connectivity

**d. Not Recommended**

- i. Circuitous pedestrian routes
- ii. Pedestrian-only streets Permanent or temporary pedestrian route obstructions
- iii. Interrupted or discontinuous pedestrian routes



Unconnected, discontinuous, overly wide pedestrian-only walkways

**3. Protect Pedestrians from the Elements**

**a. Intent**

Provide pedestrians with protection from wind, sun, rain, sleet and snow.

**b. Guideline**

Awnings and canopies are encouraged along the ground floor of buildings to protect pedestrians from rain and snow and provide shade in summer.

Formatted: Indent: Left: 36 pt

The design of awnings and canopies should be an integral component of the building facade. Awnings should be in proportion to the building and sidewalk, and not so large as to impact street trees, light fixtures or other street furniture.

**c. Recommended**

- i. Fabric awnings
- ii. Horizontal metal canopies, especially if transom or clerestory windows are above storefront glazing
- iii. Glazed canopies
- iv. Weather protection follows pattern of storefronts

Formatted: Font: (Default) Arial



Weather protection that is well integrated with the design of the building

**d. Not Recommended**

- i. Backlit awnings
- ii. Oversized advertising or tenant signs on awnings



Out of scale canopy made of poor quality materials that serves primarily as signage

**4. Create a Variety of Successful Outdoor Spaces**

Formatted: Font: (Default) Arial, 11 pt

**a. Intent**

Formatted: Font: (Default) Arial

Provide comfortable and inviting outdoor spaces for a variety of activities during all hours and seasons.

**b. Guideline**

Outdoor gathering spaces should be inviting and maximize opportunities for use. They should be spatially well defined, inviting, secure, easy to maintain. They may be intimate and quiet or active and boisterous. All areas should work well for pedestrians and provide space for special events as well as passive activities.

Formatted: Indent: Left: 36 pt

**c. Recommended**

- i. Courtyards, squares and plazas with active adjacent ground floor uses
- ii. Buildings surrounding green spaces to give the space visual definition and vitality generated by active ground floor uses
- iii. Trees, shrubs and plants to help define walkways, create transitions from the park to the street and provide visual interest
- iv. Structures, pavilions and seating areas that are easily accessible, and feel safe and secure during day and evening hours
- v. Greenways or pedestrian walkways and courtyards in residential or office development areas

Formatted: Font: (Default) Arial

Formatted: Font: (Default) Arial

Formatted: Font: (Default) Arial



Well defined, comfortable and inviting outdoor spaces that offer varied opportunities for use

**d. Not Recommended**

- i. Pocket parks, forecourts and plazas without active enclosing uses along retail streets
- ii. Outdoor spaces separated from the street by visual barriers or change in grade
- iii. "Leftover" green spaces
- iv. Sunken plazas at disconnected from the edge of the street
- v. Courtyards, squares and plazas adjacent to parking lots and other inhospitable areas without appropriate landscaping

Formatted: Font: (Default) Arial



Plaza space adjacent to parking lot and street without appropriate landscaping or buffering

**5. Provide Places for Stopping and Viewing**

Formatted: Font: (Default) Arial, 11 pt

**a. Intent**

Formatted: Font: (Default) Arial

Provide comfortable and inviting places where people can stop to sit, rest and view.

**b. Guideline**

People watching, socializing and eating are restful and pleasurable activities for the pedestrian; providing special places where they can do these activities increases the pedestrian's sense of enjoyment.

Formatted: Indent: Left: 36 pt

Seating and resting places can add vitality to the urban environment. People will use available seating in open, well-designed areas, not in secluded or awkward spots.

**c. Recommended**

- i. Formal (benches) and informal (e.g. wide steps, edges of landscaped planters and low walls) seating areas
- ii. Higher degree of seating areas near active retail establishments (esp. outside eating and drinking establishments and near food vendors)
- iii. Seating adjacent to ~~located directly off~~ pedestrian walkways
- iv. Places for stopping and viewing adjacent to and within parks, squares, plazas and courtyards
- v. Sense of separation from vehicular traffic

Formatted: Font: (Default) Arial

Formatted: Font: (Default) Arial



Comfortable seating near active retail establishments, streets, and outdoor spaces

**d. Not Recommended**

- i. Seating areas more than three feet above or below street grade
- ii. Seating areas adjacent to loading, service bays or storage areas
- iii. Seating areas that are hidden, secluded, dark or unsecured spaces behind or to the side of buildings
- iv. Seating areas along high vehicle traffic areas

Formatted: Font: (Default) Arial

Formatted: Font: (Default) Arial



Isolated seating areas separated from the street through grade changes or otherwise

Formatted: Font: (Default) Arial

## D. Architectural Guidelines

### Overview Purpose

The architecture guidelines promote high quality development while reinforcing the area's sense of place and Northwest provenance by encouraging innovative design, construction techniques and materials that reflect the industrial roots of the area while emphasizing the emerging urban character of Bel-Red. The architecture guidelines fall into the following elements:

- Encourage high quality materials
- Provide interesting building massing
- Create attractive building silhouettes and rooflines
- Foster attractive rooftops
- Promote welcoming residential entries
- Promote visually interesting upper floor residential windows
- Design inviting retail and commercial entries
- Encourage retail corner entries
- Encourage inviting ground floor retail and commercial windows
- Build compatible parking structures

Visual examples are included as models for design and review purposes. They are intended to provide a means to identify recommended character elements.

### 1. Encourage High Quality Materials

#### a. Intent

Create a sense of permanence in the Bel-Red Subarea through the use of high quality building materials.

#### b. Guideline

Quality wall materials can provide a sense of permanence and bring life and warmth to a neighborhood. Wall and building materials must enhance the street environment while maintaining compatibility with adjacent buildings. Articulation of wall materials should be bold, with materials that show depth, quality and durability. It should be apparent that the materials have substance and mass, and are not artificial, thin "stage sets" applied only to the building's surface.

#### c. Recommended

- i. Natural materials such as wood or masonry, or other high quality materials such as brick, finished concrete, stone, terracotta, and cement stucco, and wood
- ii. Natural or subdued building colors and limited use of bright accent trims
- iii. Varied, yet compatible cladding materials
- iv. Boldly articulated window and storefront trim



Formatted: Font: (Default) Arial, 12 pt

Formatted: Font: (Default) Arial

Formatted: Font: (Default) Arial, 11 pt

Formatted: Font: (Default) Arial

Formatted: Font: (Default) Arial, 11 pt

Formatted: Font: (Default) Arial

Formatted: Indent: Left: 36 pt

Formatted: Indent: Left: 36 pt

Formatted: Font: (Default) Arial

**d. Not Recommended**

Building materials such as:

- i. Simulated rock or brick
- ii. Faux materials finishes
- iii. Synthetic stucco (EIFS)
- iv. Rough-sawn, simulated wood siding, wood veneer, clapboard or other types of residential siding
- v. Aluminum, plastic or vinyl siding
- vi. Corrugated metal siding
- vii. Unfinished concrete or cinder block
- viii. Exposed concrete, metal or plastic

Formatted: Font: (Default) Arial

Formatted: Font: (Default) Arial



Unarticulated surface treatment without depth, quality or detail

**2. Provide Interesting Building Massing**

Formatted: Font: (Default) Arial, 11 pt

**a. Intent**

Formatted: Font: (Default) Arial

Use scale-defining devices to break up the longitudinal dimensions of buildings, creating a comfortable sense of enclosure by establishing an uninterrupted street edge.

Formatted: Indent: Left: 36 pt

**b. Guideline**

The length and breadth of a building should be friendly in scale and inviting to the pedestrian. Portions of a large building mass should be broken into smaller, appropriately scaled modules, with changes in plane indicated by bold projections and indentations. This allows an overly large building to appear as smaller, side-by-side buildings. Vertical and horizontal elements should be used to create a human scale and form a coherent pattern providing visual interest to the pedestrian.

**c. Recommended**

- i. Break down long expanses of building frontage both horizontally and vertically.
- ii. A vertically articulated tripartite facade division – base, middle and top for buildings over three stories.
- iii. Upper floors set back.
- iv. Vertical articulation of windows, columns and bays.

Formatted: Font: (Default) Arial



Well articulated buildings with a clearly defined base, middle and top

**d. Not Recommended**

- i. Long unbroken volume along street facade.
- ii. Smooth, undifferentiated facade.
- iii. Horizontal banding and emphasized horizontal orientation of building elements – walls, doors and windows.

Formatted: Font: (Default) Arial



Unbroken volume of building that does not enhance the street environment and lacks human scale

**3. Create Attractive Building Silhouettes and Rooflines**

Formatted: Font: (Default) Arial, 11 pt

**a. Intent**

Building rooflines should enliven the pedestrian experience and provide visual interest with details that create forms and shadows.

Formatted: Font: (Default) Arial

Formatted: Indent: Left: 36 pt

**b. Guideline**

A building's silhouette should be compatible with the intended character of the area and enhance the streetscape. In some cases, it may be appropriate to mark an entryway with a distinct form, such as a tower, to emphasize the significance of the building entry. Roof massing should be simple yet detailed and articulated. For example, flat roofs may be appropriate if they have a cornice designed with depth and detail expressing the top of the building wall. Dormers set into sloped roofs may be appropriate. These forms provide visual interest and bring additional living space, light and ventilation to upper floor and attic spaces.

**c. Recommended**

- i. Dormer windows
- ii. Towers or similar vertical architectural expressions of important building functions such as \_\_\_\_\_

entries

Formatted: Font: (Default) Arial

iii. Varied roof line heights

iv. Well-detailed cornices that have significant proportions (height and depth) and create visual interest and shadow lines

Formatted: Font: (Default) Arial



Well detailed building silhouettes that create visual interest and enliven the pedestrian's experience of the built environment

**d. Not Recommended**

i. Unarticulated rooflines

ii. Roof forms lacking depth and detail



Unarticulated roof lines

**3. Foster Attractive Rooftops**

Formatted: Font: (Default) Arial, 11 pt

**a. Intent**

Formatted: Font: (Default) Arial

Integrate rooftop elements into the building design. Guideline

Roof shape, surface materials, colors, and penthouse functions should all be integrated into the overall building design. LUC 20.20.525 provides guidance for rooftop mechanical equipment.

Formatted: Font: (Default) Arial

**b. Recommended**

i. Rooftop penthouse occupied by residential or office spaces

ii. Rooftop terraces and gardens

iii. Green roofs that reduce stormwater runoff

iv. Consolidated and screened mechanical units



Attractive rooftops well integrated into overall building design

**c. Not Recommended**

- i. Exposed rooftop mechanical or electrical units visible from public spaces
- ii. Telecommunications equipment, including satellite dishes, cell-phone towers or antennae visible from public spaces

Formatted: Font: (Default) Arial



Rooftop telecommunications equipment visible from public spaces

**4. Promote Welcoming Residential Entries**

Formatted: Font: (Default) Arial, 11 pt

**a. Intent**

Formatted: Font: (Default) Arial

Residential entries should provide a graceful transition between the public and private realms.

**b. Guideline**

Formatted: Indent: Left: 36 pt

Residential entries should be substantial enough to suggest privacy yet welcoming to those who approach and enter. The overall character of the entry treatments will vary depending on street type. Entries on streets where sidewalk oriented development is required will have a higher degree of transparency, orientation towards the street, and design detail than other portions of the subarea.

**c. Recommended**

- i. Multi-panel painted doors
- ii. Doors combined with transom windows or side lights
- iii. Durable, high-quality metal door hardware
- iv. Wood solid core doors

- v. Doors accessed from canopy-covered entries
- vi. Moderate change of grade from sidewalk level to entry; more for townhouse-style housing than residential lobbies
- vii. Lobby entries to multi-family buildings providing double or multiple doors

Formatted: Font: (Default) Arial



Substantial entries with transparency and design details

**d. Not Recommended**

- i. Doors raised more than three feet above sidewalk level for townhouse-style housing
- ii. Unarticulated, flush doors or sliding glass doors
- iii. Doors accessed directly from parking lots
- iv. Door glazing with simulated divided lights
- v. Doors glazed with reflective or tinted glazing



Significant grade separation from the street and no transparency

**5. Promote Visually Interesting Upper Floor Residential Windows**

**a. Intent**

Upper floor residential windows should create an open and inviting atmosphere that add visual interest and enhances the experience of the building both inside and out.

Formatted: Indent: Left: 36 pt

**b. Guideline**

The windows of a residential building should be pleasing and coherent. Their size and detailing should be of a human scale with regular spacing and a rhythm of similarly shaped windows.

**c. Recommended**

- i. Multiple lights or divisions
- ii. Operable windows

iii. Trim around framed openings

iv. ~~“Punched” w~~Windows recessed from building facade, not flush



Upper floor windows with a mixture of depth and articulation

**d. Not Recommended**

i. ~~“Strips” of~~ windows with more of a horizontal than vertical emphasis

ii. All windows flush with building facade

~~Simulated divided lights~~



Simple entrance flush to facade without articulation

**6. Design Inviting Retail and Commercial Entries**

**a. Intent**

Design retail and commercial entries to create an open atmosphere that draws customers inside.

**b. Guideline**

Primary entries to retail and commercial establishments should be transparent, allowing passersby to see the activity within the building and bring life and vitality to the street. Architectural detail should be used to help emphasize the building entry.

**c. Recommended**

i. Doors with a minimum of 50% window area

ii. Building lighting that emphasizes entrances

Formatted: Font: (Default) Arial, 11 pt

Formatted: Font: (Default) Arial

Formatted: Indent: Left: 36 pt

- iii. Transom, side lights or other window combinations
- iv. Doors combined with special architectural detailing
- v. Double or multiple door entries
- vi. Well-detailed or ornate door hardware
- vii. Large cafe or restaurant doors that open the street to the interior by pivoting, sliding or rolling up overhead

Formatted: Font: (Default) Arial



Entry is transparent, opens easily and connects the street to the interior

**d. Not Recommended**

- i. Primary entry doors that are solid or windowless
- ii. Primary entry doors raised more than three feet above sidewalk level
- iii. Doors flush with the building facade without other articulation or canopy
- iv. Clear anodized aluminum frames
- v. Glazing with simulated divisions
- vi. Reflective, opaque or tinted glazing
- vii. Visual and physical obstructions near the entry



Glazing with simulated divisions that do not connect the sidewalk or street to the interior

**7. Encourage Retail Corner Entries**

Formatted: Font: (Default) Arial, 11 pt

**a. Intent**

Formatted: Font: (Default) Arial

Use corner entries to reinforce intersections as important places for pedestrian interaction and activity.

**b. Guideline**

Locate entry doors on the corners of retail buildings wherever possible. Entries at 45 degree angles and free of visual obstructions are encouraged.

Formatted: Indent: Left: 36 pt

**c. Recommended**

- i. Primary building entrance located at corner
- ii. Weather protection, special paving, and building wall lighting, to emphasize corner entry

- iii. Architectural detailing with materials, colors, and finishes that emphasize the corner entry
- iv. Doors with large glass areas with adjacent windows



Location of primary building entrance at corner and emphasized with details and architectural treatment

**d. Not Recommended**

- i. Visual and physical obstructions, especially utilities and columns



Visual and physical obstructions such as recessed entryway and grade separation

**8. Encourage Inviting Ground Floor Retail and Commercial Windows**

**a. Intent**

Use transparency to enhance visual interest and to draw people into retail and commercial uses.

**b. Guideline**

Retail and commercial uses should use unobstructed windows that add activity and variety at the street level, inviting pedestrians into retail and commercial uses and providing views both in and out.

**c. Recommended**

- i. Clear window glazing
- ii. Operable windows that open by pivoting, sliding or shuttering for restaurants and cafes
- iii. Painted wood, metal, and tile or stone clad panels below windows
- iv. Transom windows

Formatted: Font: (Default) Arial, 11 pt

Formatted: Font: (Default) Arial

Formatted: Indent: Left: 36 pt



Transparent, visually interesting ground floor windows enhancing sidewalk activity

**d. Not Recommended**

- i. Exposed or unfinished window frame materials
- ii. Residential-styled bays, multi-paned divided lights, half-round or other similar forms
- iii. Tinted or reflective glazing
- iv. More than 8 feet between mullions
- v. Small scale windows



Tinted or reflective glazing or with no visual or physical connection to the sidewalk

**9. Build Compatible Parking Structures**

**a. Intent**

Use design elements so enhance the compatibility of parking structures with the urban streetscape.

Formatted: Font: (Default) Arial, 11 pt

Formatted: Font: (Default) Arial

**b. Guideline**

Parking structures should be designed so that their streetscape interface has a consistent form, massing and use of materials with the vision for the area. Any sidewalk facing parking garage frontages should be designed to appear like any other occupied buildings in the area. The horizontal garage form can be broken down by adding more wall surface and usable retail space, while retaining adequate garage ventilation.

Formatted: Indent: Left: 36 pt

**c. Recommended**

- i. Ground floor retail or other active uses
- ii. Small openings that may be glazed to function as windows
- iii. Stairways, elevators and parking entries and exits that occur at mid-block

- iv. Single auto exit/entry control point to minimize number and width of driveway openings (entry and exit points may be separated)
- v. Vertical expression of building structure
- vi. Cladding to disguise sloped floors from the outside view

Formatted: Font: (Default) Arial



Parking garage design resembles mixed use development, limits driveway opening and integrates ground floor retail uses along sidewalk and at building corner

**d. Not Recommended**

- i. Parked cars on the ground floor that are visible from adjacent sidewalks
- ii. Exposed sloped floors visible from the street
- iii. Stairways, elevators and parking entries and exits occurring at the building's corners, where retail is a more appropriate use
- iv. Horizontal expression of building structure

Formatted: Font: (Default) Arial



Clearly visible sloping floors, parked cars and structural expression of structure

**E. Lighting Guidelines**

**Overview Purpose**

The lighting of buildings and open spaces should provide security, and also contribute to the character and overall sense of and vitality of the area. The lighting guidelines include the following elements:

- Orient lighting towards sidewalks and public spaces
- Integrate building lighting

Visual examples are included as models for design and review purposes. They are intended to provide a means to identify recommended character elements.

Formatted: Font: (Default) Arial, 12 pt

Formatted: Font: (Default) Arial

Formatted: Font: (Default) Arial, 12 pt

Formatted: Font: (Default) Arial

Formatted: Font: (Default) Arial, 11 pt

Formatted: Font: (Default) Arial

## 1. Orient Lighting Toward Sidewalks and Public Spaces

Formatted: Font: (Default) Arial, 11 pt

### a. Intent

Formatted: Font: (Default) Arial

Pedestrian-scaled lighting should be used to highlight sidewalks, street trees and other features, and harmonize with other visual elements in the subarea.

Formatted: Indent: Left: 36 pt

### b. Guideline

Pedestrian-scaled lighting should be provided along pedestrian walkways and public open spaces. A single fixture type should be used throughout an area with slight variations allowed to identify smaller districts. Fixtures should be visually quiet as to not overpower or dominate the streetscape.

Formatted: Indent: Left: 36 pt

Lighting may also be used to highlight trees and similar features within public and private plazas, courtyards, walkways and other similar outdoor areas to create an inviting and safe ambiance.

### c. Recommended

- i. Lighting of district design
- ii. Pole standards black or dark green in color
- iii. Dual-purpose standards (that accommodate pedestrian and vehicular fixtures)
- iv. Standards accommodating banners and hanging flower pots
- v. Lighting to highlight landscape areas
- vi. Fixtures concealed and integrated into the design of buildings or landscape walls and stairways
- vii. Footlighting that illuminates walkways and stairs
- viii. Energy efficient lighting
- ix. Bollard lighting that is directed downward toward walking surfaces
- x. Festive lighting along signature streets on buildings and trees

Formatted: Font: (Default) Arial



### d. Not Recommended

- i. Flashing or colored lights
- ii. Exposed wires, outlets or other electrical devices that may provide safety hazards and are unsightly
- iii. Exposed light source (bulbs should not be visible)
- iv. Low pressure sodium lamps

Formatted: Font: (Default) Arial



Tall auto oriented lighting fixture

## 2. Integrate Building Lighting

Formatted: Font: (Default) Arial, 11 pt

### a. Intent

Formatted: Font: (Default) Arial

Architectural lighting that enhances and helps articulate building design, including illumination of cornices and entries, uplighting and other effects.

Formatted: Indent: Left: 36 pt


### b. Guideline

Exterior lighting of buildings should be an integral component of the facade composition. Lighting should be used to create effects of shadow, relief and outline that add visual interest and highlight aspects of the building. Lighting should not cast glare into residential units or onto adjacent lots or streets in any way that decreases the safety of pedestrians and vehicles.

Formatted: Indent: Left: 36 pt

### c. Recommended

- i. Wall-washing lighting fixtures
- ii. Decorative wall sconce and similar architectural lighting fixtures
- iii. Screened uplight fixtures on buildings or integrated with landscape
- iv. Lighting that provides natural color



Screened uplight fixtures on buildings

### d. Not Recommended

- Flashing or colored lights
- i. Exposed light source (bulbs should not be visible)
- ii. Fluorescent tube lighting
- iii. Security spotlight
- iv. Low pressure sodium lamps



Exposed security spotlight

## F. Sign Guidelines

### Overview Purpose

Signs may provide an address, identify a place of business, locate residential buildings or generally offer directions and information. Regardless of their function, signs should be architecturally compatible with and contribute to the character of the subarea. Signs should be good neighbors – they should not compete with each other or dominate the setting due to inconsistent height, size, shape, number, color, lighting or movement. Signs can contribute significantly to a positive retail and pedestrian environment, improve public safety perceptions and reinforce a sense of place.

The sign guidelines include the following elements:

Consider size and placement of wall signs

Orient hanging signs to pedestrians

Visual examples are included as models for design and review purposes. They are intended to provide a means to identify recommended character elements.

### 1. Consider Size and Placement of Wall Signs

#### a. Intent

Signs that are sized and placed so that they are compatible with a building's architectural design and contribute to the character of the subarea.

#### b. Guideline

Signs should not overwhelm the building or its special architectural features. Signs should not render the building a mere backdrop for advertising or building identification. Signs should be good neighbors – they should not compete with each other or dominate the setting due to inconsistent height, size, shape, number, color, lighting or movement.

#### c. Recommended

- i. Signs incorporated into the building architecture as embossing, low relief casting or application to wall surfaces
- ii. Signs constructed of individual, three-dimensional letters, as opposed to one single box with cutout flat letters
- iii. Signs may be painted or made with applied metal lettering and graphics
- iv. Signs made of durable and long lasting materials
- v. Signs incorporating lighting as part of their design
- vi. Signs located above storefronts, on columns or on walls flanking doorways

Formatted: Font: (Default) Arial, 8 pt

Formatted: Font: (Default) Arial

Formatted: Font: (Default) Arial, 12 pt

Formatted: Font: (Default) Arial

Formatted: Font: (Default) Arial, 11 pt

Formatted: Font: (Default) Arial

Formatted: Font: (Default) Arial, 11 pt

Formatted: Font: (Default) Arial

Formatted: Indent: Left: 36 pt

Formatted: Indent: Left: 36 pt

Formatted: Font: (Default) Arial

Formatted: Font: (Default) Arial



Sign incorporated into design of building facade

**d. Not Recommended**

i. The material, size and shape of signs that overwhelm, contrast greatly or adversely impact the architectural quality of the building

Formatted: Font: (Default) Arial

- ii. Roof top signs
- iii. Cabinet or bow signs
- iv. Backlit signs

~~LED animated signs~~

~~Video signs~~

v. Painted window signs

~~Electronic billboards~~



Sign overwhelms the architectural quality of the building

**2. Orient Hanging Signs to Pedestrians**

**a. Intent**

Hanging signs that are oriented to the pedestrian and highly visible from the sidewalk. Hanging signs can contribute significantly to a positive retail and pedestrian environment and reinforce a sense of place.

Formatted: Font: (Default) Arial, 11 pt

Formatted: Font: (Default) Arial

Formatted: Indent: Left: 36 pt

**b. Guideline**

Signs should not overwhelm the streetscape. They should be compatible with and complement the building's architecture, including its awnings, canopies, lighting and street furniture.

**c. Recommended**

- i. Sign lighting that is integrated into the facade of the building
- ii. Signs constructed of high-quality materials and finishes
- iii. Signs attached to the building in a durable fashion

**d. Not Recommended**

i. Signs interfering with sight lines, creating a safety hazard or obstructing views



Hanging signs incorporated into the building facade that are oriented to the pedestrian and clearly visible from the sidewalk