Table of Contents

Executive Summary ES-1
Introduction ES-1
Policies ES-1
Planning Considerations ES-2
System Analysis ES-2
Plan Findings ES-3
Plan Recommendations ES-4
Storm and Surface Water Emerging Issues ES-4
South Bellevue Eastgate/Tamara Hills Annexation ES-5
CHAPTER 1 INTRODUCTION 1-1
Plan Purpose 1-1
Guidelines for Current Plan Update 1-1
How this Plan was Completed 1-2
Public Input 1-2
Stormwater Management Guide 1-2
Bellevue Storm and Surface Water System, General Information 1-3
Bellevue Storm and Surface Water History 1-3
CHAPTER 2 STORMWATER MANAGEMENT CHALLENGES AND OPPORTUNITIES 2-1
Nature of Stormwater 2-1
History of Stormwater Management 2-1
Current Challenges 2-3
Future Challenges and Opportunities 2-4
CHAPTER 3 COMMUNITY VISION AND REGULATORY FRAMEWORK 3-1
Goals for Stormwater Management (Vision/Mission) 3-1
Regulatory Drivers 3-2
Clean Water Act 3-2
Endangered Species Act 3-5
National Flood Insurance Act 3-5
Growth Management Act 3-5
Bellevue Storm and Surface Water Utility Code 3-6
Regional and Local Plans 3-7
Summary 3-7

CHAPTER 4 POLICIES....4-1
Storm and Surface Water General Policies....4-3
Customer Service Policies....4-3
Water Quality Policies....4-4
Regional Policies....4-4
Financial Policies....4-4
Deleted Policies....4-4
Storm and Surface Water Policies....4-5
Customer Service Policies....4-5
Water Quality Policies....4-9
Regional Policy....4-16
Waterworks Utility Financial Policies....4-17
Introduction....4-17
General Policies....4-18
Capital Investment Program Policies....4-19
System Expansion and Connection Policies....4-28
Rate Policies....4-31
Operating Reserve Policies....4-36
CHAPTER 5 STORM AND SURFACE WATER MANAGEMENT ROLES, RESPONSIBILITIES, AND COMMUNICATIONS....5-1
City of Bellevue Roles and Responsibilities....5-1
Regulations and Enforcement....5-1
Planning....5-1
Operations and Maintenance....5-2
Capital Projects....5-2
Education....5-3
Emergency Response....5-3
Water Quality/NPDES Municipal Stormwater Permit....5-3
Chinook Salmon Recovery (ESA) Regional and City-wide Coordination....5-3
Monitoring and Modeling....5-4
Communication and Coordination....5-4
Interaction with Non-stormwater Programs....5-5
Water....5-5
Wastewater....5-5

Street Maintenance 5-6
Opportunities for Additional Coordination 5-6
Groundwater 5-6
Stream Planning and Projects 5-6
Stormwater and Streams Maintenance 5-7
Capital Projects in Parks 5-7
Aquatic Education 5-7
Environmental Permitting 5-7
Summary of Key Roles and Communication Needs 5-7
CHAPTER 6 CURRENT CONDITIONS - STATE OF THE STORM AND SURFACE WATER SYSTEM 6-1
Existing Conditions of the Storm and Surface Water System 6-1
Background 6-1
Rainfall 6-3
Soils and Geology 6-4
Land Cover 6-4
Vegetative Cover 6-5
Built Environment 6-5
Water Quality 6-6
Goals and Evaluation Criteria 6-13
Basin Evaluation Criteria 6-14
Evaluating Flow Control and Flood Protection 6-15
Flooded Structures during Storm Events 6-16
Number of Flood Damage Claims 6-16
Number of Road Closures 6-16
Background Information on Flooding 6-20
Evaluating Water Quality Protection 6-24
Water Quality Evaluation 6-30
Evaluating Stream Habitat 6-32
Wood Pieces per Channel Width 6-35
Pool Quality 6-35
Benthic Macroinvertebrates and Biotic Integrity 6-35
Supplemental Stream Condition Information 6-39
Stream Flow 6-39
Stream Channel Condition 6-42

Riparian Condition 6-43
Lake Physical Characteristics 6-43
Sedimentation 6-45
Observed Stream Issues 6-46
Fish Access, Passage Barriers, and Spawning Habitat 6-48
Available Salmon Spawning Habitat 6-50
Presence of Aquatic Species 6-52
Wetlands 6-57
Summary – State of the System 6-57
Data Gaps and Recommendations 6-59
Physical System 6-59
Water Quality 6-59
Biological 6-60
CHAPTER 7 SUMMARY OF BASIN ISSUES AND NEEDS 7-1
Potential Actions to Address Basin Issues 7-1
Introduction 7-1
Summary of Basin Conditions 7-2
Flooding 7-2
Water Quality 7-2
Stream Habitat 7-3
Basin Types 7-3
Basins with Salmon-spawning Streams 7-5
Basins with Small Streams and/or Steep Relief 7-6
Basins with Predominantly Closed Conveyance Systems 7-8
CHAPTER 8 ASSET MANAGEMENT 8-1
Asset Management Program Structure 8-1
Develop Asset Inventory 8-1
Assess Condition 8-4
Determine Residual Life 8-4
Determine Life Cycle Costs 8-5
Set Target Level of Service 8-5
Determine Business Risk Exposure 8-5
Optimize Operations and Maintenance 8-5
Optimize Capital Improvement Program 8-6

Determine Funding Strategy 8-6
Build the Asset Management Program 8-6
Asset Management Program Relationship to the NPDES Program 8-7
Recommendations 8-7
CHAPTER 9 UTILITIES OPERATIONS 9-1
Organizational Structure 9-1
System Protection and Maintenance 9-2
System Components 9-2
Preventative Maintenance 9-3
Infrastructure Condition Assessment 9-4
System Repair and Installation 9-4
Private Drainage Inspection 9-4
Stormwater Pollution Prevention Plans at Public Facilities 9-5
Regional Endangered Species Act Roads Maintenance 9-5
Supporting Programs and Tools 9-5
Physical System Monitoring 9-5
Telemetry Systems 9-6
Water Quality and Illicit Discharge Detection and Elimination 9-6
Aquatic Habitat and Biological Information 9-6
Communications Tools 9-7
Floodplain Management Program (FEMA's National Flood Insurance Program) 9-7
Capital Investment Program 9-10
Preparedness and Response 9-11
Environmental Response 9-11
Water Quality Response 9-11
Emergencies 9-11
CHAPTER 10 PUBLIC EDUCATION AND OUTREACH 10-1
Introduction 10-1
Goals and Objectives 10-2
Current Programs 10-2
Recommendations 10-4
CHAPTER 11 FINANCIAL INFORMATION 11-1
Current Financial Status 11-1
Current Debt Status 11-2

Credit Worthiness 11-2
Financial Outlook 11-4
Funding Plan For The Capital Investment Program 11-4
Funding for the Infrastructure Renewal and Replacement Program 11-7
CHAPTER 12 ADAPTIVE MANAGEMENT 12-1
Bellevue Utilities Department Monitoring and Adaptive Management Programs 12-2
APWA Accreditation Process 12-2
Bellevue Monitoring Programs 12-4
Telemetry and Hydrologic Systems 12-4
Operations and Maintenance 12-5
Monitoring Data from Outside Entities 12-7
Future Direction 12-7
Regional and State Initiatives 12-8
Other Drivers for Monitoring and Information 12-8
Summary 12-8
CHAPTER 13 EMERGING ISSUES AND PLAN RECOMMENDATIONS 13-1
Plan Recommendations 13-1
Capital Investment Program 13-1
Flood Control 13-1
Water Quality 13-2
Fish and Wildlife Habitat 13-2
Asset Management 13-3
Storm and Surface Water Emerging Issues 13-4
Management of Stormwater 13-4
Puget Sound Partnership 13-5
Recommendation for Support of Regional Planning Efforts 13-5
Regulatory Drivers 13-5
Water Quality Improvement Project Process 13-6
Regional Water Quality Monitoring 13-6
CHAPTER 14 REFERENCES 14-1

List of Appendices

A Overview of Current Utilities Activities in Aquatic Habitat
B Supporting Information Used in the State of the System Evaluation
C Supporting Information Addressing Basin Issues and Needs
D Storm and Surface Water Management Guide

List of Figures

Figure 1-1. Location of the city of Bellevue and the 26 storm drainage basins. 1-4

Figure 2-1. Timeline of stormwater-related drivers and events 2-2

Figure 2-2. Percent of city developed vs. type of stormwater requirements 2-3

Figure 4-1. The city's comprehensive plan and the storm and surface water system plan 4-2

Figure 6-1. City of Bellevue streams and drainage basins. 6-2

Figure 6-2. Annual rainfall, Bellevue, WA, 1981-2010. 6-3

Figure 6-3. Average monthly rainfall, Bellevue, WA. 6-3

Figure 6-4. Contrasting rainfall distributions between urban land cover and undeveloped land cover. 6-5

Figure 6-5. Phantom Lake water quality monitoring results (bars) and goals (lines) from 1994 through 2008 for total phosphorus (TP), chlorophyll-a (Chlor a), and Secchi visibility. 6-8

Figure 6-6. Kelsey Creek stream temperatures (oC) (7-day average maximum) averaged over approximately 2-week time periods during the start of the salmon spawning in 2001. 6-9

Figure 6-7. Total impervious area and percentage within the 100-foot stream buffer and total tree canopy cover and within basin stream buffers within Bellevue city limits. 6-12

Figure 6-8. Total impervious area percentage of each drainage basin and within the 100-foot stream buffer (upper graph), and tree canopy cover of each drainage basin and within basin stream buffers (lower graph) within Bellevue city limits. 6-13

Figure 6-9. NE 21st Street floods on December 12, 2010. 6-15

Figure 6-10. Structural flooding map. 6-17

Figure 6-11. Paid flood claims basin map. 6-18

Figure 6-12. Street closure map due to flooding. 6-19

Figure 6-13 - insert map of regional detention facilities 6-21

Figure 6-14. Effect of regional detention in Kelsey Creek 6-22

Figure 6-15. Annexation history illustrates that much of the city was already developed prior to implementing stormwater regulations. 6-26

Figure 6-16. General time of development or redevelopment for parcels in Bellevue outside the right-of-way, and corresponding stormwater development standards for that time period. 6-27

Figure 6-17. Example of sites surveyed routinely during storm events to prevent flooding. If needed, debris is cleared from grates, or other maintenance is performed. 6-28

Figure 6-18. 2008 Water Quality Assessment map showing ratings for water bodies in Bellevue and the vicinity based on state and federal water quality criteria for beneficial uses. 6-31

Figure 6-19. Water quality risk assessment that identifies potential risk areas for pollution entering streams, based on land use, outfalls to streams, and fish use. 6-33

Figure 6-20. Stream habitat conditions map. 6-34

Figure 6-21. Benthic macroinvertebrate sites sampled in Bellevue between 1998 and 2010, and the most recent B-IBI site score (2002-2010) and corresponding rating for each site. 6-37

Figure 6-22. Highest and lowest B-IBI scores for all sites sampled in and near Bellevue from 1998 through 2010. 6-38

Figure 6-23. B-IBI scores for sites in Bellevue and the greater Puget Sound region, showing that Bellevue sites are consistent with sites in nearby urbanized areas. 6-38

Figure 6-24. Hypothetical runoff hydrographs illustrating effect of land use. 6-40

Figure 6-25. Peak annual flow at the Mercer Gauge on Kelsey Creek compared to human population in Bellevue each year from 1953 through 2009. 6-40

Figure 6-26. TQ mean (proportion of time stream flow was above the mean daily flow during the water year) and linear trend in TQ mean (shown as a black line) for Kelsey Creek from 1956 to 2000. 6-42

Figure 6-27. Water level elevation of Lake Sammamish, as measured from USGS gauge 12122000, for water years 2000 through 2009. 6-44

Figure 6-28. Mean annual Phantom Lake water level elevations as measured by City of Bellevue, from 1995 through 2010, and total annual rainfall in north Bellevue. 6-45

Figure 6-29. Percent fine sediments (<0.85 mm) in stream gravels at three sites were higher than recommended for salmon habitat. 6-46

Figure 6-30. Stream issues identified by field crews during Citywide Stream Assessment surveys between 1998 and 2001. 6-47

Figure 6-31. Drainage-related issues from surface water work requests between 1989 and 1999 during a Citywide Stream Assessment. 6-47

Figure 6-32. Current or past barriers to fish migration in Bellevue streams. 6-49

Figure 6-33. Length of stream in each basin, with the amount suitable for salmon spawning on City-owned property and private property. 6-50

Figure 6-34. Proportion of the 5.1 miles of City-owned suitable spawning habitat in Bellevue's drainage basins. 6-51

Figure 6-35. Salmon escapement (estimated number of adults returning to spawn based on number of redds or egg nests) for Kelsey Creek from 2000 to 2009. 6-53

Figure 6-36. Adult salmon and trout distribution in Bellevue streams, 1996 - 2010. 6-54

Figure 6-37. Streams, lakes, wetlands, and currently active gauge stations in Bellevue. 6-58

Figure 7-1. Drainage basin types organized by those with salmon spawning, small and/or steep streams, and predominantly piped conveyance systems. 7-4

Figure 8-1. USEPA Asset Management Program framework processes. 8-1

Figure 8-2. Bellevue's municipal storm and surface water conveyance system, including streams and most of the piped public drainage system. 8-3

Figure 9-1. Bellevue Utilities Department organizational chart showing division and section responsibilities and functions (updated 7/23/2010). 9-2

Figure 9-2. Status of floodplain mapping in each of Bellevue's drainage basins as of 2010. 9-9

Figure 11-1. Storm and Surface Water Utility R&R Funding 11-8

Figure 12-1. Adaptive Management Concept. 12-2

List of Tables

Table ES-1. Basin planning criteria and evaluation metrics or indicators used to evaluate basins in terms of storm and surface water goals. ES-3

Table 3-1. Regulatory framework of surface water management in the city of Bellevue 3-3

Table 4-1. Storm and surface water policies listed by utilities department categories 4-3

Table 6-1. Hydrologic soil grouping for Bellevue 6-5

Table 6-2. Land cover area 6-7

Table 6-3. Planning criteria and evaluation metrics or indicators used to evaluate basins in terms of storm and surface water goals 6-16

Table 6-4. Age of built developments in Bellevue. 6-23

Table 6-5. Common pollutants and their impacts on aquatic systems 6-29

Table 6-6. Stream habitat quality ratings based on habitat suitability for salmon from the Salmon and Steelhead Habitat Limiting Factors Report (Kerwin 2001). 6-43

Table 6-7. Definitions of stream issues identified during the 1998 to 2001 Citywide Stream Assessment 6-48

Table 6-8. Suitable stream spawning habitat for Chinook, coho, and sockeye salmon in each drainage basin, based on a GIS analysis. 6-52

Table 6-9. Fish observed during summer electrofishing surveys at several sites in the Kelsey Creek basin and its tributaries, 1983, 1996, 2002, 2007, and 2010. 6-56

Table 7-1. Summary of major plans and studies, and status of recommendations 7-6

Table 8-1. Public Drainage Asset Summary. 8-2

Table 10-1. Current Utilities Department programs to achieve the City's stormwater goals 10-3

Table 11-1. Current financial status of the Storm and Surface Water Utility, 2007 through 2010. 11-1

Table 11-2. Number of customer accounts receiving storm and service water services. 11-2

Table 11-3. Outstanding Public Works Trust Fund Loans 11-2

Table 11-4. Combined financial information for 2003 through 2010 for the Waterworks Utility, which includes Water, Wastewater, and Storm and Surface Water 11-3

Table 11-5. Financial forecast information for the Storm and Surface Water Utility. 11-5

Table 11-6. Capital Investment Program (CIP) funding status for storm and surface water projects, 2011 through 2017. 11-6

Table 11-7. Current and projected renewal and replacement (R&R) fund balances for replacement of aging infrastructure. 11-7