



DEPARTMENT OF PLANNING AND COMMUNITY DEVELOPMENT
ENVIRONMENTAL COORDINATOR
450 110th Ave NE., P.O. BOX 90012
BELLEVUE, WA 98009-9012

OPTIONAL DETERMINATION OF NON-SIGNIFICANCE (DNS) NOTICE MATERIALS

The attached materials are being sent to you pursuant to the requirements for the Optional DNS Process (WAC 197-11-355). A DNS on the attached proposal is likely. This may be the only opportunity to comment on environmental impacts of the proposal. Mitigation measures from standard codes will apply. Project review may require mitigation regardless of whether an EIS is prepared. A copy of the subsequent threshold determination for this proposal may be obtained upon request.

File No. 15-130191-GJ
Project Name/Address: Vaupell Hazard Tree Removal
13307 SE 57th St
Planner: Carol L. Orr
Phone Number: 425-452-2896
Minimum Comment Period: 2/25/16

Materials included in this Notice:

- Blue Bulletin
- Checklist
- Vicinity Map
- Plans
- Other: Hazardous Tree Assessment Forms

BACKGROUND INFORMATION

Property Owner: John Vaupell

Proponent: Brandon Grote, Affordable Tree Service Eastside

Contact Person: Brandon Grote 206-245-3102 or brandon@affordabletreeserviceeastside.com
(If different from the owner. All questions and correspondence will be directed to the individual listed.)

Address: 13307 SE 57th St

Phone: 206 245 3102

Proposal Title: Hazard Tree

Proposal Location: 13307 SE 57th St
(Street address and nearest cross street or intersection) Provide a legal description if available.

Please attach an 8 1/2" x 11" vicinity map that accurately locates the proposal site.

Give an accurate, brief description of the proposal's scope and nature:

1. General description: Hazard tree Removal and replanting

2. Acreage of site: 10,000 square feet 9235 SF

3. Number of dwelling units/buildings to be demolished: None

4. Number of dwelling units/buildings to be constructed: None

5. Square footage of buildings to be demolished: None

6. Square footage of buildings to be constructed: None

7. Quantity of earth movement (in cubic yards): None

8. Proposed land use: Hazard Tree Removal & Replanting 4 western Red cedar

9. Design features, including building height, number of stories and proposed exterior materials:

Plant Western Red Cedar

10. Other

9 understory plants of 3 native species will be installed in addition to the replacement trees.

Estimated date of completion of the proposal or timing of phasing:

March 2015

Do you have any plans for future additions, expansion, or further activity related to or connected with this proposal? If yes, explain.

No

Reviewed
CLO
2/8/2016

List any environmental information you know about that has been prepared, or will be prepared, directly related to this proposal.

Hazard tree Assessments

Do you know whether applications are pending for governmental approvals of other proposals directly affecting the property covered by your proposal? If yes, explain. List dates applied for and file numbers, if known.

N/A

List any government approvals or permits that will be needed for your proposal, if known. If permits have been applied for, list application date and file numbers, if known.

N/A

Please provide one or more of the following exhibits, if applicable to your proposal. (Please check appropriate box(es) for exhibits submitted with your proposal):

Land Use Reclassification (rezone) Map of existing and proposed zoning

Preliminary Plat or Planned Unit Development
Preliminary plat map

Clearing & Grading Permit
Plan of existing and proposed grading
Development plans

Hazard tree Removal in Critical area
Trees to be removed are located within a steep slope critical area and stream buffer.

Building Permit (or Design Review)
Site plan
Clearing & grading plan

Shoreline Management Permit
Site plan

A. ENVIRONMENTAL ELEMENTS

1. Earth

a. General description of the site: Flat Rolling Hilly Steep slopes Mountains Other

b. What is the steepest slope on the site (approximate percent slope)?

30° based on City GIS information, 60% is more accurate

c. What general types of soil are found on the site (for example, clay, sand, gravel, peat, and muck)? If you know the classification of agricultural soils, specify them and note any prime farmland.

Good soil

AkF: Alderwood and Kitsap soils, very steep

d. Are there surface indications or history of unstable soils in the immediate vicinity? If so, describe.

No

Reviewed
CLO
2/8/2016

- e. Describe the purpose, type, and approximate quantities of any filling or grading proposed. Indicate source of fill.

N/A

- f. Could erosion occur as a result of clearing, construction, or use? If so, generally describe.

- g. About what percent of the site will be covered with impervious surfaces after project construction (for example, asphalt or buildings)?
- Temporary ^{NO} Erosion and Sedimentation controls, as per BCC 23.76 shall be utilized**

N/A

- h. Proposed measures to reduce or control erosion, or other impacts to the earth, if any:

N/A

2. AIR

- a. What types of emissions to the air would result from the proposal (i.e. dust, automobile odors, and industrial wood smoke) during construction and when the project is completed? If any, generally describe and give approximate quantities if known.

N/A

- b. Are there any off-site sources of emissions or odor that may affect your proposal? If so, generally describe.

NO

- c. Proposed measures to reduce or control emissions or other impacts to the air, if any:

N/A

3. WATER

- a. Surface

- (1) Is there any surface water body on or in the immediate vicinity of the site (including year-round and seasonal streams, saltwater, lakes, ponds, wetlands)? If yes, describe type and provide names. If appropriate, state what stream or river it flows into.

Stream at the Bottom of the Hill

Fish-bearing Stream: Coal Creek

- (2) Will the project require any work over, in, or adjacent to (within 200 feet) the described waters? If Yes, please describe and attach available plans.

N/A more than 200 feet

**Reviewed
CLO
2/8/2016**

- (3) Estimate the amount of fill and dredge material that would be placed in or removed from surface water or wetlands and indicate the area of the site that would be affected. Indicate the source of fill material.

None

- (4) Will the proposal require surface water withdrawals or diversions? Give general description, purpose, and approximate quantities if known.

No

- (5) Does the proposal lie within a 100-year floodplain? If so, note location on the site plan.

No

- (6) Does the proposal involve any discharges of waste materials to surface waters? If so, describe the type of waste and anticipated volume of discharge.

NO

b. Ground

- (1) Will ground water be withdrawn, or will water be discharged to ground water? Give general description.

NO

- (2) Describe waste material that will be discharged into the ground from septic tanks or other sources, if any (for example: Domestic sewage; industrial, containing the following chemicals...; agricultural; etc.) Describe the general size of the system, the number of such systems, the number of houses to be served (if applicable), or the number of animals or humans the system(s) are expected to serve.

N/A

c. Water Runoff (Including storm water)

- (1) Describe the source of runoff (including storm water) and method of collection and disposal, if any (include quantities, if known). Where will this water flow? Will this water flow into other waters? If so, describe.

N/A

- (2) Could waste materials enter ground or surface waters? If so, generally describe.

No

Reviewed
CLO
2/8/2016

d. Proposed measures to reduce or control surface, ground, and runoff water impacts, if any:

N/A

4. Plants

a. Check or circle types of vegetation found on the site:

- deciduous tree: alder, maple, aspen, other
- evergreen tree: fir, cedar, pine, other
- shrubs
- grass
- pasture
- crop or grain
- wet soil plants: cattail, buttercup, bulrush, skunk cabbage, other
- water plants: water lily, eelgrass, milfoil, other
- other types of vegetation

b. What kind and amount of vegetation will be removed or altered?

2 Hazard trees

c. List threatened or endangered species known to be on or near the site.

None

d. Proposed landscaping, use of native plants, or other measures to preserve or enhance vegetation on the site, if any:

Plant 4 western Red Cedars

5. ANIMALS

a. Check or circle any birds and animals which have been observed on or near the site or are known to be on or near the site:

- Birds: hawk, heron, eagle, songbirds, other: **owls, woodpeckers, jays, doves**
- Mammals: deer, bear, elk, beaver, other: **coyote, raccoon, chipmunk, squirrel, rabbits, opossum, and other small mammals such as voles, shrew and bats**
- Fish: bass, salmon, trout, herring, shellfish, other:

None

Small birds

Reviewed
CLO
2/8/2016

b. List any threatened or endangered species known to be on or near the site.

None

c. Is the site part of a migration route? If so, explain.

NO

d. Proposed measures to preserve or enhance wildlife, if any:

Maples may be snagged to enhance habitat or large woody debris left of site.

leave Brush to promote habitat

6. Energy and Natural Resources

a. What kinds of energy (electric, natural gas, oil, wood stove, solar) will be used to meet the completed project's energy need? Describe whether it will be used for heating, manufacturing, etc.

N/A

b. Would your project affect the potential use of solar energy by adjacent properties? If so, generally describe.

NO

c. What kinds of energy conservation features are included in the plans of the proposal? List other proposed measures to reduce or control energy impacts, if any:

None

7. Environmental Health

a. Are there any environmental health hazards, including exposure to toxic chemicals, risk of fire and explosion, spill, or hazardous waste, that could occur as a result of this proposal? If so, describe.

None

(1) Describe special emergency services that might be required.

None

(2) Proposed measures to reduce or control environmental health hazards, if any.

None

Reviewed
CLO
2/8/2016

b. Noise

- (1) What types of noise exist in the area which may affect your project (for example, traffic, equipment, operation, other)?

None

- (2) What types and levels of noise would be created by or associated with the project on a short-term or long-term basis (for example, traffic, construction, operation, other)? Indicate what hours noise would come from the site.

None

- (3) Proposed measures to reduce or control noise impacts, if any:

None

Construction noise shall comply with the requirements of BCC 9.18

8. Land and Shoreline Use

- a. What is the current use of the site and adjacent properties?

Single Family Residence

- b. Has the site been used for agriculture? If so, describe.

No

- c. Describe any structures on the site.

1 Home

- d. Will any structures be demolished? If so, what?

No

- e. What is the current zoning classification of the site?

Residential

- f. What is the current comprehensive plan designation of the site?

N/A Single Family - Medium Density

- g. If applicable, what is the current shoreline master program designation of the site?

N/A

- h. Has any part of the site been classified as an "environmentally sensitive" area? If so, specify.

Yes Steep Slope Stream Buffer

- i. Approximately how many people would reside or work in the completed project?

4

- j. Approximately how many people would the completed project displace?

None

Reviewed
CLO
2/8/2016

k. Proposed measures to avoid or reduce displacement impacts, if any:

N/A

i. Proposed measures to ensure the proposal is compatible with existing and projected land uses and plans, if any:

N/A

9. Housing

a. Approximately how many units would be provided, if any? Indicate whether high, middle, or low-income housing.

N/A

b. Approximately how many units, if any, would be eliminated? Indicate whether high, middle, or low-income housing.

None

c. Proposed measures to reduce or control housing impacts, if any:

None

10. Aesthetics

a. What is the tallest height of any proposed structure(s), not including antennas; what is the principal exterior building material(s) proposed?

N/A

b. What views in the immediate vicinity would be altered or obstructed?

N/A

c. Proposed measures to reduce or control aesthetic impacts, if any:

N/A

Reviewed
CLO
2/8/2016

11. Light and Glare

- a. What type of light or glare will the proposal produce? What time of day would it mainly occur?

None

- b. Could light or glare from the finished project be a safety hazard or interfere with views?

No

- c. What existing off-site sources of light or glare may affect your proposal?

None

- d. Proposed measures to reduce or control light or glare impacts, if any:

None

12. Recreation

- a. What designated and informal recreational opportunities are in the immediate vicinity?

N/A

- b. Would the proposed project displace any existing recreational uses? If so, describe.

N/A

- c. Proposed measures to reduce or control impacts on recreation, including recreation opportunities to be provided by the project or applicant, if any:

N/A

13. Historic and Cultural Preservation

- a. Are there any places or objects listed on, or proposed for, national, state, or local preservation registers known to be on or next to the site? If so, generally describe.

No

- b. Generally describe any landmarks or evidence of historic, archeological, scientific, or cultural importance known to be on or next to the site.

No

- c. Proposed measures to reduce or control impacts, if any:

None

14. Transportation

- a. Identify public streets and highways serving the site, and describe proposed access to the existing street system. Show on site plans, if any.

N/A

- b. Is site currently served by public transit? If not, what is the approximate distance to the nearest transit stop?

N/A

- c. How many parking spaces would be completed project have? How many would the project eliminate?

N/A

d. Will the proposal require any new roads or streets, or improvements to existing roads or streets, not including driveways? If so, generally describe (indicate whether public or private).

N/A

e. Will the project use (or occur in the immediate vicinity of) water, rail, or air transportation? If so, generally describe.

N/A

f. How many vehicular trips per day would be generated by the completed project? If known, indicate when peak volumes would occur.

N/A

g. Proposed measures to reduce or control transportation impacts, if any:

N/A

15. Public Services

a. Would the project result in an increased need for the public services (for example: fire protection, police protection, health care, schools, other)? If so, generally describe.

NO

b. Proposed measures to reduce or control direct impacts on public services, if any:

None

16. Utilities

a. Circle utilities currently available at the site: electricity, natural gas, water, refuse service, telephone, sanitary sewer, septic system, other.

N/A

b. Describe the utilities that are proposed for the project, the utility providing the service, and the general construction activities on the site or in the immediate vicinity which might be needed.

N/A

Reviewed
CLO
2/8/2016

Signature

The above answers are true and complete to the best of my knowledge. I understand that the lead agency is relying on them to make its decision.

Signature



Date Submitted



1-25-2016

15-130191-GJ Vaupell Tree Removal 13307 SE 57th St

Contractor: Affordable Tree Service Eastside
Attn: Brandon Grote
P.O. Box 50303
Bellevue, WA 98015
206-245-3102 or brandon@affordabletreeserviceeastside.com




City Parks
Parcels



The City of Bellevue does not guarantee that the information on this map is accurate or complete. This data is provided on an "as is" basis and disclaims all warranties.

-  = Existing Tree
-  = Western Red Cedar
Thuya Plicata
-  = Western Serviceberry
Amelanchier Alnifolia
-  = Osoberry
Oemleria cerasiformis
-  = Red Elderberry
Sambucus racemosa



0 10 20
Scale 1:120 Feet



Basic Tree Risk Assessment Form

Client Affordable Tree Care Service Date 12/21/2015 Time 9 AM
 Address/Tree location 13307 SE 57th St., Bellevue, WA 98006 Tree no. 1 Sheet 1 of 2
 Tree species Big leaf Maple dbh 7,12,7,6 Height 65 Crown spread dia. 36
 Assessor(s) Tom Hanson Time frame 3 year Tools used tape, Relaskop

Target Assessment

Target number	Target description	Target zone			Occupancy rate 1-rare 2-occasional 3-frequent 4-constant	Practical to move target?	Restriction practical?
		Target within drip line	Target within 1x Ht.	Target within 1.5x Ht.			
1	Landscape	<input checked="" type="checkbox"/>			1	N	N
2	Residence			<input checked="" type="checkbox"/>	3	N	N
3							
4							

Site Factors

History of failures None evident Topography Flat Slope 30 % Aspect S
 Site changes None Grade change Site clearing Changed soil hydrology Root cuts Describe _____
 Soil conditions Limited volume Saturated Shallow Compacted Pavement over roots % Describe _____
 Prevailing wind direction SW Common weather Strong winds Ice Snow Heavy rain Describe _____

Tree Health and Species Profile

Vigor Low Normal High Foliage None (seasonal) None (dead) Normal 100 % Chlorotic _____ % Necrotic _____ %
 Pests _____ Abiotic _____
 Species failure profile Branches Trunk Roots Describe Branch break out common

Load Factors

Wind exposure Protected Partial Full Wind funneling Relative crown size Small Medium Large
 Crown density Sparse Normal Dense Interior branches Few Normal Dense Vines/Mistletoe/Moss
 Recent or planned change in load factors _____

Tree Defects and Conditions Affecting the Likelihood of Failure

— Crown and Branches —

Unbalanced crown LCR 65 % Cracks Lightning damage
 Dead twigs/branches _____ % overall Max. dia. _____ Codominant Included bark
 Broken/Hangers Number _____ Max. dia. _____ Weak attachments Cavity/Nest hole _____ % circ.
 Over-extended branches Previous branch failures Similar branches present
Pruning history
 Crown cleaned Thinned Raised Dead/Missing bark Cankers/Galls/Burls Sapwood damage/decay
 Reduced Topped Lion-tailed Conks Heartwood decay
 Flush cuts Other _____ Response growth _____

Main concern(s) _____

Load on defect N/A Minor Moderate Significant

Likelihood of failure Improbable Possible Probable Imminent

— Trunk —

Dead/Missing bark Abnormal bark texture/color
 Codominant stems Included bark Cracks
 Sapwood damage/decay Cankers/Galls/Burls Sap ooze
 Lightning damage Heartwood decay Conks/Mushrooms
 Cavity/Nest hole _____ % circ. Depth _____ Poor taper
 Lean _____ ° Corrected? _____

Response growth _____

Main concern(s) Long term crowding

Load on defect N/A Minor Moderate Significant

Likelihood of failure Improbable Possible Probable Imminent

— Roots and Root Collar —

Collar buried/Not visible Depth _____ Stem girdling
 Dead Decay Conks/Mushrooms
 Ooze Cavity _____ % circ.
 Cracks Cut/Damaged roots Distance from trunk _____
 Root plate lifting Soil weakness

Response growth _____

Main concern(s) _____

Load on defect N/A Minor Moderate Significant

Likelihood of failure Improbable Possible Probable Imminent

Received

DEC 23 2015

Permit Processing



Tree #1 13307 – Note Closely spaced Trunks



Basic Tree Risk Assessment Form

Client Affordable Tree Care Service Date 12/21/2015 Time 9 AM
 Address/Tree location 13307 SE 57th St., Bellevue, WA 98006 Tree no. 2 Sheet 1 of 2
 Tree species Big leaf Maple dbh 9 Height 60 Crown spread dia. 22
 Assessor(s) Tom Hanson Time frame 3 year Tools used tape, Relaskop

Target Assessment

Target number	Target description	Target zone			Occupancy rate 1 - rare 2 - occasional 3 - frequent 4 - constant	Practical to move target?	Restriction practical?
		Target within drip line	Target within 1 x Ht.	Target within 1.5 x Ht.			
1	Landscape	<input checked="" type="checkbox"/>			1	N	N
2	Residence			<input checked="" type="checkbox"/>	3	N	N
3							
4							

Site Factors

History of failures None evident Topography Flat Slope 30 % Aspect S
 Site changes None Grade change Site clearing Changed soil hydrology Root cuts Describe _____
 Soil conditions Limited volume Saturated Shallow Compacted Pavement over roots % Describe _____
 Prevailing wind direction SW Common weather Strong winds Ice Snow Heavy rain Describe _____

Tree Health and Species Profile

Vigor Low Normal High Foliage None (seasonal) None (dead) Normal 100 % Chlorotic _____ % Necrotic _____ %
 Pests _____ Abiotic _____
 Species failure profile Branches Trunk Roots Describe Branch break out common

Load Factors

Wind exposure Protected Partial Full Wind funneling Relative crown size Small Medium Large
 Crown density Sparse Normal Dense Interior branches Few Normal Dense Vines/Mistletoe/Moss
 Recent or planned change in load factors _____

Tree Defects and Conditions Affecting the Likelihood of Failure

— Crown and Branches —

Unbalanced crown LCR 60 %
 Dead twigs/branches % overall Max. dia. _____
 Broken/Hangers Number _____ Max. dia. _____
 Over-extended branches
 Pruning history
 Crown cleaned Thinned Raised
 Reduced Topped Lion-tailed
 Flush cuts Other _____
 Cracks Lightning damage
 Codominant Included bark
 Weak attachments Cavity/Nest hole _____ % circ.
 Previous branch failures Similar branches present
 Dead/Missing bark Cankers/Galls/Burls Sapwood damage/decay
 Conks Heartwood decay
 Response growth _____

Main concern(s) _____

Load on defect N/A Minor Moderate Significant

Likelihood of failure Improbable Possible Probable Imminent

— Trunk —

Dead/Missing bark Abnormal bark texture/color
 Codominant stems Included bark Cracks
 Sapwood damage/decay Cankers/Galls/Burls Sap ooze
 Lightning damage Heartwood decay Conks/Mushrooms
 Cavity/Nest hole 60 % circ. Depth through Poor taper
 Lean 20 ° Corrected? yes

Response growth _____

Main concern(s) Decay, trunk breakage

Load on defect N/A Minor Moderate Significant

Likelihood of failure Improbable Possible Probable Imminent

— Roots and Root Collar —

Collar buried/Not visible Depth _____ Stem girdling
 Dead Decay Conks/Mushrooms
 Ooze Cavity % circ.
 Cracks Cut/Damaged roots Distance from trunk _____
 Root plate lifting Soil weakness

Response growth _____

Main concern(s) _____

Load on defect N/A Minor Moderate Significant

Likelihood of failure Improbable Possible Probable Imminent

Receive
DEC 23 2015
Permit Process

Risk Categorization

Condition number	Tree part	Conditions of concern	Part size	Fall distance	Target number	Target protection	Likelihood												Consequences				Risk rating of part (from Matrix 2)
							Failure				Impact				Failure & Impact (from Matrix 1)				Negligible	Minor	Significant	Severe	
							Improbable	Possible	Probable	Imminent	Very low	Low	Medium	High	Unlikely	Somewhat	Likely	Very likely					
1	Limbs	Limb drop	3"	30'	1	None	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	Low
							<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
2	Trunk	Failure	6"	30"	1	None	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	Moderate
							<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
3							<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
							<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
4							<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
							<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	



Matrix 1. Likelihood matrix.

Likelihood of Failure	Likelihood of Impacting Target			
	Very low	Low	Medium	High
Imminent	Unlikely	Somewhat likely	Likely	Very likely
Probable	Unlikely	Unlikely	Somewhat likely	Likely
Possible	Unlikely	Unlikely	Unlikely	Somewhat likely
Improbable	Unlikely	Unlikely	Unlikely	Unlikely

Matrix 2. Risk rating matrix.

Likelihood of Failure & Impact	Consequences of Failure			
	Negligible	Minor	Significant	Severe
Very likely	Low	Moderate	High	Extreme
Likely	Low	Moderate	High	High
Somewhat likely	Low	Low	Moderate	Moderate
Unlikely	Low	Low	Low	Low

Notes, explanations, descriptions _____
 Perched trunk with decay



Mitigation options _____ Residual risk _____
 Remove Tree _____ Residual risk **Low**
 _____ Residual risk _____
 _____ Residual risk _____

Overall tree risk rating Low Moderate High Extreme
 Overall residual risk Low Moderate High Extreme
 Work priority 1 2 3 4
 Recommended inspection interval **NA**

Data Final Preliminary Advanced assessment needed No Yes-Type/Reason _____
 Inspection limitations None Visibility Access Vines Root collar buried Describe _____



Tree # 2 on 13307 – Note Decay and weak lower Trunk