



NOTES:

1. CALL FOR CLEAR AND GRADE INSPECTION PRIOR TO BASE COURSE BEING PLACED. VERIFICATION OF ROCKERY HEIGHT, FOUNDATION MATERIAL, AND ROCK SIZE BY CITY CLEARING AND GRADING INSPECTOR IS REQUIRED.
2. QUARRY SPALLS AND CRUSHED ROCK SHALL BE PLACED DIRECTLY FROM TRUCK OR OTHER SUITABLE CONTAINER IN ORDER TO MAINTAIN CLEAN BACKFILL.
3. ALL ROCKERIES OVER 30-IN IN HEIGHT ARE CONSIDERED A STRUCTURE PER THE LAND USE CODE AND MUST BE LOCATED OUTSIDE OF ALL STRUCTURE SETBACK LINES.
4. OPENINGS SHALL BE CHINKED WITH QUARRY SPALLS.
5. ROCKERIES GREATER THAN 4- FEET IN HEIGHT SHALL BE DESIGNED BY A CIVIL OR GEOTECHNICAL ENGINEER.
6. ROCKERIES CONSTRUCTED IN THE RIGHT-OF-WAY ARE SUBJECT TO TRANSPORTATION DEPARTMENT DEVELOPMENT STANDARDS.



City of Bellevue

NO SCALE

TITLE

ROCKERY

REV. DATE 10/2000

NO. EC-17