Land Use Code Amendments

Bel-Red Code Operations & Maintenance Satellite Facility

City Council Study Session January 28, 2013

Tonight: Bel-Red Focus

- Overview of Light Rail development outcomes anticipated base on existing Bel-Red Overlay
- Treatment of the proposed Operations and Maintenance Satellite Facility within the Overlay
- Presenting a recommendation to exclude the OMSF from the Light Rail Overlay, allowing the future development of standards when more specific information is available.
- Schedule and Next Steps

Code Adoption Schedule


Scheduled Date/Timeframe	Light Rail Code Amendment Topic
February 4	Process Provisions of the draft code amendment and wrap-up of outstanding issues
Early February	 SEPA Threshold Determination on code amendment expected Comments accepted until SEPA determination made SEPA Determination required prior to Council final action
February 11	Second Public Hearing on Light Rail Overlay
February 19/25	Anticipated Final Action

 Direction on the treatment of the proposed Operations and Maintenance Satellite Facility within the Overlay

Bel-Red Overview

- Design Review 20.25D.030.C
- Landscape Development 20.25D.110
- Parking Structure Standards 20.25D.120
- Bel-Red Development Standards 20.25D.130
- Design Guidelines 20.25D.150

Bel-Red Subarea




130th NE Station – Aerial View



130th NE Station – Neighborhood Character




130th Station/Park-and-Ride (Existing)




130th Station/Park-and-Ride (Proposed)




NE 16th at 130th Station



NE 16th at 134th NE



136th NE Cross-Section



Operations & Maintenance Satellite Facility (OMSF)

- Proposed OMSF facility is a recently added project
- Not anticipated within the MOU
- Sound Transit Board identified two possible sites in Bellevue
- Environmental review process has been initiated
- Considered an Essential Public Facility (EPF)
 - Subject to a Conditional Use Permit
 - City may impose reasonable mitigation

Operations & Maintenance Satellite Facility (OMSF)

- Recommendation: Revise Definition of "Regional Light Rail Transit Facility" to exclude the OMSF
 - Proposed OMSF would be excluded from Light Rail Overlay code
 - Would not benefit from the streamlined/consolidated permit review approach
 - Would be subject to a Conditional Use Permit under EPF provisions of the Land Use Code
 - Standards for OMSF could be created at a later date

 Provide direction on the treatment of the proposed Operations and Maintenance Satellite Facility within the Overlay

Next Steps

- February 4 Confirm procedural approach
- Early February SEPA Threshold Determination
- February 11 Public Hearing
- February 19/25 Opportunity for Final Council Action

For more information, see East Link Project website at: <u>http://www.bellevuewa.gov/light-rail-overlay.htm</u>