



CLEARING & GRADING	LAND USE	SURVEY	UTILITIES
<p style="text-align: center; border: 1px solid green; padding: 5px;">CLEARING & GRADING REVIEW NOT REQUIRED</p>	<div style="border: 1px solid green; padding: 5px; margin-bottom: 10px;"> <p style="text-align: center;">CITY OF BELLEVUE DEVELOPMENT SERVICES DEPARTMENT LAND USE APPROVAL APPROVED AS CORRECTED OVERSIGHT OR VIOLATIONS OF CITY ORDINANCES ARE NOT INCLUDED IN THIS APPROVAL.</p> </div> <p>DATE APPROVED: 06/02/2017 APPROVED BY: Matthews Jackson mjackson@bellevuewa.gov (425) 452-2729</p>	<p style="text-align: center; border: 1px solid red; padding: 5px;">SURVEY REVIEW NOT REQUIRED</p>	<p style="text-align: center; border: 1px solid blue; padding: 5px;">UTILITIES REVIEW NOT REQUIRED</p>

PERMIT NUMBER: 17-114040 LY
PROJECT NAME: E320 SBS Tub-girder installation
SITE ADDRESS: 2700 Bellevue Way SE
 South Bellevue Park and Ride Site





Development Services
Permit Processing 425-452-4898

Amplified Sound Permit Application

FOR OFFICE USE ONLY	17-114040 LY
Permit # _____	

Date _____ Applicant _____

Site Address _____ Phone Number _____

Applicant Address _____

Owner/Operator of Equipment _____ Phone Number _____

Description of Equipment _____

Purpose of Equipment _____

Location/Street Address of Event _____

Proposed Date(s) and Proposed Time(s) of Operation _____

Approximate distance sound will be thrown beyond property line _____

- A.** Any person desiring to operate sound amplification equipment consistent with BCC 9.18.020.D and the owner of property on which such equipment is proposed to be operated must jointly file this application **at least seven days in advance** of the date on which sound amplification equipment is proposed to be operated.

Maximum Permissible Sound Levels by Receiving Property			
EDNA of Noise Source	EDNA of Receiving Property		
	Class A	Class B	Class C
	(dBA)	(dBA)	(dBA)
Class A (Residential)	55	57	60
Class B (Commercial)	57	60	65
Class C (Industrial)	60	65	70

The maximum sound levels above may be increased by 10 dBA for the operation of sound amplification equipment operated in compliance with an ap



ISSUED 06/05/2017

B. Please answer the following questions:

1. Is your event scheduled on a Sunday or a legal holiday? Yes No
2. Will amplified sound equipment be used at the same location or on the same property on more than four consecutive days in any calendar week? Yes No
3. Is your event to be held in the Robinsglen Community Park or Lake Hills Access Area? Yes No
4. Will sound from sound amplification equipment be plainly audible to occupants of a school during school hours or a hospital at any time? Does not apply to the operation of sound amplification equipment on school or hospital grounds. Yes No
5. Will your event exceed the maximum permissible sound levels identified in the chart above? Yes No
6. Will amplified sound be generated outside of the hours of 8 a.m. and 5 p.m.? Yes No

If you answered YES to any of the above questions, a Sound Amplification Permit cannot be approved by the city.

9.18.045 Sound amplification permits.

A. Any person desiring to operate sound amplification equipment consistent with BCC 9.18.020.D and the owner of property on which such equipment is proposed to be operated shall jointly file with the director of the Development Services Department an application for a permit at least one week in advance of the date on which sound amplification equipment is proposed to be operated and shall provide the following information:

1. The name and address of the sound amplification equipment operator, and a phone number where the operator can be reached during the time when the sound amplification equipment is proposed to be in use;
2. The name and address of the property owner for the location described in subsection 3 below if different from the operator, and a phone number where the property owner can be reached during the time when the sound amplification equipment is proposed to be in use;
3. A statement describing the address and location at which the sound amplification equipment will be in operation;
4. A general description of the sound amplification equipment and the purposes for which it is to be used; and
5. A statement designating the proposed time during which the sound amplification equipment will be in operation.

B. Use of sound amplification equipment may be authorized by the director of the Development Services Department pursuant to BCC subject to the following criteria:

1. The use of sound amplification equipment shall not be allowed on Sundays or legal holidays;
2. The use of amplified sound equipment shall not be allowed at the same location or on the same property on more than four days in any calendar week;
3. Amplified sound shall be subject to the maximum permissible noise levels for amplified sound set forth in BCC 9.18.030;
4. Amplified sound shall be subject to the quiet zone prohibitions in BCC 9.18.042; and
5. No person shall operate or cause to be operated within the city any sound amplification equipment, the sound from which is plainly audible to occupants of a school during school hours or a hospital at any time; provided that this section does not apply to the operation of sound amplification equipment on school or hospital grounds.

Failure to comply with Chapter 9.18.045 BCC may result in revocation of the permit and/or issuance of a Notice of Civil Violation un



ISSUED 06/05/2017

City of Bellevue Page 4 of 417-114040 LY

I certify under penalty of perjury under the laws of the state of Washington that the foregoing is true and correct.

Justin Lacson

05/23/2017

Applicant Name (Please Print)

Date

Applicant Signature

To be completed by City of Bellevue staff

17-114040 LY

Permit Number

Planner

M. Jackson

Decision (circle one)

Approve

Deny

June 2, 2017

Matthew Jackson

Planner Signature

Date



ISSUED 06/05/2017